## BULKY DOCUMENTS

(Exceeds 300 pages)

Proceedi	ng/Serial No: 91123506
Filed: _	06-21-06
Title: _	Pucel's Notice offiling And certificate
<u> </u>	of Service of trial depositions of Anthony
<u> </u>	ICAKAN AND ROBERT MCKAR Along with Gribits there
Part 7	of #b6

## **CABINET WORK BENCHES** (with Sliding Doors)


All welded, heavy gauge steel construction, ith steel or wood tops, with and without ding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Laminated wood tops also furnished in thicknesses of  $1\frac{1}{2}$ ",  $1\frac{5}{8}$ ", 2",  $2\frac{1}{4}$ " and 3". Side and back stops, bench risers and drawers can be added, see pages 39, 40 and 42.

FINISH - SHOP GREEN, GRAY ON REQUEST.

All Models: 34" High Overall

WITH STEEL TOPS



12 Gauge	Model	Size of Top	Base, 25" Deep	Weight	Price
	CS-2860	28" × 60"	Basic Unit	204	\$ 70.05
	CS-2872	28" × 72"	Basic Unit	234	78.70
	CS-2860-S	28" × 60"	Basic Unit with Shelf	239	80.90
	C\$-2872-\$	28" × 72"	Basic Unit with Shelf	274	91.05
	CS-2860-D	28" × 60"	Basic Unit with Sliding Doors	248	100.95
	CS-2872-D	28" × 72"	Basic Unit with Sliding Doors	286	112.30
	CS-2860-SD	28" x 60"	Basic Unit with Shelf & Sliding Doors	283	111.80
	CS-2872-SD	28" × 72"	Basic Unit with Shelf & Sliding Doors	326	124.65
WITH HARD MAR	LE BENCH TO	PS $=$ $1\frac{3}{4}$ " Thick Over	hang on Front, 5"	IATURAL W	OOD FINISH
	CW-3060	30" × 60"	Basic Unit	220	\$111.15
	CW-3072	30" × 72"	Basic Unit	254	128.55
	CW-3060-S	30" × 60"	Basic Unit with Shelf	255	121.95
	CW-3072-S	30" × 72"	Basic Unit with Shelf	295	140.90
	CW-3060-D	30" × 60"	Basic Unit with Sliding Doors	264	142.05
	CW-3072-D	30" × 72"	Basic Unit with Sliding Doors	306	162.15
	CW-3060-SD	30" x 60"	Basic Unit with Shelf & Sliding Doors	300	152.85
	CW-3072-SE	30" x 72"	Basic Unit with Shelf & Sliding Doors	346	174.50
Extra	S-60 ☆	60" long x 22" wide		35	10.85
Shelves 🛱	S-72 ☆	72" long x 22" wide		40	12.40
	•				


Shipping

## STEEL TOP PANELEND WORK BENCHES

ALL PURPOSE BENCH - FORMED PEDESTAL LEGS - MODERN



New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. For shelf in each model designed for heavy duty, 8" from Drawer Units, Side and Back Stops. Stops. See pages 40 and 42.





BENCH TOP 321/2" FROM FLOOR - FINISH: SHOP GREEN, GRAY ON REQUEST


	Dimensions in Inches (Width x Length)				
Model	Тор	Base	Shelf	Shipping Weight	Price Each
MP-2848	28 x 48	22 x 40	20 x 39	131	\$55.05
MP-2860	28 x 60	22 x 52	20 x 51	146	61.35
MP-2872	28 x 72	22 x 64	20 × 63	165	69.30

### HARD MAPLE TOP

## PARELEND WORK BENCHES








Tops: 1¾" thick, electronically glued, edge grain. Outside laminations: 1¾" wide, center ¾" wide. Finish: Clear natural non-toxic lacquer.

	Dimensions in Inches (Width x Length)		Shipping		
Model	Top	Base	Shelf	Weight	Price
WP-3048	30 x 48	22 x 40	20 x 39	142	\$ 91.05
WP-3060	30 x 60	22 x 52	20 x 51	168	108.40
WP-3072	30 x 72	22 x 64	20 x 63	190	124.00



## GAS WELDING BENCH



Model GW-3636

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent regidity with heavy double formed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage.

Shipped knocked down, ready for assembly.

Drawer can be ordered separately.

OVERALL DIMENSIONS	
PAINT FINISH	Shop Green, Gray on Request

MODEL NO. GW-3636	Shipping Weight 95 lbs	PRICE \$51.90
MODEL NO. 1416 - 1 Drawer Uni (PG. 42)	it Shipping Weight 15 lbs	PRICE \$10.25

## ARG WELDING BENCH



Model AW-3636

All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.

Drawer can be ordered separately.

OVERALL DIMENSIONS	36" wide x 36" deep x 34" high
PAINT FINISH	Shop Green, Gray on Request

MODEL NO. AW-3636 Shipping Weight 125 lbs	PRICE \$57.90
MODEL NO. 1416 - 1 Drawer Unit Shipping Weight 15 lbs (PG. 42)	PRICE \$10.25

### Wild Malbible Belical Mith Seliator


All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.


A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the smoked plastic windows without glasses or hand shields.

Also furnished with Solid Shields.


Shipping knocked-down, ready for assembly.





Model AW-3636-WS





MODEL NO. 1236 with P66 (Pigeon Hole Unit Optional Extra)

## STANDING SHOP DESK


Open, all welded, heavy gauge steel construction - used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

FINISH .

Shop Green, Gray on Request




**MODEL NO. 1236** 

#### **SPECIFICATIONS**

WIDTH		
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
SIDE AND BACK STOPS	3" high at Back, $1\frac{1}{2}$ " at Front.	tapers to

SHELF3	4" wide x 12" deep - 8" from floor
DRAWERS	Standard Grizzly Drawer Units,
	see Page 42 for specifications.
FINISH	Shop Green, Gray on Request

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



#### **BASIC UNIT**

◀ Model No. 1036

Shipping Weight 85 lbs. PRICE \$42.50




Model No. 1436 Shipping Weight 225 lbs.

With No. 2024-4

Drawer Umit (Pg. 42)

PRICE \$101.90






PIGEON HOLE UNIT

Three 4" x 12" Openings

Model No. P-36

Sihipping Weight 15 lbs.

PRICE \$6.70



**BASIC UNIT** With Two No. 1424-4 Drawer Units (Pg. 42)

Model No. 1836 >

Shipping Weight 325 lbs. PRICE \$144.95





**BASIC UNIT** With Two No. 1416-1

Drawer Units (Pg. 42)

Shipping Weight 115 lbs.

**€** Model No. 1236




Six 4" x 12" Openings Model No. P-66

Shipping Weight 24 lbs.

PRICE \$12.50






Enclosed, all welded, extra heavy gauge steel construction — used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.


Completely assembled, ready for use. Finish — Shop Green, Gray on Request.

#### **SPECIFICATIONS** WIDTH All Models 36" DEPTH ..... All Models 30" OVERALL HEIGHTS . . . . Front Back Basic Unit ... .... 43" 48" With P-36 Unit ... . 43" 53" With P-66 Unit ... 43" 57" DRAWERS .. GRIZZLY 1416-1 - ID - 14" wide x 16" deep x 5" high, Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 42. SIDE AND BACK STOPS 3" high at back, tapers to $1\frac{1}{2}$ " at Front. SHELF SIZE . 28¾" x 35¾" SHELF CLEARANCES 3 Shelf Unit Floor to Bottom Shelf ..Bottom Shelf to Center Shelf 113/4" ...Center Shelf to Top Shelf .....8" ..Top Shelf to Desk Top 2 Shelf Unit .. Floor to Bottom Shelf ...Bottom Shelf to Top Shelf ... 193/4" ...Top Shelf to Desk Top


#### SHOP CABINET DESKS



(With No. P-36 Unit) (Pigeon Hole Unit Optional Extra)



(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)



Model	No. of Shelves	No. of Drawers	Shipping Weight	Price
2036	2		184	\$ 83.00
2136	2	1	202	90.40
2236	2	2	219	97.65
3036	3		205	90.40
3136	3	1	222	97.65
3236	3	2	240	105.00
P-36	Pigeon Hole Unit 3 — 4" x 12" oper	nings x 9" deep	15	6.70
P-66	Pigeon Hole Unit 6 — 4" x 12" oper	ings x 9" deep	24	12.50
	Cylinder Lock for I	Drawers		3.00
	Cylinder Lock in D	oor Handle		3.00
	LOCKS - KEYED UN-	ALIKE		





ORUBASE GABINET USE WITH BENGE TYPE MAGILINES

Rugged, all welded cabinets with 11/4" coolant tops with  $\frac{1}{2}$  pipe connection.

Attractive gray enamel finish.


A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.


Drawer size and model - GRIZZLY 1416-1 (14" wide ID x 16" long ID x 5" deep ID). All drawers equipped with stops, ball bearing nylon rollers and 1" deep tool tray. (Pg. 42)

Models, enclosed with back and door, are without shelves. Shelves furnished on request.

No. 1015 . . . Removable Side Shelf (Shelf Surface - 10" x 15")

Shipping Weight 10 lbs. . . . Price \$5.30





**MODEL #CT-2830** 

20" wide 28" long

30" high

**MODEL #CT-2835** 

20" wide

28" long

35" high

Model No. CT-2830 Shipping Weight 90 lbs. Price \$50.10 Model No. CT-2835 Shipping Weight 96 lbs. Price \$56.45

MODEL #CF-2830

20" wide

28" long

30" high

MODEL #CF-2835

20" wide

28" long

35" high

MODEL #CF-3630

20" wide

36" long


30" high

MODEL #CF-3635

20" wide

36" long


35" high



Model No. CF-2830 Shipping Weight 80 lbs. Price \$43.80 Model No. CF-2835 Shipping Weight 86 lbs. Price \$52.10 Model No. CF-3630 Shipping Weight 90 lbs. Price \$52.15

Model No. CF-3635 Shipping Weight 96 lbs. Price \$ 58.40





**MODEL #CT-3630** 

20" wide 36" long

30" high


MODEL #CT-3635

20" wide

36" long

35" high

Model No. CT-3630 Shipping Wt. 100 lbs. Price \$56.45 Model No. CT-3635 Shipping Wt. 106 lbs. Price \$62.85



MODEL #CM-2830

20" wide

28" long

30" high

MODEL #CM-2835

20" wide

28" long

35" high

MODEL #CM-3630

20" wide

36" long

30" high

MODEL #CM-3635

20" wide

36" long

35" high


Model No. CM-2830 Shipping Wt. .. 95 lbs. Price \$65.50 Model No. CM-2835 Shipping Wt. 105 lbs. Price \$71.25

Model No. CM-3630 Shipping Wt. 115 lbs. Price \$71.85 Model No. CM-3635 Shipping Wt. 125 lbs. Price \$78,20


All welded for mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with  $\frac{1}{2}$ " pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, finished in durable gray enamel.


GRIZZLY 1416 — 1 drawer — 14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing nylon rollers and tool tray 1" deep (See Page 42). See Page 41 for CU-18 Work Bench Cabinet Unit details. Convenient shelf —  $15\frac{3}{4}$ " x 36".



MODEL DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE \$109.75



MODEL CT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE \$115.50



MODEL CT-60 Coolant Top, Tray

— 1 %" deep with ½" pipe tee.
22" wide, 60" long, 32" high.
Shipping Weight 198 lbs.
PRICE \$103.95



MODEL NO. DFT-60 Drop Front Top, Back and Side Stops — 1 1/8 " high, 22" wide, 60" long, 32" high. Shipping Weight 198 lbs.

PRICE \$98.15





emotive got ithere itself and some of the second so

## NEW EZY DOWN DRUM GRADLES W/ LARGE CASEERS AND ROLLERS


Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

CRADLE





#### STANDARD UNIT



EBR-18	30" long
	18½" wide
	19" high
EBR-24	30" long
	18⅓″ wide
	25" high

Model EBR-18 Shipping Weight 31 lbs. Price \$19.95 Model EBR-24 Shipping Weight 35 lbs. Price \$23.95


## STANDARD UNIT WITH CASTERS



EBR-18C	30" long
	18½" wide
	20½″ high
EBR-24C	30" long
	18½″ wide
	26½" high

Model EBR-18C Shipping Weight 34 lbs. Price \$27.25 Model EBR-24C Shipping Weight 37 lbs. Price \$31.25


#### STANDARD UNIT WITH DRUM ROLLERS



EBR 18R	30" long 18½" wide
EBR-24R	20" high30" long
	18½" wide 26" high


Model EBR-18R Shipping Weight 34 lbs. Price \$23.95 Model EBR-24R Shipping Weight 37 lbs. Price \$27.95 Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

#### STANDARD UNIT WITH CASTERS & ROLLERS



EBR-18CR	30" 18½"	wide
EBR-24CR	20½" 30" 18½"	long wide
	271/2"	high

Model EBR-18CR Shipping Weight 36 lbs. Price \$31.25
Model EBR-24CR Shipping Weight 40 lbs. Price \$35.25
CASTERS: All Models — 3" Semi-Steel — 2 Swivels
and 4" Semi-Steel Wheels



EZY-DOWN HANDLE Cradle and Handle Finish Safety Orange

ONE EZY-DOWN Handle operates many cradles.

CANNOT TWIST in operator's hands, positive control, does not slip.

ONE MAN OPERATION — Push cradle lip under bottom rim of drum in vertical position. Slide EZY-DOWN Handle into receiver tubes, push down welded grabs over rim of drum. Downward pull on handle toward operator easily breaks and lays cradle with drum horizontally on floor for quick movement to any location.

EZY-DOWN Drum Cradles have all welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Model	Shipping Weight	Price
No. 18 EZY-DOWN Handle — All welded construction — Handle is separate from cradles	12 lbs.	\$9.95













## RIEW DRUM CRADLES W/VARGE CASTERS AND ROLLES

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All lges round and smooth. Completely assembled. Ready for nmediate use.

Available in 30 Gallon Size
Use prices of 55 Gallon Drum Cradles

Dimensions of 30 Gallon Drum Cradle 28" long x 18" wide (






#### STANDARD UNIT

BR-18 — 30" long 18½" wide 19" high BR-24 — 30" long 18½" wide 25" high

Model BR-18 .... Shipping Weight 26 lbs. .... Price \$14.95 Model BR-24 .... Shipping Weight 30 lbs. .... Price \$18.95




#### STANDARD UNIT WITH CASTERS

BR-18C -30'' long  $18\frac{1}{2}''$  wide  $20\frac{1}{2}''$  high

BR-24C - 30" long 18½" wide 26½" high


Model BR-18C...Shipping Weight 29 lbs....Price \$22.25 Model BR-24C...Shipping Weight 33 lbs....Price \$26.25



## STANDARD UNIT WITH DRUM ROLLERS

BR-18R — 30" long 18½" wide 20" high BR-24R — 30" long 18½" wide 26" high

Model BR-18R....Shipping Weight 29 lbs....Price \$18.95 Model BR-24R....Shipping Weight 33 lbs....Price \$22.95 Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.



## STANDARD UNIT WITH CASTERS & ROLLERS


BR-18CR - 30" long 18½" wide 20½" high BR-24CR - 30" long 18½" wide 27½" high

Model BR-18CR....Shipping Weight 31 lbs....Price \$26.25 Model BR-24CR....Shipping Weight 35 lbs....Price \$30.25 CASTERS: All Models — 3" Semi-Steel — 2 Swivels and 4" Semi-Steel Wheels

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

#### **SPECIFICATIONS**

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	51/4" from floor
HANDLE	
SIZE OF ACCESSORY BOX 12" deep	p x 6" wide x 21" long
FINISH	Safety Orange
CASTERS	2 Swivel — 2 Rigid



DRUM
DOLLY TRUCKS

**♦ DT-25-R** 


 Model
 Caster Description
 Shipping Weight
 Price


 DT-25-S
 5" x 1½" Semi-Steel Wheel
 63
 \$52.00


 DT-25-R
 5x1½" Solid Rubber, Soft Tread
 60
 57.25











MODEL 83 WITH FLOOR LOCK

**MODEL 75 & 76** 

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary usages.

Floor clearance 4" on all models. 2" sides on Models 82 and 83. All welded rugged construction for years of hard use.

#### **SPECIFICATIONS**

MODEL	DIMEN	DIMENSIONS IN INCHES			SHIPPING	SEMI-STEEL	SOLID HARD
NO.	O.D.	I.D.	WHEELS	FINISH	WEIGHT	WHEELS PRICE	RUBBER WHEELS PRICE
81	241/16	24	3×11/4	Orange	32	\$23.10	\$24.40
82	301/2	24	3×1¼	Orange	25	20.70	22.00
83	241/2	19	3x11/4	Orange	22	17.05	18.35
81-G	241/6	24	3×11/4	Galvanized	32	28.60	29.95
82-G	301/2	24	3×1¼	Galvanized	25	24.75	26.10
83-G	241/2	19	3x1¼	Galvanized	22	20.00	21.30
75	241/2	24	3x1¼	Orange	19	15.90	17.25
76	191/2	19	3x11/4	Orange	15	15.65	17.00

FOR ROUND, SQUARE RECTANGULAR JOVAL OR SANY STREGULAR LISHAPED CONTAINER SEADJUSTABLE DOLL

CLOSSES DOWN TO 231/2" - OPENS TO 361/2"

Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc.


Capacity with solid hard rubber wheels .......1000 lbs. 

AVAILABLE IN GALVANIZED AT ADDITIONAL CHARGE

MODEL AD-23-S	SEMI-STEEL WHEELS SHIPPING WEIGHT 30 lbsPRICE \$	22.10
MODEL AD-23-R	SOLID HARD RUBBER WHEELS SHIPPING WEIGHT 28 lbs. PRICE \$	23.40



## HILDRUM & GAN DOLUES




PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE — take less area than drums in horizontal position.




#### SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum Lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See page 57.

#### FINISH - SAFETY ORANGE.

SPECIFICATIONS					
WHEEL SIZE	" × 1¼"				
CAPACITY ALL MODELS, SEMI-STEEL WHEELS	900 Lbs.				
CAPACITY ALL MODELS, SOLID HARD RUBBER TREAD WHEELS	700 Lbs.				

	Dime	ensions in In	iches	Gallon Drum	Shipping	Semi-Steel	Solid Rubber
Model	Bottom	Тор	Height	Size	Weight	Wheels	Wheels
71	30	24	191/2	55	44	\$26.30	\$27.60
73	21	19	191/2	30	38	23.65	24.95



#### DRUM UP-ENDER

#### Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

#### **ALL-WELDED CONSTRUCTION**


Rugged and Compact No. 80 Drum Up-Ender (Steel)


SHIPPING WEIGHT	12 lbs.
FINISH	Safety Orange
PRICE	\$10.95






#### DRUM STORAGE RACKS





2000 LB. CAPACITY




All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist.

#### **SPECIFICATIONS**

ALL MODELS 30" Wide x 60" LONG x 54" HIGH — FINISH: SAFETY ORANGE

Model No.	Туре	Shipping Weight	Price
85	Leg	180	\$74.15
85C	Casters	198	96.80



Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

DRAIN HEIGHTS: Bottom row -18"; Top row -48".

Also Designed for special requirements.




FINISH:

SAFETY ORANGE




Model	Capacity	Overall Size	Shipping Weight	Price
DS-4	4 Drums	60" wide x 36" deep x 46" high	120	\$54.10
DS-6	6 Drums	84" wide x 36" deep x 46" high	200	78.80

#### NO. 235 VERTICAL DRUM LIFTER PATENTED



2000 LBS, CAPACITY FOR OPEN OT **CLOSED DRUMS** 

**USED WITH** Fork Trucks Chain Falls **Cranes and Hoists** 




- ★ QUICK -- Lifter attached and removed in seconds.
- ★ SAFE Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- VERSATILE Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor — the lifter does the work.
- ★ LIGHT Weighs only 32 pounds. One man can handle with ease.
- ★ ADJUSTABLE Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.

- ★ LIFTS Old and new drums, open or closed, battered or lopsided — all with the same ease and positive safe grip.
- ★ STACKS and tiers drums vertically in close quarters.
- ★ RUGGED All welded construction for years of hard use.
- ★ FINISH Safety Orange.

SHIPPING WEIGHT 32 LBS. PRICE \$55.00

750 LBS. CAPACITY

## SLING TYPE DRUM LIFTER



ALL WELDED CONSTRUCTION


No. 84

SHIPPING WEIGHT 11 lbs. FINISH Safety Orange . .. . \$12.95 PRICE

Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. - See Page 54.

# Grizzly®


LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE



Vertical




Horizontal





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached Holds Rigidly - Even When Load Sways Positive Grip - Cannot Slide — Holds Load Locks in Desired Position



#### **SPECIFICATIONS**

FITS CONTAINERS 40" HIGH — FINISH: . . . Safety Orange — CAPACITY: . . . 1000 LBS.

ADJUSTMENT BETWEEN JAWS: . . . 12" minimum to 40" maximum — OVERALL LENGTH: . . . 43" — WIDTH: . . . 4"

MODEL NO. VH-100 ..... SHIPPING WEIGHT 27 LBS. ......PRICE \$79.50

#### MOLDING BENCH



All welded rugged construction, designed for manual training programs. Reinforced opening supports shaker bars and rough usage. Completely assembled — ready for immediate use.

#### **OVERALL DIMENSIONS:**

23 ½ " wide, 60" long, 31 ¾ " high. Strieff — 15 ¼ " x 56".

#### INISIDE DIMENSIONS:

18" wide, 46" long, 18" deep.

1				Shipping Wgt.		
ľ	No.	700	Moldling	Bench	218#	\$90.00

Finish: Shrop Green, Gray on Request.

#### MOLDING BENCH INSERT



All welded rugged construction, designed to fit into a receiving unit of appropriate height for convenient use.

Four reinforced openings support shaker bars and rough usage. A set of hinged doors covers two openings. Completely assembled — ready for immediate use.

#### **OUTSIDE DIMENSIONS:**

30" wide, 60" long, 15" high.

#### INSERT DIMENSIONS:


26" wide, 56" long, 15" high.

		Shipping Wgt.	Price
No. 701	Molding Bench Insert	181#	\$100.00


Finish: Shop Green, Gray on Request.

## GASTER CORNER SHOES


#### ALL WELDED CONSTRUCTION



**PALLET** 



CABINET




SET OF 4


Ideal for making wood pallets or boxes portable at low cost.

Shoes slide under corners. May be bolted, screwed or nailed on permanently.

For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.



**CRATE** 



#### **SPECIFICATIONS**

12 Gauge Steel — Size is  $8'' \times 8'' - 5\frac{3}{4}$ " high overall — Flange  $2'' - 3\frac{7}{8}$ " high to platform —  $\frac{7}{8}$ " holes for mounting. PAINT FINISH Shop Green, Gray on Request


Model         Capacity per Set         Shipping Weight           CS-3S         1200 Lbs.         17 Lbs.           CS-3R         1000 Lbs.         15 Lbs.	Casters 3"x1¼" Semi-steel Wheels 3"x1¼" Solid Hard Rubber Wheels	Price per Set \$17,40 \$18,00
--	--	-------------------------------------

## TANK DOLLY




2500 LB. CAPACITY - ALL WELDED CONSTRUCTION

For Wood Crates, Cases, Machinery, Castings. For Palletized Loads.




 $24'' \log x 12'' \text{ wide } x 3\frac{3}{4}'' \text{ high}$ 

6 Wheels-Balance style for pivoting on center wheels. Steel Channel Frame - Full crosswise steel Axle - 3"  $\times$ 1兆, semi-steel wheels. FINISH—SAFETY ORANGE.




Steel, Fiber Drums, Barrels, Boxes • Used with Fork Truck, Chain Falls Cranes, Hoists • 1000 Lbs. Capacity





LIGHT
WEIGHT
one man
easily handles
and dumps







**CARBOYS** 


#### ONE MAN OPERATION

FOR FIBER DRUMS-POURING-DUMPING FIBER DRUMS

Grips firmly fiber drums, safely controls pouring and dumping, increases production. Roto-Tilt works efficiently on light or heavy loads, a distinct advantage in the handling of fiber drums, especially with heavy loads of metal parts for assembly and production lines.

◀ Holds firmly acid and other carboys, and safely controls pouring into container or production mixture. Ideal for chemical, plating, research laboratories and production operations.

LIGHT WEIGHT — one man easily handles and dumps.




No. 350 ROTO-TILT with No. 160 Trolley in FULL DUMPING POSITION



Push foot plate under drum.



Slide adjustable locking bracket down on top rim of drum.



Lifting trolley locks firmly on any position of arc.




Pouring carboy into pail.






Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc — operator maintains easy and positive control.

## O PATERIA DEVINE OF ROTTO-INLY



All Welded Construction **Designed for Heavy** Usage

**ROTO-TILTS Designed for Special** Requirements




**SPECIFICATIONS** 


CAPACITY ......1000 Lbs. - FINISH ......Safety Orange

No. 160 Trolley with 160° Dumping Angle - Standard Trolley with 130° Dumping Angle

Model		Dime	nsions in Inches		Drum Size	Shipping Weight	With Standard Trolley Price	With No. 160 Trolley Price
No.	Α	В	C. Max. Min.	D				
350	59	35	36-30	15	55 Gai.	65	\$139.50	\$159.50
351	53	34	32-271/4	15	30 Gal.	64	134.50	154.50
352	42	29	21-151/2	12	15 Gal.	47	129.50	149.50
349	42	29	25-22	12	Carboy	55	139.50	. —
400	66	35	36-30	15	55 Gal.	80	249.50	







CONTROLLED FROM FLOOR

QUICK SAFE **EASY TO OPERATE** 

> **SAVES TIME** and MONEY

DOES THE WORK One man operates easily even with the heaviest loads

> Roller Chain Rides on Drive Sprocket



The No. 400 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.


Chain supplied with Standard Model is sufficient to operate the tool 10 feet from floor. Additional chain supplied on request.

MODEL No. 400 - 55 Gal. Size - Shipping Wt. 80 lbs. - PRICE \$249.50 ADDITIONAL CHAIN \$1.00 PER FOOT HEIGHT



## MENONED ... RO. 300 HELLE ROOM IN COLUMN - WELL

## LIFTS -- TILTS -- DUMPS -- POURS AT ANY HEIGHT CONTROLLED FROM FLOOR



Chain straddles drum while in air. Prevents spinning on hook, enables operator to guide pouring.




QUICK


 $\star$ 

SAFE

SAVES TIME & MONEY

**EASY TO OPERATE** 





▲ DOES THE WORK

One man operates easily even with the heaviest loads

↑ The new No. 500 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

Worm Gear **Drive** holds pouring load in any position — Reduction 6 to 1.

## Grizzly.



#### **SPECIFICATIONS**

OVERALL DIMENSIONS From Lifting Loop to Toe Plate 62" high
From Front to Back 35" deep
Width at widest point 10"

CONTAINER CLAMPING RANGE .... 30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE 130 degrees CAPACITY 1000 lbs.

PAINT FINISH SAFETY ORANGE

SHIPPING WEIGHT 98 LBS.

MODEL NO. 500

PRICE \$289.50

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.


ADDITIONAL CHAIN \$1.00 PER FOOT HEIGHT.

## portable RACK-U-FRAME®


Arc Welded Construction — Completely Assembled Ready for Immediate and Temporary Uses Only 25 Pounds — One Man Operation — Quick

SAVES TIME-FLOOR SPACE-MONEY

- Streamlined Design Smooth Finish
- Rugged Steel Construction
- Durable Built for **Heavy Uses**



2 Stacked High Carrying Tubing on 6 Foot Lengths — 4000 Pounds.



 Formed for Strength and Stacking Tiers

 Carrying Handle for Strength and Convenience

Stops Prevent Upright Spread

Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes — Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.

> CARRY HEAVY LOADS **EVENLY** DISTRIBUTED



4 Stacked High Carrying Channel and Tubing on 20 Foot Lengths -20,000 Pounds.





**OUTSIDE DIMENSIONS** (A) 25" Wide (B) 171/2" High

(C) 5" Wide Bottom Channel INSIDE DIMENSIONS (D) 17" Wide Bottom

(E) 23" Wide Top

(F) 151/2" High Upright





1 Stack High Carrying Tubing on 6 Foot Lengths — 1000 Pounds.

**GRIZZLY No. RUF-251** 

NEW Improved Portable Rack-U-Frame ....\$11.95 Each

Shipping Wgt. — 25 Pounds; Paint Finish — Orange

### CASTERS FOR GRIZZLY EQUIPMENT





#### UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS

		and the second			1.20 1- 12 - 127	200
SWIVEL NO.	W-5511	21/11 214.11	Pressed Steel Wheel		t 2 20 m	
		7/4 7 / 1 •	iessen oleel Mileel	************		er ser
SWIVEL NO.	W-4511	2 1/2 " x 1 3/4"	Solid Soft Rubber Wheel		\$ 455.50	
CMARKE NO.	F14 4500		THE CONTRACT TO THE CONTRACT			11 261
SMIAET MO.	EW-4522	5" x 1"	Solid Soft Rubber Wheel		\$14.70 pc	er set
						.,
		18	et consists of A costarel			- 14 1





TOTE PAN HAND TRUCK, TOTE-ALL HAND TRUCK, STOCK CARTS, FIVE SHELF STOCK CART, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCH, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINET, PORT-ABLE DOOR CABINET, TRAY STOCK CART, TOTE-ALL HAND CART, PORTABLE DRAWER AND CABI-

					THE PARTY OF THE P
SWIVEL N	IO. EP-4520	3″ x 1¾ 6″Soli	Soft Rubber Wheel	•	2 00 each
RIGID N	IO. RP-4520	3" × 13/14"Solid	Soft Rubber Wheel	\$	1.70 each
ŞWIYEL N	IO. EP-4522	: 5" x 1"Solie	Soft Rubber Wheel	\$	2.90 each
RIGID N	IO. RP- <u>452</u> 2	5″ x 1″Solie	l Soft Rubber Wheel	<b>s</b>	2:70 each
SMIAEF M	IO. 50-50-X	5″ × 1 ¼″Solic	l Soft Rubber Wheel	<b>.</b>	4.50 each
RIGID N	IO. 51-50-X	5" x 1 ¼"Solid	l Soft Rubber Wheel	<b>\$</b>	3.80 each



CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES,

<u>-</u> ۲۱	VIVEL NO. 10	8-313"-x 1 1/2	Semi-st	eel Plain Ria W	haal was	
RI	GID NO 50	8/3/3/4×192/44	Semi-si	eel Plain Bra W	heel	1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A
S١	VIVEL NO. 12	7-3-30 8 17/6	Solid H	ard Rubber Self	Lub. Bra	2/45 ordho
RI	SID NO. 52	73.3%到分型	Solid H	ard Rubber, Self	Lub. Brg.	Samo) 194 godh 6 Aust 100 godh 6 Aust 100 godh 6 Aust 100 godh Marst 200 godh
				the contraction contract the ball the chair	一大日子では 大谷 川 大谷 田 中田 田田田田	A 1312/2

ROLL OVER DUMP TRUCKS DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PACKING STRAPPING TRUCKS, PORTABLE WORK BENCH, HAND DUMP TRUCKS, 37 SIDED STOCK CART


RIGID	NO. 760-4-PS NO. 761-4-PS	4" x 11/2".	Semi-steel,	Plain Brg. Who	eel 🔭 🔭 🚜	3 2 50 agich
RIGID	NO. 760-4-OH	4" x 1 1/2".	Solid Hard	Rubber Wheel	Self Lub. Bro	\$ 4,40 each
	NO. 761-4-OH	4" x 1 1/2".	Solid Hard	Rubber Wheel	Self Lub. Bro	\$ 3,60 each



PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS ROLL. **OVER BOX TRUCK, SHOP TRAY TRUCK.** 

SWIVE NO 70-5-PS	5" v 15/" Comitated District D 34"	
DICID NO 71 6 DC	5" x 1 5%"Semi-steel, Plain Brg. Wheels	/.40 each
CHENTEL NO. 71-3-P3	5" x 1 %"Semi-steel, Plain Brg. Wheels\$	1.60 each
SWIVEL NO. /U-S-OH	2" X 1 ½"Solid Hard Rubber Self Lub Bra	75 aach
<b>RIGID</b> NO. 71-5-0H	5" x 1 ½"Solid Hard Rubber, Self Lub. Brg\$	5.85 each





SWIVEL	NO.,21-6-IW	6" x 2"	
RKGIU	NO. 31-6-IW	6" x 2"	Semi-steel, Plain Brg. Wheel\$ 5.30 each\$ 10.80 each
RIGID	NO. 31-6-HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg\$ 7.50 each

5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, EZA PORTABLE HYDRAULIC FLOOR LIFTER.

SWIVEL	NO. 100-8-PS 8" x 2" Semi-Steel, Plain Brg. Wheels
RIGID	NO. 101-8-PS 8" x 2"Semi-Steel, Plain Bra. Wheels
SWIVEL	NO. 100-8-UC 8" x 2" Moldon Pubber Poller Bro. Wheels 15:50 and 1
RIGID	NO. 101-8-UC 8" x 2" Moldon Rubber, Roller Brg. Wheels
	Section section 1



#### CEADLE TRUCK, EXTRA HEAVY DUTY SHOP TRUCKS.

SWIVEL	NO. 24-85-IW NO. 34-85-IW	8" x 2 1/2" 8" x 2 1/2"	Semi-steel, Plain Brg. Semi-steel, Plain Brg.	Wheel	18.00 each 14.00 each
				,	



<b>FFFF</b>	ONLY FOR ALL PURPOSE HAND TI	DIICKS	والمنافع فيتعارفهم
	OTTEN OR MEET ONLOGE TIMES	ROCKS.	

		the the state of t	A COLOR OF THE PROPERTY OF THE
NO. 17	5 8" x 1.75	Semi-Penumatic Wheel	 \$ 2.75 each
<b>NO.</b> 27	5 10" x 2.75	Semi-Penumatic Wheel	 \$ 6.95 each 1
_ <b>NO</b> _ 35	0 .10" x 3.50	Full Pneumatic Wheel	 \$14.95 each





## SPECIALS


Designed to your Needs







Console **Test Cabinet** 




Piston Flow Rack



The charges one and satisfies  $(-1)^{2}$  as  $(-1)^{2}$  as  $(-1)^{2}$  . If is


جندان والمام الأعام






**Engine Dolly** 

Picity Spielett ह्याग्रद्ध




**Towline Bin Truck** 

**Explosion Proof Test Cabinet** 



Steel Mill Crane Truck



Tray Truck

## MANUA SPECIA



We received in Weiterful Fontellice, Drum, Strop end Industries Repuisment of original design and architem on Reginauting example in the extendence of the infinite cele

ferron eve becomes things at highest to denicate the all the west मानानामा स्वाप्त स्वाप्त हो होते हैं है है है जिस्से का स्वाप्त होते में to was inch audimit elegign end elugigitor to your approval

Places sand as much of the test mismether or you con woled entitue lestengue ethilitik eemingroope m neuges moy elonor vierofilosoxe or ar eler or

#### SUGGESTED OUTLINE

#### A CENERAL DESCRIPTION

लिएसेंड अग्नार बेब्राबां, बेस्नास भेट जनक अधि श्रीहरि

#### GILKHERTEN

Continuitatelatieffe . ffcaenfin- gefeige.

#### 'लेक्ट्रोक्क्षेट्रा अस्ति।क्र

Ryge Wight the or free, Myga of the Stemelts, att,

#### Market Market

্বীকেতা বাড়াচ কেন্দ্ৰ ৰাখননৰ জ্ঞান

idono, alest agal

5 OMESBIORS

- holigaje fratele et earliet almangons


width englis, rateja

#### CAPACITY


Load-Pounds Antife unit per caster, per shelf.

#### SPECIAL DESIGN FEATURES:

Your own ideas of how unit should be constructed



TRAY TRUCK




HOSE TREE TRUCK











## NTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

PLEASE **DUTE TO**  GEN. FOREMAN

HANDLING ENG.

☐ MAINTENANCE DEPT.

□ PRODUCTION

PRODUCT DESIGN

EQUIP. BUYER

Additional catalogs sent promptly on request

ATTN: PLANT SUPT.

TTAB Consolidated Case No. 123,506; 31984; 32024; 32025 PUCEL'S Exhibit No. 24 Grizzly Industrial, Inc., Applicant/Respondent Pucel Enterprises, Inc., Opposer/Petitioner Oc 5-33-06 JONANIERL MANVAL TOLL FRE Ö





## IN OUR 27th ANNIVERSARY YEAR SINCE 1949 MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

**Highest Quality at Low Cost** 

- The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.\*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers for more than 26 years.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

Respectfully

\*A few catalog items are KD. Edward L. Pucel President









#### **ALPHABETICAL INDEX**

#### **NUMERICAL INDEX**

EQUIPMENT	Page
BENCHES	No.
Arc Welding Arc Welding, w/Shields	
Gas Welding	
Molding, Insert	23
Tool Cabinet	12
BENCHES, WORK Accessories	15
Cabinet Base	16
Cabinet, w/Sliding Door	17
Drawer Units	16
Drawer Unit, Heavy Hard Maple Tops	16
Heavy Duty	1.
Legs Medium Duty	14
Panel-End, Hard Maple Top Panel-End, Steel Top	17
Portable, Cabinet	13
Risers Tops, Hard Maple	14
Tops, Pressed Wood	14
CABINETS	
Base	
Drawer	16
Machine Floor	16
Portable Drawer	16
Tool Drawer	19
CARTS Hand, Tote-All	
Mij Box	
StockStock, Five Shelf	10
Stock, Hi-Ladder	10
Stock, Ladder Stock, 3/Sided	10
Stock, Tray	9
CASTERS, GRIZZLY EQUIPMEN Inside Back	NT Cover
DESKS	19
Shop Cabinet	18
Standing Shop	17
DOLLIES Steel, w/Removable Handle	11
DRUM	
Cradles	20
Cradles, Ezy-Down	20
Dollies, Hi-Drum & Can	21
Lifter, Horizontal Sling Type	21
Lifter, VH—Vertical-Horizontal	21 21
Lifters, Dumpers, Roto-Tilt	22
Storage Racks	21
Unit, Vertical Stacking, Portable	22
HANDLE, JACK	
	ZZ

	Page
HOOK, FORK CRANE,	No.
ATTACHMENT	าก
PIGEON HOLE BIN UNITS	19 -
RACKS	
Die, Shelf, Extra Heavy Duty	23
Rack-U-Frame, Portable Rack-U-Frame, Portable,	24
Twin Modules	24
Vertical Bar	23
SHOES, CASTER CORNER	
SPECIALS	23
SPECIALS Inside Back Cov	_
Outside Back Cov	
STANDS	.0761
Machine Cabinet	10
Tool, Extra Heavy Duty	10
Tool, Heavy Duty	11
STATION, BATTERY CHARGIN	
& TESTING	
TABLES	
т <b>явьеэ</b> Норрег	11
Lift Top, Hydraulic	١١
Marking, Portable	11
Mij	11
Utility	12
Utility, Haf-Shelf	,12
TRUCKS	
Battery Transport	6
Beverage, Premium, 2 Wheel	5
BoxBox, w/Lid	7
Box, Roll-Over	7 7
Cradle	
Double End, Heavy Duty	3
Drawer, Cabinet, Portable	6
Drum Dolly	
Five Shelf, Heavy Duty Garment	
Hand Dump	
Hand Dump, Roll-Over	7 7
Hand, Tote-All	
Hand, Tote Pan	
Hand, 2 Wheel, All Purpose	
low Drum	20
Lumber Servicing Packing & Strapping	8
Platform, Dolly	3
Platform, Laminated Maple	3
Platform, Semi-Live	6
Platform, Steel	3
Platform, 3/Sided	7
Sheet & Panel Shelf, Divided	6
Shelf, Enclosed	8 8
Shelf, Sliding	7
Shop, Extra Heavy Duty	4
Shop, Heavy Duty	4
Shop, Slat-Top, Heavy Duty	4
Shop, Step Ladder Attachment	4
Side, Open Single End, Heavy Duty	8 3
Stock, Cage	3 7
Stock, Sheet-Bar	4

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Pag Na	
AD-23-S, AD-23-R2	0
AW-3636, AW-3636-S,	
AW-3636-WS2	
B-213, BC-2131 B-2448 TO B-341201	
BC-1, BC-1C3, BC-1C51	4 6
BCS	6
BD-2448 TO BD-341201	4
BL-22, BL-28, BL-34, BL-46, BL-581	
BP-36S, BP-36R	
BS-2448 TO BS-341201	4
BSD-2448 TO BSD-341201	4
BT-2436, BT-3036, BT-2448,	
	7
	6
C-1824 TO C-2448-K1: CB-2860-S TO CDB-3072-W	2
CF-2830, CF-2835, CF-3630,	0
CF-36351	8
CM-2830, CM-2835, CM-3630,	_
CM-36351	
CRA-60, CRA-96	4
CS-2860 TO CW-3072-SD1 CS-3S, CS-3R2	7
CST-24	3
CT-2830, CT-2835, CT-3630,	′
CT-36351	8
CT-601	8
CU-18, CU-36, CUK-18, CUK-361:	5
DC-1, DC-1C3, DC-1C5	
DFT-60, DFT-60C10 DR-1842, DR-24482	3
DS-4, DS-6	
DT-25-S, DT-25-R20	ò
DV-2242	3
EBR-18, EBR-18C, EBR-18R,	_
EBR-18CR	
ET-2448-2 TO ET-3472-3	5 4
F-2448 TO F-34120	4
FD-2448 TO FD-34120 1.	4
FS-2448 TO FS-34120	4
GT-72, GT-72-SD	2
GW-2448 TO GW-3614415	5
GW-363623	Ś
H-1830 TO H-306010	
H-2024-116	5
HDSC-3648-2, HDSC-3660-3,	
HDSC-3672-4	
HLTT-36-1, HLTT-36-2	
HS-2448-2 TO HS-3472-311	
KD-3048, KD-3060, KD-3072, 14	ı
L-1828, L-1836, L-2436, L-24481(	
LBR-90920 LBT-2436, LBT-3036, LBT-2448,	)
LBT-3048 7	,
LT-20-R, LT-20-S, LT-20-78R,	
LT-20-78510	)
MP-2848, MP-2860, MP-287217	7
MT-2448-2 TO MT-3060-311	
OFB-60, OFB-84 8	,
PC-36S, PC-36R, PC-48S, PC-48R 13	į

Pag	_
. u.	
PDC-36S, PDC-36R1	3
PST-30, PST-36, PST-48	
	3
	6
R-36, R-48, R-60, R-72, R-96	
	7
	7
RUF-251, RUF-244, RUF-262,	•
RUF-263, RUF-26424	
S, H, L, K12	,
S-30-DT-3 TO S-48-DT-3	4
SC-3182 TO SCF-524310	
SER-101SW, SER-101RW	
SH-36 TO SH-120	
SL-18, SL-24	
	5
	5
ST TO K3DC12	
ST-36 TO ST-12015	
T-213 TO TEC-3131	•
TA 24	1
TA-24	7
TDC-30, TDC-6019	7
TH-14, TH-14C11	
TPH-24	
TSC-1828-6 TO TSC-2436-12	,
TT-1830-6 TO TT-3048-12	
VB-368423	
VDU-1022	2
VH-10021	ŀ
W-2448 TO W-36144	5
WC-90919	7
WP-3048, WP-3060, WP-307217	7
WPT-2448-SW TO	
WPT-RE-3460-RW	
WT-3684, WT-3696	•
YZ-75, YZ-10010	
3SC-30, 3SC-36, 3SC-48, 3SC-60 7	
3ST-2448 TO 3ST-3472 7	
616	5
15	>
18-D-30 TO 24-D-6011	
18-PTD-30 TO 24-PTD-60 3	
18-TR-30 TO 30-TR-60	
18-TRE-30 TO 30-TRE-60 3	3
24, 25, 26, 21022	2
5918	3
71, 7321	l
75 TO 83-GS20	)
8021	
8421	ı
8421 85, 85C21	ı
8421 85, 85C21 89, 90, 91, 92, 93, 96, 98,	I
84	;
84	5
84	5   5
84	5 1 5 2
84	5 1 5 2 3
84	5 1 5 2 3 3
84	5 1 5 2 8 8 7
84	1 5 1 5 2 3 3 7 5
84	5 5 5 5 5 1
84	5 5 5 5 5 1
84	5   5 2 3 3 4
84	1 5 2 3 3 7 5 1 4 3





## IN OUR 27th ANNIVERSARY YEAR SINCE 1949

#### SALES—TERMS AND CONDITIONS

- 1) ORDERING: All orders, including phone orders, must be confirmed in writing.

  Your written purchase order should specify each item by number, description, and finish color.
- 2) PRICES: All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.

  We reserve the right to invoice at the prices prevailing at the time of shipment.
- 3) SPECIFICATIONS: Specifications are subject to change without notice.
- 4) ROUTING: Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
  - When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.
- 5) PACKAGING: All items are packaged for domestic shipment. Additional charge will be made for special packaging.
- 6) DAMAGED GOODS: When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.
- 7) RETURNED GOODS: All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.
- 8) CHANGES AND CANCELLATIONS: Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.
- 9) CORRECTIONS: Stenographic, clerical errors, and any other errors, are subject to correction.
- 10) DELAYS: All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.
- 11) TERMS: All prices are NET—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 3 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: \$30.00 NET, plus shipping charges.

These said "Sales- Terms and Conditions" apply to all of the equipment and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 3, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Effective April 1, 1976

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS 2200 LBS. CAPACITY—HARD RUBBER CASTERS







WPT\_PF\_2448\_PW

#### ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 %" from floor.

Casters: 2 swivel and 2 rigid 6" x 2" Finish: Green Enamel

PT-2860

Model	w	L	Ship. Wt.	
PT-2448	24"	48"	110	
PT-2848	28"	48"	118	
PT-3448	34"	48"		
PT-2460	24"	60"	121	
PT-2860	28"	60"	131-	
PT-3460	34"	60"	144	
PT-2472	24"	72"	133	


Model	w		Ship. Wr.		
PT-2872	28"	72"	144		
PT-3472	34"	72"	160		
PT-2496	24"	96"	155		
PT-2896	28"	96"	170		
PT-3496	34"	96"	191		
Extra Handle	des Sockets	10			
Extra Handle	Sockets W	elded on Truck	4		

#### **DOLLY PLATFORM TRUCKS**

Platform can be reversed at no charge, with 2" deep flanges up on all sides.



Finish: Green Enamel
Casters: 2 swivel and 2 rigid 4" x 1 1/2"



18"

18"

187

24"

36

48

40

30

18-PTD-36

18-PTD-48

18-PTD-60

24-PTD-30

	Model	w	l.	Ship. Wt.	
	24-PTD-36	24"	36"	63	
	24-PTD-48	24"	48"	74	
ŀ	24-PTD-60	24"	60"	85	
l	Extra Handle Bars Includes Sockets				
ı	Extra Handle	Sockets W	felded on Truck	4	

#### **HEAVY DUTY SINGLE END TRUCKS**

57

8

80

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for rugged stock and general shop use with 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf

2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Casters: Semi-Steel Wheels 5" x 1 %" Hard Rubber Wheels 5" x 1 ½"

> Overall Height—36" Finish: Green Enamel On Request—Truck Floor Lock —Flat Bottom Shelf

24-TR-30

Model	w	į.	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48~	122
18-TR-60	18"	60~	140
24-TR-30	24"	30~	110
24-TP-14	24"	34"	120

Model	w	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60" .	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
30-TR-60	30	60	185

## 2500 LBS. CAPACITY—SEMI-STEEL CASTERS 1400 LBS. CAPACITY—SOFT RUBBER CASTERS

With 1 ½  $^{\prime\prime}$  thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle. Deck bottom reinforced with 2—6" x 1" Maple Battens for coster attachment.

Casters: 6" x 2" Soft Rubber Thread Wheels WPT-RE series have angle frame for side

6" x 2" Semi-Steel Wheels. protection 2 Swivel and 2 Rigid Size angle

protection. Size angle—1½"x1½"x ½"

Self lube bearing wheels WPT Series have no frame.

Finish: Platform—Clear Lacquered: Steel Work—Green Enamel

	iei W L	I	w/Stee	Frame	w/o Steel Frame		
Model		ι	Ship. Wr.	Steel Wheel	Rubber Wheel	Steel Wheel	Rubbe
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				
WPT-RE-2448-SW	24"	48"	127	Х			Ι
WPT-RE-2448-RW	24"	48"	123		х		
WPT-2460-SW	24"	60"	126			X	Ι.
WPT-2460-RW	24"	60"	122				x
WPT-RE-2460-SW	24"	60″	136	X			
WPT-RE-2460-RW	24"	60″	132		×		l
WPT-3448-SW	34-	48"	137			X	
WPT-3448-RW	34"	48"	133				, ×_
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143	T 1	x		
WPT-3460-SW	34"	60"	155			Х	
WPT-3460-RW	34"	60~	151				Х
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		×		
Extra Handles & Soc	kets			. I			

## HEAVY DUTY WAREHOUSE TRUCKS

6000 LBS. CAPACITY

SOUD STEEL DECK ALL WELDED

For heavy industrial and warehouse use where severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Removable 1 ¼" tubular handle. Other wheels and costers on request.



WT-3696

Handle Overall Height-36" Finish: Green Enamel

Model	w	Ł	Ship. Wt.	Standard Running Gear
WT-3684	36"	84"	270	2—Swivel Casters with 6" x 2" semi-steel wheels
WT-3696	36"	96"	300	2—Semi-steel wheels 12" x 2 ½" on 1" axle
Extra Handle Ba	rs.		20	Includes Sockets
Extra Handle So	ckets		8	Welded on Truck

#### **HEAVY DUTY DOUBLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for widest variety of uses with 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves.

22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Overall Height—36" Finish: Green Enamel
Casters: Semi-Steel Wheels 5" x 1 ½"
Hard Rubber Wheels 5" x 1 ½"

On Request—Truck Floor Lock—Flot Bottom Shelf



24-TRE-36

Model	w	L	Ship. Wr.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30~	120
04 705 04	24"	24"	120

Model	w	L	Ship. W1.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
10.79E-60	30"	60"	196





#### SHOP TRUCKS—HEAVY DUTY

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Troy shelves 2" deep.

All sizes 32 ½ " high. Clearance between shelves on 3-shelf model—10 ¼ "; 2-shelf model—22 ¼ ".

Floor Clearance—6 ¼ ".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability.

Finish: Green Enamel



2436-DT-3

#### HEAVY DUTY ALL WELDED CONSTRUCTION

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

GRIZZLY Drawer Units can be added. See Page 16.

Casters: Semi-Steel Wheels 5" x 1 1/4"

Hard Rubber Wheels 5" x 1 ½ "

On Request—Truck Floor Lock—Flat Battom Shelf

Model	Shelves	*	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2	ł	24"	30″	105
3030-DT-2	i _	30″	30″	118
1830-DT-3	3	18"	30`	116
2430-DT-3	1	24	30"	134
3030-DT-3	<b>\</b>	30	30″	152
1836-DT-2	2	18"	36"	100
2436-DT-2	1`	24"	36"	115
3036-DT-2	1	30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3	1	24"	36"	150
3036-DT-3	1	30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2	•	24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48	152
2448-DT-3		24"	48″_	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60″	135
2460-DT-2	Ĭ	24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3	}	30"	60"	242

#### EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL WHEELS 4000 LBS. CAPACITY—HI-CAP RUBBER WHEELS ALL WELDED CONSTRUCTION

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flot top for easy stiding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.



ET-2460-2

I w [ 1 | CL | Wa

Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle

All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" roller bearing wheels

On Request—Truck Floor Lock

Finish: Green Enamel

	All Models 36" High	Model	w	L	Ship. Wi.
	10" Floor Clearance	ET-2448-2	24"	48"	220
		ET-2460-2	24"	60"	240
		ET-2472-2	24"	72"	260
	21"	ET-2848-2	28"	48"	230
	dearance between	ET-2860-2	28	60"	255
	shelves	ET-2872-2	28"	72"	280
		ET-3448-2	34"	48"	256
		ET-3460-2	34"	60"	286
• • •		ET-3472-2	34"	72"	316
		ET-2448-3	24"	48"	275
		ET-2460-3	24"	60"	305
<b>✓</b> →	****	ET-2472-3	24"	72"	335
	9% " clearance	ET-2848-3	28	48	290
	between	E1-2860-3	28"	60"	325
	shelves	ET-2872-3	28"	72"	365
		ET-3448-3	34"	48"	325
20		ET-3460-3	34"	60″	370
<b>e</b>		ET-3472-3	34"	72"	415



ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Model	Shelves	*	L	Ship. Wt.
\$-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
5-48-DT-3	3	24"	48"	196



Used in shop operations, with presses, screw machines, shipping, and other equipment -items easily lifted off truck with slings and grabs.

Easily slides heavy dies an and off top with safety to fingers and hands.

TOP--12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spoced 1-1/2" apart. All Models 32-1/2" high--Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance--6-1/4" Tubular Push Handle, 1-3/4" x 3/16" angle iron posts--

Casters: 2 swivel 2 rigid

Semi-Steel Wheels . 5" x 1 % " Hard Rubber Wheels 5" x 1 ½ "

On Request—Truck Floor Lock—Flat Bottom Shelf Finish—Green Enamel

#### STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS-SPACING ADJUSTABLE ON 2-4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel



ALL WELDED CONSTRUCTION

8000 LBS. CAPACITY

#### CRADLE TRUCKS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling.

Length—CRA-60 = 60"; CRA-96 = 96"
Remainder of Specifications apply to CRA-60 and CRA-96.
Cradle Width 23 " , Overall Width 32", Height 37 ½ ", Depth 15"
Casters; Swivels, 8" x 2 ½ ", Semi-Steel, Roller Bearing Wheels.
Center Wheels: 14" x 2 ½ " Semi-Steel, Roller Bearing Wheels.

Casters: Swivels, 10" x 2 ½", Hi-Cap Rubber Wheels Center Wheels: 16" x 3" Hi-Cap Rubber Wheels

CRA-60 Ship, Wt. 350 Lbs. CRA-96 Ship, Wt. 384 Lbs.

Finish: Orange Enamel




#### SHEET-BAR STOCK TRUCKS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L as for OF8-60

 $_{\mbox{\scriptsize ID}}=30^{\circ}$  W, OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).

Casters:—2—8" x 2 ½" Swivel semi-steel, roller bearing. Center Wheels: 2—14" x 2 ½", semi-steel, roller bearing. Casters:—2—10" x 2 ½" Hi-Cap Rubber Wheels Center Wheels: 2—16" x 3" Hi-Cap Rubber Wheels Finish: Orange Enamel



CAPACITY 8000 LBS.

OFB-60 Ship. Wt. 270 Lbs. OFB-84 Ship. Wt. 294 Lbs.



Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. - CLEVELAND, OHIO 44114



#### **ALL PURPOSE HAND TRUCKS**

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.





90-91















Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45 % ~	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.504-2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2,75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32 1/2 "	13"x25"	650	10x2.75 Semi-Pneu	52
98	43"	18" .	18"	8 ½ "×18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58
150	58"	12"	21"	21"x17½"	800	8x2 Moldon	75

#### **NEW IMPROVED PREMIUM BEVERAGE TRUCK** 300 and 311







ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over fldors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; % " floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 91/2" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.



Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14%"	53 1/5 "	461/2"	9%"	15%"	81/4 "#10"	650	10x2.75 Semi-Pneu	36
311	17"	53 15	46 1/2 "	9%"	18"	8 14 "x10"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### BATTERY TRANSPORT TRUCK

2500 LBS, CAPACITY
Casters: 6" Plastic Roller Bearing Wheels

Heavy Duty All Welded Construction, easily pushed to and from battery charging and testing stations, fork lift trucks, and other equipment.

Conveyor rollers permit easy pushing of bottery to and from charging stations, and servicing equipment.

Length—58"; o.a. width—33 ½"; conveyor roller width—15"; fixed end and side stops; tubular push handle; removable tubular gate; floor to top of conveyor rollers—7".

Trúcks refined to your specifications are designed and priced on request.

Finish: Green Enamel Model BTT—Ship. Wt. 295 Lbs.





## EXTRA HEAVY DUTY STORAGE CABINETS

#### **RUGGED—ALL WELDED CONSTRUCTION**

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size—18" w x 35 % "1.

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides—12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. Models furnished with Plain Handle, Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.



HDSC-3672-4

#### Finish: Green Enamel

Model	0	W	Н	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4-1 fixed, 3 Adjustable	300
Additional Shelve	s Available	8"D x 35%	"1		20

AND TESTING STATION

BATTERY CHARGING

BCS

Heavy Duty All Welded Construction with  $2^{\prime\prime} \times 2^{\prime\prime} \times 3/16^{\prime\prime}$  Angle framing; upper back section with heavy 12 ga. steel shelf—10" x 48" with 1" rear lip; for working tools and testing equipment.

lower Section for charging and testing: 18"H, 22"W, 48"L with Hard Maple Wood Top with clear acid resistant finish; 2" x 4" x 1/4" steel pads with 3/8" round holes for floor fastening. Overall Depth: from front to back of rear section—32".

Special Stations refined to your specifications are designed and priced on request.

Ship. Wt

106

100

114

112

90

48

48

601

48

24

24

30

30

Model BSC—Ship. Wt. 119 Lbs. Finish: Green Enamel

#### SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY

Casters: 8" x 2" Moldon Rubber Roller Bearing Wheels
Platform 12" from floor

All Welded Construction—Rugged—12
Ga. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

## SHEET AND PANEL TRUCK

2000 LBS, CAPACITY Casters: All Swivel 6" x 2" Hard Rubber Wheels

#### SPT-2842

All welded rugged construction—Used for transporting panel units, partition sections, masanite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

Finish: Green Enamel

Model SPT-2842 28"W-42"L-49"O.A.H.

Ship. Wt.—105 Lbs.

#### **JACK HANDLE**

Casters: 8" x 2" Moldon Rubber Roller Bearing Wheels 54 ½ " Long No. 15—Ship. Wt. 35 Lbs.



SLPT-3660 W/Optional Jack Handle

## PORTABLE DRAWER AND CABINET TRUCK

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1 ¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20" x 24"; Height to Top Surface— Overall 34"; Top, back and side stops— ½" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H.

Finish: Green Enamel



PUB-24RW

PUB-245W	w/Semi-Steel	138 Ship, W1.
1.000.00	Wheels	1
PUB-24RW	w/Soft Rubber	134 Ship. Wt.
(	Wheels	





Model

SLPT-2448

SLPT-2460

SLPT-3048

SLPT-3060

SLPT-3648

SLPT-3660

#### **SLIDING SHELF TRUCKS**





#### 3/SIDED PLATFORM TRUCKS



35T-2848

#### 2400 LBS. CAPACITY—SEMI-STEEL WHEELS 2000 LBS. CAPACITY—HARD RUBBER WHEELS LARGE VOLUME CAPACITY TRUCK **REMOVABLE SHELVES**

Ruggedly built of all steel welded construction. Ready for use.

All corners and all edges are round for safe handling without damage to other equipm See Thru design for visual load inspection.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

#### Easy rolling with 6" x 2" Casters –2 rigid and 2 swivel,

18" Clearance Between Shelves Prices include Two (2) Shelves, Extra Shelves Priced on Request Finish: Green Enamel Shelves slope 2" to back

Model	l. 1	w	н [	Shelf Size	Ship. Wt.
SS-48	56"	37~	66"	36" x 48"	266 lbs.
55-60	68"	37"	66"	36~ x 60"	298 lbs.
SS-72	72"	37~	66"	36" x 72"	330 lbs.



#### CAGE STOCK TRUCK


#### **800 LBS. CAPACITY ALL WELDED CONSTRUCTION**

For variety of uses, on the assembly line, in the stock room and many other operations. See-thru design for visual load inspection. Used for drying purposes, paper stock, etc.

Overall Dimensions	24 ½ "W x 42"L x 62"H
Shelves	
Casters	2 swivel, 2 rigid 5" x 1 ¼ " Soft rubber wheels
Finish:	Green Engmel

★ Shelves are furnished with welded clips that rest on Band Iron strips

CST-24—Ship. Wt. 135 Lbs. Additional Shelves (Optional)—Ship. Wt. 24 Lbs.



ROBT-36

#### **BOX TRUCKS ROLL-OVER BOX TRUCKS**

**ALL WELDED CONSTRUCTION** 

1000 LBS, CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY—SOFT RUBBER WHEELS

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt type mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series---Roll-Over-gives maximum leverage with ease, turns over load from horizontal to vertical positionremains upright, material easily removed—one man opera-

LBT models have hinged lids with handle and padlock hasp. Finish: Green Enamel Casters: Semi-Steel, 5" x 1 %" Hard Rubber, 5" x 1 1/2"

LBT-2436 **BOX TRUCKS** 

Models With Lid	Ship. Wt.	Models W/O Lids	Ship, Wt.	w	D	į.	O.A.H.
LBT-2436	115	BT-2436	95	24"	24"	36"	30"
LBT-3036	135	BT-3036	110	30″	24"	36"	30"
LBT-2448	140	87-2448	115	24"	24~	48"	30"
18T-3048	165	BT-3048	136	30"	24" '	48"	30"

ROLL-OVER BO	X TRUCKS				
Medel	W	D	ι	O.A.H.	Ship. Wr.
RO81-36	24"	24"	36"	30"	120 lbs.
ROBT-48	24"	24"	48"	30"	. 140 Lbs.
	<del></del>	<del>+</del>			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

#### **HEAVY DUTY** 3000 LBS. CAPACITY—SEMI-STEEL WHEELS 2000 LBS. CAPACITY—MOLD ON RUBBER WHEELS

Ruggedly built of all steel welded construction. All comers and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H. Green Enamel FINISH. FLOOR TO DECK. 12 CASTERS: 2 swivel 2 rigid 8" x 2" DECK TO TOP FRAME: 48"

Reinforced 12 Gauge Steel platform 1-1/2" x 3/16" Angle Iron FRAME:

Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Sfeel TUBULAR PUSH HANDLE

Model Ship. Wt. 351-2448 24" 48 185 351-2460 24 60 200 351-2472 24" 220 3ST-2848 200

351-2860

Model	W	L	Ship. Wr
351-2872	28"	72"	260
357-3448	34"	48"	215
351-3460	34"	60"	260
351-3472	34"	72"	290

#### 3/SIDED STOCK CARTS

#### **MEDIUM DUTY** 1500 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. ALL WELDED CONSTRUCTION



35C-30

ALL MODELS: 60" O.A.H. BOTTOM DECK: POSTS: 1 ½ ″ x ¾ ″ Angle Iron ¾ ″ Diameter VERTICAL RODS DECK HEIGHT: TUBULAR PUSH BAR

7" from floor FINISH. Green Enamel CASTERS: 2 swivel 2 rigid 4" x 1 1/2

12 Gauge Steel

Model	W	L	Ship, Wt.
3SC-30	24"	30~	105
35C-36	24"	36"	115
35C-48	24"	48"	135
35C-60	24"	60"	155

#### HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



1500 LBS, CAPACITY



ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1 ½ " semi-steel wheels, easily moved into and out of close, narrow quarters.

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from harizontal to vertical position—remains upright, material easily removed—ONE MAN OPERA-

RODT-42—Roll-Over Dump Truck Ship. Wt. 130 Lbs (RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.) RODT-60—Roll-Over Dump Truck Ship. Wt. 178 Lbs (RODT-60 has the same dimensions as HDT-60 with exception of rall-over feature.)

Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Тор	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"1
Box Depth	18"	18"
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

#### DIVIDED SHELF TRUCK

### 1400 LBS. CAPACITY—HARD RUBBER WHEELS ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off at truck while in motion. Material can be slid on and off with ease.

#### DV-2242

EST-44

42"L-22"W-55¾ "O.A.H.

Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.

Casters: 2 Swivet 2 Rigid, 5" x 1 ½ " Finish: Green Enamel Ship. Wt.—200 Lbs.









#### **OPEN SIDE TRUCK**

800 LBS. CAPACITY—SOFT RUBBER WHEELS ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

#### OST-39

Overall Dimensions: 18½ "W x 45"L x 50"H Shelves: 18" x 39", 18 gauge steel,

flat surface

Optional: Tray Shelves 1 ¼ " deep, same price

Clearance Between Shelves: 15" Casters: 4 swivels, 5" x 1 ¼ "

Push Handles: Tubular, one at each end

Finish: Green Enamel Ship, Wt. 110 Lbs.

Overall Dimensions: 16"W x 45"L x 62"H Shelves: 16" x 44"—20 Ga. steel

10" Clearance between Shelves Casters: 2 swivel, 2 rigid 5" x 1 ¼ "


Finish: Green Enamel Ship. Wt.—110 Lbs.

#### ENCLOSED SHELF TRUCK

#### 800 LBS. CAPACITY— SOFT RUBBER WHEELS ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.



GT-72 Garment Truck—

Ship. Wt. 55 Lbs.

#### GARMENT TRUCKS

500 LBS. CAPACITY— SOFT RUBBER WHEELS

#### **ALL WELDED CONSTRUCTION**

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.



GT-72-SD Garment Truck---

Ship. Wt. 70 Lbs.

Dimensions the same for both GT-72 and GT-72-SD


74"L--20-1/2"W--66"H Frame: 1-1/16" Tubular Steel Casters: 4 swivels, 5" x 1-1/4" Finish: Green Enamel

#### **PACKING & STRAPPING TRUCKS**

1500 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS



**PST-48** 



#### ALL WELDED CONSTRUCTION

Speeds up shipping room operations, designed to pass steel strapping or rope under cartons or bundles which can be lifted off unit with sling, fork truck, etc. Adjustable top loading racks can be positioned anywhere along the length of base, and locked in place by screw knobs, (one on each side). The base is a tray  $2^{-n}$  deep and can be used for storage of strapping material. The top loading racks have hinged lids. When down they provide a flat surface (6 ½ " x  $\sim$  23 ½") used for cortons, boxes, crates, etc. When opened at 180 degrees they expose a cradle rest used for tubing, pipe, rounds and irregular shapes and the covers can be used for storage trays.

O.A.H.: 161/2"; 9" clearance between load and bottom.

Crodle: 23 ½ "L x 6 ½ "W

Finish: Green Enamel

Casters: 4" x 1 ½"—2 Swivel—2 Rigid.

Model	w	Į.	Max. Opening Between Racks	Ship. Wt.
PST-30	24"	30"	13"	104
PST-36	24" '	36"	23"	110
PST-48	24"	48"	35"	120

#### HYDRAULIC LIFT TOP TABLES

- All Arc Welded—Rugged—Portable
- Foot Operated—
- Easily adjusted to and from working height.
- For moving dies, tools and parts to and from working station—production & main-
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- · Heavy duty swivel casters and rigid casters provide easy movement. with foot operated floor lock firmly holds the table as required.







HLTT-36-2 CAPACITY 2000 LBS.

Model HLTT-36-1	Тор	20"W—36"t
Swivel casters		l ¾" semi-steel, plain bearing wheels
Foot operated floor loc	k between swivel casters at one e	end.
Raised Top Height	***	43" from Floor
		31" from Floor
		260 lbs
Model HLTT-36-2	Тор	30″W—48″L
		%" semi-steel, plain bearing wheels
	k between swivel casters at one e	
		43" from Floor
		31" from Floor
		360 tbs.

#### **TOTE-ALL HAND TRUCK**

**ALL WELDED CONSTRUCTION** COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK 375 LBS. CAPACITY



#### **IDEAL FOR:**

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.-Sides: 28"H, 23 1/2 "D, front to back, 30"W, 41/2"H,-Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1 ¼" Hard rubber swivels. -Finish: Green Enamel

Model TA-24

Ship. Wt. 52 Lbs.

#### TOTE PAN HAND TRUCK

**ALL WELDED CONSTRUCTION** 375 LBS. CAPACITY

FOR: TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for each turning.



TRAY: 12"D-24"L.-CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3 ¼ " from floor. -O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1 ¼" Hard rubber swivels.—FINISH: Green Enamel. Model TPH-24 Ship, Wt. 55 Lbs.

#### TOTE-ALL HAND CART



Capacity: 1000 Lbs.—Semi-Steel Wheels

800 Lbs. --- Soft Rubber Wheels

All welded, rugged construction for general maintenance uses—carrying parts and tools with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1 ¼" soft rubber or semi-steel wheels—2 rigid and 2 swivel.

-15"W--28"L, Cart height--20½ "O.A.H. Top and Bottom tray—1" deep. legs: 1½" x 1½" x ½" Angle Iron Drawer: 14¾"D—21"W—6"H.

Finish: Green Enamel

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Soft Rubber Wheels	56 Ship, Wt.

#### SHOP TRAY TRUCKS

**HEAVY DUTY ALL WELDED CONSTRUCTION** 

2000 LBS. CAPACITY-SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

ALL MODELS: 36" O. A. H.

TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
BOTTOM TRAY: 2" Deep—12 Gauge steel.

Clearance between Top and Bottom Trays—17-3/4". LEGS: 1-3/4" x 3/16" Angle Iron

TUBULAR PUSH BAR: Floor Clearace: 6-1/4"

CASTERS: 2 swivel 2 rigid

Semi-Steel Wheels 5" x 1-5/8" Hard Rubber Wheels 5" x 1-1/2"

On Request—Truck Floor Lock—Flat Bottom Shelf

		Top Box		Top Box	
W	L		Ship. Wt.		Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
೪	36	П-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



TT-2436-12

#### TRAY STOCK CARTS

**MEDIUM DUTY ALL WELDED CONSTRUCTION** 1100 LBS. CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY—SOFT RUBBER WHEELS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

ALL MODELS: 36" O.A.H.

TOP TRAY: 6" or 12" deep-16 Gauge steel with 1/2" hemmed edges. BOTTOM TRAY:

2½" deep—16 Gauge steel with ½" hemmed edges. 1½" x 1½" x ½" Angle fron LEGS:

Clearance between top and bottom trays-18"

TUBULAR PUSH BAR Floor Clearance: 6" Finish: Green Enamel CASTERS:

2 swivel 2 rigid Semi-Steel Wheels

5" x 114" Soft Rubber Wheels 5" x 1 ¼ "

On Request—Truck Floor Lock—Flat Bottom Shelf



w	·L	Top Box Depth = 6"	Ship, W1.	Top Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

#### STOCK CARTS

MEDIUM DUTY 500 LBS. CAPACITY—
5" SOFT RUBBER WHEELS 360 LBS. CAPACITY-3" SOFT RUBBER WHEELS



All welded, designed for

rugged factory use yet with ap-

pearance satisfactory for office

and store. Large capacity

shelves save time and steps, on the assembly line, in the stack

room, the office, in any one of many other operations.

Service.

**Built for Years of Easy Rolling** 

#### **FIVE SHELF STOCK CARTS**

1000 LBS, CAPACITY-SEMI-STEEL CASTERS 800 LBS CAPACITY-SOFT RUBBER CASTERS



tion with 1½" x ½" angle posts, and push handle located 39 %" high for balanced han-

Large volume capacity stock

cart for filling orders and other

purposes. All welded construc-

dling, adds 3" to overall length of cart.

Top trays, with 2 1/2" sides, can be reversed at no extra cost.

Green Enamel FINISH: CASTERS: 2 swivel 2 rigid

Soft Rubber Plain Bearing Wheels-5" x 1" Soft Rubber Ball Bearing Wheels-5" x 1" Soft Rubber Plain Bearing Wheels-3" x 13/16"

SCF-5363

#### On Request—Flat Bottom Shelf

Shelves- Angle All Trays-	Logs	Model	w	i L	D.A.H	Shelf Clearance	Casters	Ship. Wi,
<b>255</b>		SC -3182	187	28″	34"		3"	47
	411.7	SC -5182	18."	28"	36"		5"	50
	All Tray Shelves	SC -3362	18**	36"	34"	25 ¼	_	53
	31141143	SC -5362	_	36"	36		5"	56
4		SC -5242	_	36"	36"		5"	66
	•	SC -3183	18"	28	34"		5" 5" 5" 5" 3" 5" 3" 5" 3" 5" 3"	62
		SC -5183	18"	28	36"			65
	All Tray Shelves	SC -3363	18"	36″	34"	11%	3"	70
		SC -5363	18"	36	36"		5"	73
*		SC -5243	24"	36	36"		5"	88
		SCF-3182	18"	28"	34"	ı	3"	47
	Flat Surface	SCF-5182	18"	28"	36~	İ	5"	50
	Top Shelf Tray Bottom	SCF-3362	18"	36	34"	25 1/4 "	3"	53
	Shelf	SCF-5362	18"	36	36"		5"	56
		5CF-5242	24"	36	36"	<u> </u>	5"	55
		SCF-3183	18"	28	34"	]	3	62
	Flat Surface	SCF-5183	18"	28"	36"		5"	65
	Top Shelf Tray Center and	SCF-3363	18"	36"	34"	11%"	3	70
	Bottom Shelves	SCF-5363	18"	36	36"	]	5"	73
ъ		SCF-5243	24"	36	36"		5"	88

#### HI-LADDER STOCK CARTS-LADDER STOCK CARTS

ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.



LADDER LT-20-R

LT-20-78 R With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and struck firmly to the floor, when weight is removed the ladder retracts allow ing truck to be easily moved.

Specifications: Same for LT-20-78 and	LT-20 Models with exception of O.A.H.
TOP OF CART	38 ¼ " from Floor
SHELVES	14-Gauge steel, Tray Type—2" deep
SIZE OF SHELVES Top20"x32"	Center20"x36"Bottom20"x41"
LADDER Spring lo	aded and adjustable STEPS: 6" wide
FINISH	Green Enamel
CASTERS: 2 Survel, 2 Rigid	

S= Semi-Steel Wheels 5" x 1%"

R= Hand Rubber Wheels 5" x 1 1/2"

On Request—Truck Floor Lock—Flat Bottom Shelf Top and center shelves reversed at no charge 40A-20"W x 44"L x 78"H

STOCK CARTS 169 Ship, Wr. LT-20-7BR

LADDER OA-20"W x 44"L x 62"H STOCK CARTS

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

O.A.H. with Semi-Steel Casters			2
O.A.H. with Soft Rubber Caster	's	58 J	4 "
Shelf Clearance	10"	Floor Clearance	6″
Finish		Green Enan	nel
Casters: 2 swivel 2 rigid		•	

Semi-Steel Wheels Soft Rubber Wheels

On Request—Truck Floor Lock—Flat Bottom Shelf

Model	W	L	Ship, Wt.	Model	W	L	Ship.
L-1828	18"	28"	105	1-2436	24"	36"	144
L-1836	18"	36"	119	L-2448	24"	48"	181

#### FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height	OB
Shelf Clearance	
Floor Clearance	
Finish	
Carters 2 ruinel 2 rigid	

Semi-Steel Wheels 8" x 2" Moldon Rubber Wheels 8" x 2"

On Request—Truck Floor Lock—Flat Bottom Shelf

Model	w	L	Ship. Wt.
H-1830	18"	30"	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48	349
H-2460	24"	60″	355
H-3060	30"	60**	413



H-2436

#### **LUMBER SERVICING TRUCKS**

#### 1200 LBS. CAPACITY-ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials.

Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



Width =  $24^{\circ}$ . Base Length =  $42^{\circ}$ :

Floor Clearance = 8%

60" overall height.

Finish: Green Enamel


Ship. Wt. = 145 Lbs.

Sheet Holder adjustable to

YZ-75 for shorter items. W = 26": Depth = 24": H = 39" Floor Clearance = 7 1/2 Finish: Green Enamel Ship. Wt. = 72 Lbs.










HI-LADDER

### PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION CAPACITY 1000 LBS.—SEMI-STEEL WHEELS CAPACITY 800 LBS.—SOFT RUBBER WHEELS

Model	Shelves	w		Ship. Wt
MT-2448-2	2	24"	48"	100
MT-2448-3		24"	48"	132
M1-2448-3 M1-2460-2		24"	60"	115
MT-2460-3		24"	60"	155
MT-3048-2	<del></del>	30"	48"	112
	<del></del>	30"	48"	150
MT-3048-3	<del>\</del>	30"	60"	130
MT-3060-2	<del> </del> -	30″	60"	175



.......All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE 1500 LBS. CAPACITY—SEMI-STEEL WHEELS

1500 LBS. CAPACITY—HARD RUBBER WHEELS

MT-2460-2

30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep,

18

24"

Removable Handle Furnished with unit

floor clearance 5", with 4" x 1 ½" casters. 2 swivel and 2 rigid. Removable Handle—½

Model

18-D-30

18-D-36

18-D-48

18-0-60


24-D-30

24-D-36

24-D-48

24-D-60

Su C.A.n.—Clearance between anelyes: 21 , anictycs—15 Gu. aled with 2 Ga. Channels, LEGS—1½" x 1½" x ½" Angle Iron, CASTERS—5" x 1½



Light duty truck for industrial use, order filling, watchouse, beside assembly operations.

Top and bottom shelves are reinforced with channels. ,



#### "MIJ" BUA CARIS 300 LBS. CAPACITY—WITH CASTERS

Combines a Tota Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. ALL WELDED CONSTRUCTION, Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.—13"W—23"L—31 H, BOX—6" deep, CLEARANCE BE-TWEEN BOX AND SHELF—17", BOTTOM SHELF—8" from Floor

FINISH: Green Ename! B-213—Ship. Wt. 28 lbs. With Floor Pads BC-213—Ship. Wt. 29 lbs. With 215 Pressed Steel Caster

#### 300 LBS. CAPACITY—WITH CASTERS



All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



14 ¼ "W--29 ¼ "L--O.A.H. Back-36"-Front-30" with 1" Stop, CHUTE OPEN-ING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 61/2", CLEAR-ANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

ı	TH-14	With Floor Pads	37 Ship. W1.
	TH-14C	With 21/5 " Pressed Steel Swivel Casters	40 Ship. 111.


### "MIJ" TABLES

300 LBS. CAPACITY—WITH CASTERS FOR FASTER PRODUCTION LINE NEEDS Rugged-Compact-

High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Costers move table to tate pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves. Finish: Green Enamel

ALL MODELS:SHELVES:	19 Gande sieer
(EO3:	





213 Series Top and Bottom Shelves



	Models With Floor Pads Welded to Legs							
<u> </u>	Height of Top Shelf	Shelf Clearance	Ship. Wt.					
T -213	23"	16"	24					
TE-213	30"	21"	27					
	23	7%"	29					
T -313	20	10"	32					

Ship. Wt.

40

52

80

50

٥٥

72



Top, Bottom d Center

Models With Hoor Fact Trended to 3-3							
Height of Top Shelf	Shelf Clearance	Ship, Wt.					
	16"	24					
	21"	27					
	755"	29					
<del></del>	10"	32					
	Height of Top Shelf 23" 30" 23"	Height of Top Shelf   Clearance   23"   16"   30"   21"   23"   7 % "					



18-D-30

Top reversed on request at

Finish: Green Enamel

rod-36 ½ " lona.

no extra cost.



2448-3

#### **HEAVY DUTY** TOOL STANDS

2000 LBS. CAPACITY-ALL WELDED CONSTRUCTION

30

36"

48

90.

30


36

48

60.

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

ALL MODELS ...... 32-1/2" O.A.H. Floor clearance 6 ¼ ". SHELVES ...... 12 Gauge Steel Pads on bottom of legs protect floors. LEGS ...... 1-3/4" x 3/16" Angle fron Finish: Green Enamel



### EXTRA HEAVY DUTY TOOL STANDS

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION - ALL SHELVES FLAT SURFACES
Finish: Green Enamel

#### 3000 LBS. CAPACITY

ALL MODELS ......36" High SHELVES ..... 12 Gauge Steel LEGS ...... 2" x 2" x 3/16" Angle




Clearance from floor to bottom shelf ... 8" Clearance between shelves ...... 23 %"

HS-2872-2 W/2 Shelves



Model	W	[	Ship. Wt.
HS-2448-2	24"	48″	135
HS-2460-2	24"	60″	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48″	145
HS-2860-2	28"	90	170
H\$-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60	190
H5-3472-2	34"	72	240
HS-2448-3	24	48	185
HS-2460-3	24	60	215
HS-2472-3	24	72	245
HS-2848-3	28	48	205
HS-2860-3	28	T 600	240
HS-2872-	3 28	72	275
HS-3448-	3 34	· 48	230
HS-3460	3 34	r'   60	280
HS-3472-	3 34	72	335

HS-2460-2





#### **UTILITY TABLES**

500 LBS. CAPACITY—5" Soft Rubber Wheels 300 LBS. CAPACITY—2½" Dia. Pressed Steel Wheels Or Soft Rubber Wheels



#### **TOOL CABINET BENCHES**

ALL WELDED-READY FOR USE



C-1824

IC3





S3DC

SDC

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from ralling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.

SHELVES	S Models: 16 Gauge—H-L-K Models: 14 Gauge
ANGLE LEGS	S Models: 1 1/4 " x 1/6"
DRAWER SIZE (D)	14"W—16"L—5"D
FINISH:	Green Enamel

		31" High Overall Floor Pads Wolded to Logs			34" High Ove 4 S	rall With Casters wivels	
		w	L	Model	Ship. Wt.	Model	Ship. Wr.
		19"	25~	ST	32	sc	35
		23"	24"	нт	43	HC	46
KX	With Top and	20"	28"	LT	44	ιc	47
	Lettom Shelves	24"	36"	KT	60	KC	63 .
		19"	25"	53	42	SC3	45
	;	23″	24"	нз	57	HC3	60
	ith Top, Bottom and Center	20"	28".	L3	59	LC3	62
	Shelves	24"	36~	К3	83	ксз	86
^	-	19"	25"	SD3	57	SD3C	60
		23"	24"	HD3	69	HD3C	72
With Top, Bottom and Center Shelves and Na. 1416-1 Drawer	pod Center	20″	28"	LD3	71	rosc	74
		24"	36"	KD3	95	KD3C	98
<u> </u>		19	25"	SD	47	SDC	50
	With Top and	23"	24"	HD	58	HDC	61
K	Bettem Shelves and #1416-1	20"	28**	LD	59	FDC	62
	Drawer	24"	36"	KD	75	KDC	78
		19~	25**	S2D	77	\$2DC	80
	With Top and	23"	24"	H2D	88	H2DC	91
	Bettom Shelves and #1416-2	20"	28"	130	89	12DC	92
Drawer Unit	24"	36	K2D	105	K2DC	108	
		19"	25~	\$3D	98	\$3DC	101
		23″	24"	H3D	109	H3DC	112
	Top and Battom Shelves and #1416-3	20"	28"	L3D	110	13DC	113
T .	g1416-3 Prower Unit	24"	36-	K3D	126	K3DC	129

#### Ship, Wt 11 18" 35% 15 18" 47 % 20 35% 19

#### Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines. ADDITIONAL SHELF (Optional)





C-1848-K

SIDE LEG PANELS .... 14 Gauge Steel SHELVES ...... 16 Gauge Steel

DOORS ...... 18 Gauge Steel

FINISH: ..... Green Enamel

Model	н	w	D	Shelf W L	No. Shelves	No. Doors	Ship. Wt.
C-1824	34"	24"	19"	18" x 23¾"	2	1	112
C-1824-K	Keyed Ho	andle in Door	(2 Keys)				
C-1836	34"	36"	19"	18" x 35%"	1	2	140
C-1836-K	Keyed Ho	andle in Door	(2 Keys)	I			
C-1848	34"	48"	19"	18" x 47 14"	1	2	166
C-1848-K	Keyed Ho	andle in Door	(2 Keys)				
C-2436	34"	36"	25"	24" x 35¾"	1	2 .	160
C-2436-K	Keyed Ho	indle in Door	(2 Keys)				
C-2448	34"	48"	25″	24" x 47%"	. 1	2	190
C-2448-K	Keyed Ho	andle in Door	(2 Keys)	i			

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

#### HAF-SHELF UTILITY TABLES

DIMENSIONS OF HAF-SHELF: ...... 8" deep, full width of table—11" clearance from top of table. HEIGHT (with and without casters): ..... Overall including Haf-Shelf--42"-30" from floor to top of table. FINISH: Green Enamel

Haf-Shelf added to all Utility Table Models on request.



Model	W	l
"5"	19"	25"
"H"	23"	24"
"L"	20"	26"
"K"	24"	36~



#### **PORTABLE CABINET WORK BENCHES**

2000 LBS, CAPACITY—SEMI-STEEL WHEELS 1500 LBS, CAPACITY—RUBBER WHEELS



TOP:

SHELF SIZE:

#### PORTABLE CABINET **WORK BENCHES**

800 LBS. CAPACITY-SEMI-STEEL WHEELS 1000 LBS. CAPACITY—SOFT RUBBER WHEELS

#### LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.





R-48

PC-48S



PC-48R w/#2024-4 Drawer Unit

#### **HEAVY DUTY**

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY— Bench Drawer Units installed in Work Benches for special requirements. See Page 16, Finish: Green Enamel.

PC-485	Semi-Steel Wheels 5" x 1 1/4"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1 ½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf (Optional)	20 Ship. Wt.
	Keyed Handle (Optional) (2 keys)	
	Additional Shelf (Optional)	26 Ship. Wt.
	Floor Truck Lock (Optional)	5 Ship, Wt,
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings	27 Ship, Wt.



#### **BP-SERIES**

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—RUBBER WHEELS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for starage. Top heavy 12 Ga. steel, strong enough to mount a Vise.




BP-36R

BP-36R

BP-36R w/#1416-4 Drawer Unit

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-36S	Semi-Steel Wheels 5" x 1% "	220 Ship. Wt,
BP-36R	Hard Rubber Wheels 5" x 11/2"	215 Ship, Wt.
	FLOOR TRUCK LOCK (Optional)	5 Ship. Wt.
	KEYED HANDLE (2 Keys)	i
	WITH 3/16" STEEL PLATE TOP	250 Ship. Wt.



adjustable on 2" Centers.

FINISH: Green Enamel



PC-36R

PC-365	5" x 1 ¼ " Semi-Steel, 2 Swivel—2 Rigid Costers	118 Ship, Wt.
PC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship, Wt.
	Floor Lock (Optional)	5 Ship, Wt.
	Additional Shelf (Optional)	16 Ship, Wt.
	Cylinder Lock which locks both Doors (2 Keys)	

#### **PDC SERIES**

ALL WELDED CONSTRUCTION 800 LBS. CAPACITY—SEMI-STEEL WHEELS 1000 LBS. CAPACITY—SOFT RUBBER WHEELS



PDC-36R

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP:	. 21 ¼ " x 36"
HEIGHT: 34" to Work Surface,	3" Back Stop
FINISH:	Green Enamel



PDC-36S	5" x 1 ¼ " Semi-Steel, 2 Swivel2 Rigid Casters	188 Ship. Wt.
PDC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	184 Ship, Wt.
	Floor Lock (Optional)	5 Ship. Wt.
	Cylinder Locks litted to all Drawers (Keyed Un-alike)	
	Keyed Handle	

#### **WORK BENCHES**

**ALL WELDED CONSTRUCTION** 

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed

All welded construction—no bolts, rivets or other parts that have to be continually

BS-2872

with gussets for additional strength.

COMPLETELY ASSEMBLED-

**READY FOR USE** 

BACK AND SIDE STOPS . 12 Gauge Steel LEGS ..... 12 Gauge Steel STRINGERS ..... 16 Gauge Steel SHELVES ..... 16 Gauge Steel

LEGS SET IN 2" FROM END OF TOP

BACK STOPS-3" High-12 Ga. Steel

Bench Drower Units and Accessories,

**F** Series AT TOP WITH

STRINGER

See pages 15 and 16.

SIDE STOPS—3" High at Back, Taper to 1 ½

..... 12 Gauge Steel

Finish: Green Enamel. Cylinder Lock Available for Drawer.

F-2448

F-2460

F-2472

F-2496

F-24120

F-2848

F-2860

-2872

-2896

-28120

-3448

F-3460

F-3472

F-3496

F-34120

tightened.

TOPS ..



Reinforced Construction

FINISH: Green Enamel 321/2" HIGH TO WORK SURFACE

(34" Height Furnished on Request)

All 8 Ft. and Longer

Models have 3 Bench Legs

FS-2448

24" 120" 195 FS-24120 24" 120" 235

28" 60" 132 FS-2860 28" 60" 150 72" 148 FS-2872

34" 72" 164 FS-3472 34" 72" 186

34" 120" 250 FS-34120 34" 120" 280

118 FS-2848

148 FS-3460

220 FS-3496

Ship. Wr. Model

120 FS-2460 24" 60" 142

134 FS-2472 24" 72" 160

Ship.

214

132

255

150

170

24" 48" 125

24" 96"

28" 48"

28" 72" 28" 96"

28" 120"

34" 48"

34" 60"

34" 96"

at Front

Wi.

28" 96" 198 FS-2896

28" 120" 215 FS-28120

34" 48" 132 FS-3448

24" 48" 107

24" 60′′

24" 96" 180 FS-2496

28 48"

28"


34" 60"

34" 96"

Тор


24" 72"





FLAT	TOP W	TH STR	INGER AI	ΚD
HELE	ANDD	PAWFE	LIMIT 143	4_1





TOP WITH BACK, SIDE STOPS AND STRINGER

	To	P q	Ship.		To	Р.	"Ship
Model	W	1_	Wi.	Model	w	L	Wi.
B-2448	24"	48"	108	8-2896	28"	96"	199
B-2460	24"	60"	121	B-28120	28"	120"	216
8-2472	24"	72"	135	B-3448	34"	48"	133
8-2496	24"	96"	181	B-3460	34"	60"	149
B-24120	24"	120"	194	B-3472	34"	72"	166
B-2848	28"	48"	119	B-3496	34"	96~	222
B-2860	28"	60~	133	8-34120	34"	120~	251
B-2872	26"	72"	149				

WORK BENCHES ALL WELDED CONSTRUCTION

Top Ship Top Ship Model W L WI. Model W L WI. FSD-2448 24" 48" 150 FSD-2896 28" 96" 253

FSD-2460 24" 60" 167 FSD-28120 28" 120" 290

FSD-2472 24" 72" 188 FSD-3448 34" 48" 176
FSD-2476 24" 96" 239 FSD-3460 34" 60" 196
FSD-24120 24" 120" 270 FSD-3472 34" 72" 211
FSD-2848 28" 48" 157 FSD-3496 34" 96" 275
FSD-2860 28" 60" 175 FSD-34120 34" 120" 315

FSD-2872 28" 72" 195



STRINGER AND SHELF 15¼ " deep

Model	w	Ĺ	. Wi.:	Model	W	L	Wi.
BS-2448	24"	48~	126	BS-2896	28″	96"	229
85-2460	24"	60″	143	85-28120	28"	120"	256
B\$-2472	24"	72"	161	85-3448	34"	48"	151
85-2496	24"	96″	215	BS-3460	34	60~	171
BS-24120	24	120"	236	BS-3472	34	72"	188
BS-2848	28	48"	133	BS-3496	. 34"	96"	252
BS-2860	28"	60"	151	BS-34120	34"	120"	281
BŞ-2872	28"	72"	171				



TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1

	•	snq.	1	100		3411124	
W	L	Wi.	Model	W	i	Wi.	
24"	48"	133	BD-2872	28~	72"	174	
24"	60"	146	8D-2894	28"	96"	224	
24"	72"	160	BD-28120	28"	120"	251	
24	96"	206	BD-3448	34	48"	159	
24"	120~	231	BD-3460	34	60"	175	
28″	48~	144	BD-3472	34	72"	191	
28"	60~	158	BD-3496	34"	96"	247	
			BD-34120	34"	120"	276	
	24" 24" 24" 24" 24" 28"	24" 48" 24" 60" 24" 72" 24" 96" 24" 120" 28" 48"	W L Wf. 24" 48" 133 24" 60" 146 24" 72" 160 24" 96" 206 24" 120" 231 28" 48" 144	W t Wi. Model 24" 48" 133 80-2872 24' 60" 146 80-2896 24" 72" 160 80-28120 24" 96" 206 80-3448 24" 170" 231 80-3446 28" 48" 144 80-3472 28" 60" 158 80-3496	W L Wi Model W 24" 48" 133 8D-2872 28" 24" 60" 146 8D-2896 28" 24" 72" 160 8D-28120 28" 24" 96" 206 8D-3448 34" 24" 120" 231 6D-3446 34" 28" 48" 144 6D-3472 34" 28" 60" 158 8D-3496 34"	W         L         Wi.         Model         W         L           24"         48"         133         80-2872         28"         72"           24"         60"         146         80-2872         28"         96"           24"         72"         160         80-28120         28"         120"           24"         72"         206         80-3448         34"         48"           24"         120"         231         80-3460         34"         60"           28"         48"         144         80-3472         34"         72"           28"         60"         158         80-3490         34"         96"	



Drawer: 14"W x 231/2 "D x 5"H



TOP WITH BACK, SIDE STOPS, STRINGER

211001					••		_		
Deaw	a '	I 4″\	<i></i>	23	<b>4</b>	"D	¥	5"	۱

		To	P	Ship.	İ	Ta	P	Ship
	Model	W	L	Wi.	Model	w	<u>'t' </u>	Wi.
	85D-2448	24	48"	151	BSD-2896	28"	76"	254
	BSD-2460	24	60"	168	BSD-28120	28"	120"	292
į	BSD-2472	24"	72"	186	BSD-3448	34"	48"	177
•	BSD-2496	24"	96"	240	BSD-3460	34"	60	197
	65D-24120	24~	120"	272	BSD-3472	34"	72"	213
	BSD-2848	28~	48"	158	85D-3496	34"	96"	277
R	BSD-2860	28"	60"	176	BSD-34120	34"	120"	317
	85D-2872	28"	72"	196				

# И **FD** Series

RAT TOP WITH STRINGER AND DECIMER UNIT 1424-1

FS SERIES

FLAT TOP WITH STRINGER


AND SHELF-15 4" DEEP

IMPERI	***		***			•	
FD-2448	24"	48"	132	FD-2896	28	96"	223
FD-2460	24"	60"	145	FD-28120	28″	120~	250
FD-2472	24"	72"	159	FD-3448	34"	48"	158
FD-2496	24"	96"	205	FD-3460	34"	60"	174
FD-24120	24"	120"	230	FD-3472	34"	72"	189
FD-2848	28"	48"	143	FD-3496	34"	96"	245
FD-2860	28"	60"	157	FD-34120	34	120"	275
FD-2872	28	72"	173				

#### PRESSED WOOD TOPS

Pressed wood top- 14" thick-is attached directly over heavy steel top. Amenched with countersunk flat head bolts at each corner. Used four working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".





mae capacity of your Work Bench may be substantially incomesed without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Sale and Back Stops, or attaches to sides of flat

#### **WORK BENCH** RISERS

Model	ì	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel

#### MEDIUM DUTY WORK BENCHES

CONSTRUCTED of heavy gauge steel to stand years of use in the home and in industry. REINFORCED WELDED TOP designed with channels for drawer hanger attachment. Sturdy reinforced welded legs with floor pads that can be attached to floor when desired. %″x ¾″ bolts, cross pull when tightened to give most rigid bolted construction. Bolts are furnished with flat and lock washers and nuts. Elongated holes for fast assembly. Optional Bench Drawer Unit 1416-1 or 1424-1, See Page 16.

ASSEMBLED BY PURCHASER IN A MATTER OF MINUTES!



1			She	lf .	
اسرا	ı	н	w	t	Ship. Wt.
	48-	32 ½ "	25"	401/2"	79
	$\overline{}$		25"	52 1/2 "	94
	72"		25"	641/2"	109
	/ W 30" 30" 30"	30" 48" 30" 60"	30" 48" 32 ½ " 30" 60" 32 ½ "	/ W         L         H         W           30"         48"         32½"         25"           30"         60"         32½"         25"	30" 48" 32½" 25" 40½" 30" 60" 32½" 25" 52½"



# HARD MAPLE WORK BENCHES ELECTRONICALLY WELDED




#### **WORK BENCH ACCESSORIES**

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.



Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.



BASIC BENCH

Basic Bench. Hard Maple Top, 2 Bench Legs, 1 Stringer for 48", 60" & 72" Lengths; Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops— $1\frac{1}{4}$  " Thick; Overall Height including Bench Top is  $34\frac{1}{4}$ ". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.


For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer. Metal Parts—Green Enamel.

Top					
Model	w	t	Ship, Wi,		
W-2448	24"	48	107		
W-2460	24"	60″	124		
W-2472	24"	72"	138		
W-3048	30"	48"	127		
W-3060	30"	60"	147		
W-3072	30″	72"	166		
W-3096	30″	96"	226		
W-30120 ·	30"	120~	264		

Top '					
Model	W	ι.	Ship. Wt.		
W-30144	30"	144"	296		
W-3648	36"	48"	143		
W-3660	36"	60	167		
W-3672	36"	72"	188		
W-3696	36″	96"	256		
W-36120	36"	120"	295		
W-36144	36"	144"	344		

12 Gauge Steel Finish: Green Enamel




Model .	- A	8	с	D	E	of Sets
2448	5 ½	24	3 1/2	5 1/4	48	16
2460	5 ¼	24	31/2	514	60	18
2472	_ 5 ¼	24	3%	514	72	20
2496	5 ¼	24	3 %	5 1/4	96	23
2848	514	28	31/2	514	48	18
2860	5 %	28	3⅓	514	60	20
2872	5 1/4	28	31/2	51/4	72	22
2896	5 ¥	28	31/2	514	96	27
3448	5 1/4	34	31/2	514	48	19
3460	5 ¼	34	314	5 1/4	60	21
3472	5 ¼	34	31/2	5 1/4	72	24
3496	5%	34	31/2	51/4	96	29

#### **STRINGERS**

Model	F	G	Ship. Wt
ST-36	4 1/4	32	4
ST-48	4 1/4	44	6
57-60	4%	56	7 1/2
ST-72	414	68	9
ST-84	4%	80	10%
ST-96	414	92	12
ST-120	414	116	15
ST-144	4%	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

#### HARD MAPLE TOPS






Finish Top—Natural-Clear Lacquer.


Model	w	1	Ship, Wt.
GW-2448	24"	48"	58
GW-2460	24"	90	72
GW-2472	24"	72	86
GW-3048	30	48	74
GW-3060	30	60″	93
GW-3072	30″	72"	112
GW-3096	30	96"	150
GW-30120	30"	120"	187

Model	<u> </u>	l.	Ship, Wt.
GW-30144	30″	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

#### SHELVES



Model	н	j	Ship. Wt
5H-36	15%	32	13
SH-48	15%	44	18
SH-60	1514	56	22
SH-72	1514	68	26
SH-84	15%	80	30
\$H-96	1514	92	34
5H-120	1514	116	42



16 gauge one inch channel reinforced construction. Finish: Green Enamel

### WORK BENCH CABINET UNITS

**ALL WELDED CONSTRUCTION** 





#### BENCH LEGS

#### **ALL WELDED CONSTRUCTION**

These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floar pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel. Bench Legs for special requirements on request.

Finish: Green Enamel

Model	_ A	В	Ç	D	E	Ship. Wr.
BL-22	22	32 1/2	15 1/2	18	915	20
BL-28	28	32 %	19%	22	9%	22
BL-34	34	32 %	23 1/2	26	9%	24
BL-46	\$	32 1/2	35 14	38	91/2	28
BI-SR	- KR	32 %	47 6	50	οu	74

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

Model	L	н	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	95
CU-36	36	19	19	В		95
CUX-18	18	19	19		Yes	55
CU-18	18	19	19	8		55

Please indicate on order if unit is for installation with steel or wood bench.

Dhone (21C) 001 4004

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216)



CABINET BASE WORK BENCHES

ALL WELDED CONSTRUCTION



CD8-3060-W





Drawer units can be fastened to either wood or steel benches, tables, desks or counters. All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13 1/2 " x 8" x 1" in 1416 and 1424 Series; 19 1/2" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

#### **OVERALL OUTSIDE DIMENSIONS**

<b>HEIGHT</b>	r, ALL UNITS	One Drawer-5	¾"; Two Drawer—12½",
		Three Drawer—18	8 ½ "; Four Drawer—24 ½ "
WIDTH	1416 & 1424	SERIES: 16 ¼ "	2024 SERIES: 22 ¼ "
DEPTH	1416 SERIES:	161/2 "	1424 & 2024 SERIES: 24"

	14"Wx16	Dx5"H -	14"Wx23	½ "Dx5"H	20"Wx23	% "Dx5"H
Unit Description	Model	Ship. Wt.	Model	Ship. Wi.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	• 105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Approximate Shipping Weights Shown Above Include Attachment Hanger.

Finish: Green Enamel

Cylinder Lock Available for Drawer

#### **HEAVY DUTY DRAWER UNIT**

USE WHERE SEVERE SERVICE IS NEEDED 14 GA. STEEL DRAWER 12 GA. STEEL HANGER ALL STEEL BALL BEARING ROLLERS



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items. Drawers can be attached to work benches, tables, desks ar counters.

Padlock tab an drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19 1/2" x 8" x

Inside dimensions of drawer	19 ½ "W x 23 ½ "D x 5"H
Hanger size overall dimensions	22 ½ "W x 24"L
Finish	Green Fnomel
rinish	Chi- NA AD II-
Cylinder Lock Awailable for Drawer	Ship, Wt. 40 Lbs.

#### PORTABLE DOOR CABINETS

ALL WELDED CONSTRUCTION

500 LBS. CAPACITY—3" SOFT RUBBER WHEEL 800 LBS. CAPACITY—5" SOFT RUBBER WHEEL

Light Duty Partiable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants Euroides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, actionable on 2" centers. Finish: Green Enamel.



Model	- H	Casters—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 1 ¼ " Saft Rubber Tread	60
8C 1C5 -4	32"	5" x 1 ¼ " Soft Rubber Tread	65
439	Keyed Handle		<del>_</del>

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15). Laminated tops also furnished in 2, 2 ½, and 3 inch thicknesses.

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE

Finish Top-Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS— 2 % " THICK	Model	¥ ·	p L	Bases, 18"W 24"D	Ship. Wt.
h	CB-2860-S	28~	60"	Door Cabinets	205
A A	C8-2872-5	28"	72"	Door Cabinets	230
FI	D8-2860-S	28~	60"	Drawer Cabinets	300
	D8-2872-\$	28″	72"	Drawer Cobinets	320
	CD8-2860-S	28~	60″	Drawer & Door Cobinets	240
	CD8-2872-S	28"	72"	Drawer & Doar Cabinets	275
-	WITH HARD A	NAPLE BE	NCH TO	PS—1 % " THICK	
निर्मा	CB-3060-W	30-	60	Door Cabinets	210
A A	C8-3072-W	30"	72"	Door Cabinets	235
周围	D8-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30°	72"	Drawer Cabinets	325
FITT	CD8-3060-W	30°	60"	Drawer & Door Cabinets	245
周田	CD8-3072-W	30"	72"	Drower & Door Cobinets	280

ALL WELDED CONSTRUCTION CABINET SIZE: 18" W, 24" L, 26"H





DOOR CABINET Shelf adjustable in 2" centers. One shelf

Keyed Handle Extra Shelf **Rase Not Included** Ship. Wt. 55 Lbs.

with unit



Model DC-1

DRAWER CABINET Individual drawer size; 14" wide x 23 ½ " deep x 5" high, Sliding tray in each

Drawer holds small items within easy reach. Tray size: 1312" x 8"

No. 6 Base 6¼ " High Ship. Wt. 10 Lbs.

Cylinder Lock Available Base Not Included Ship. Wt. 110 Lbs.



#### PORTABLE DRAWER CABINETS


ALL WELDED CONSTRUCTION Padlock attachments on each Drawei

500 LBS. CAPACITY-3" SOFT RUBBER WHEEL 800 LBS, CAPACITY-5" SOFT RUBBER WHEEL

Drawers slide on Ball Bearing Steel Rollers Cobinet Size: 18"W x 24"L

Drawer Size: Inside Dimensions, 14"W x 23 1/2 "D x 5"H Tool Tray in each Drawer: 8" x 13 ½" x 1" deep.


Finish: Green Enamel



Cylinder Locks Available for Drawer



a



#### CABINET WORK BENCHES

(WITH SLIDING DOORS)

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops ofso furnished in thicknesses of 2", 2 %" and 3". Side and back stops, bench risers and drawers can be added, see pages 14, 15, & 16.





CW-3072-SD

All Models: 34" O.A.H. Finish: Green Enamel

WITH STEEL TOPS- 1% "Thick-12 Gauge	Top ·			8 25" D	Ship.
				Base, 25" Deep	
	CS-2860	28"	60",	Basic Unit	204
	CS-2872	28~	72~	Basic Unit	234
	C\$-2860-\$	28"	60"	Basic Unit with Shelf	239
	CS-2872-S	28"	72~	Bosic Unit with Shelf	274
	CS-2860-D	28"	60″	Basic Unit with Sliding Doors	248
	C\$-2872-D	28"	72~	Basic Unit with Sliding Doors	286
	CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
	CS-2872-SD	28"	72~	Basic Unit with Shelf & Sliding Doors	326
WITH HARD MAPLE BENCH TOPS—1 % " Thick Overhang on Front NATURAL WOOD FINISH					int, 5"
	CW-3060	30"	60"	Basic Unit	220
	CW-3072	30~	72"	Basic Unit	254
	CW-3060-S	30~	60″	Basic Unit with Shelf	255
	CW-3072-S	30	72"	Basic Unit with Shelf	295
	CW-3060-D	30"	60″	Basic Unit with Sliding Doors	264
	CW-3072-D	30"	72	Basic Unit with Sliding Doors	306
	CW-3060-5D	30"	60~	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-50	30~	72"	Basic Unit with Shelf & Sliding Doors	346
Extra	S-60 ☆	60" long	22" wide		35
Shelves *	S-72 ☆	72" long	22" wide		40


#### STEEL TOP PANEL-END WORK BENCHES

ALL PURPOSE BENCH FORMED PEDESTAL LEGS MODERN

New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. Drawer Units, Side and Back Stops, See pages 15 & 16.

Bench Top 32 1/2" From Floor

Finish: Green Enamel



	T	ор	Base		Shelf		
Model	W	l.	W	L L .	w	1	Ship. Wt.
MP-2848	28"	48"	22"	40"	20"	39	131
MP-2860	28"	60	22"	52	20"	51"	146
MP-2872	28-	72"	22~	64"	20"	63"	165

# STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH	All Model	s—36"
DEPTH	All Model	s30"
OVERALL HEIGHTS	Front	8ack
Basic Unit	43"	48"
With P-36 Unit	43″	53″
With P-66 Unit	43″	57,"
SIDE AND BACK STOPS 3"	' high at Back,	, tapers
	to 1 ½ " a	t Front.
SHELF 34" wide x 12"	deep-8" fro	m floor
DRAWERS Standard	Grizzly Drawe	r Units,
see page	.16 for specifi	cations.

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



1236 w/P-66

1236


1036 BASIC UNIT Ship. Wt. 85 lbs.



1236 BASIC UNIT
With Two No. 1416-1
Drawer Units
Ship. Wt. 115 lbs.



1836 BASIC UNIT With Two No. 1424-4 Drawer Units Ship. Wt. 325 lbs.




**1436 BASIC UNIT** 

With No. 2024-4

Ship. Wt. 225 lbs.

**Drawer Unit** 

P-36 PIGEON HOLE UNIT 3-4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT 6—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 24 lbs.

#### HARD MAPLE TOP PANEL-END WORK BENCHES



WP-3060



LABORATORY



MAILING TABLE

Tops: 1¾" thick, electronically glued, edge grain. Finish Top—Natural-Clear Lacquer.

#### SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction —used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use. Finish: Green Enamel







3236 w/P-66


WIDTH		All Mo	odels 36"
	***************************************		
OVERALL HEIG	HT\$	. Front	Back
			48"
With P-36 U	nit	. 43"	53″
With P-66 U	nit	. 43"	57."
DRAWERS	GRIZZLY 1416-1—ID—14" wide x 16"	deep >	5" hiah.
Any GRIZZLY	Standard Bench Drawer can be used with this	Unit. Se	e Page 16
SIDE AND BAC	K STOPS 3" high at back, tapers to 1 ½ " at Fro	nt.	ū
SHELF SIZE		28 ¾ *	′x 35 %/″
SHELF CLEARAS	NCES		
3 Shelf Unit	Floor to Bottom Shelf		7"
	Bottom Shelf to Center Shelf		11% "
	Center Shelf to Top Shelf		8"
	Top Shelf to Desk Top		12"
2 Shelf Unit	Floor to Bottom Shelf		7"
	Bottom Shelf to Top Shelf		
	Top Shelf to Desk Top		

Model	Shelves	Drowers	Ship. Wt.		
2036	2		184		
2136	2	1	202		
2236	2	2	219		
3036	3	L ]	205		
3136	3	1.	222		
3236	3	2	240		
P-36	36 Pigeon Hole Unit Overalt Length 36" 15 3—4 ± 12 openings x 9" deep				
P-66	P-66 Pigeor Hole Unit Overall Length 36" 24 6—4 x 12 openings x 9" deep				
Cylinder Lack for Drawers					
	Keyec Handle in Door				



No. 3036 (With No. P-36 Unit) Pigeon Hole Unit Available





#### MACHINE FLOOR CABINETS

#### FOR BASE CABINET USE WITH BENCH TYPE MACHINES



Rugged, all welded cabinets with 1 1/4." Tray coolant tops with 1/2" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hald tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

OPTIONAL: No. 1015 Shelf



Ship. Wt. 10 Lbs.

CT-2830 20" W-28"L-30"H Ship. Wt. 90 Lbs.

CT-2835 20"W-28"L-35"H Ship, Wr. 96 Lbs.



CT-3630 20"W-36"L-30"H Ship. Wt. 100 Lbs.

CT-3635 20"W-36"L-35"H Ship. Wt. 106 Lbs.

# 20"W-28"L-30"H Ship. Wt. 80 Lbs.

mounting and adjustment.

Ship, Wt. 10 Lbs.



20"W-36"L-30"H Ship. Wt. 90 Lbs.

CF-3635 20"W-36"L-35"H Ship. Wt. 96 Lbs.






**CM SERIES** 

#### **MACHINE CABINET STANDS ALL WELDED CONSTRUCTION**

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with 1/2" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, Finish: Gray Enamel.


GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 15 for CU-18 Work Bench Cabinet Unit details. Convenient shelf-15 ¼ " x 36".



DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 Lbs.



CT-60 Coolant Top, Tray-1 % " deep with ½" pipe te 1 1/2" deep with 1/2" pipe tee. 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.



NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11%". Ten round holes for

MACHINE FLOOR CABINETS

CM-2830 20"W-28"L-30"H Ship. Wt. 95 Lbs.

CM-2835 20"W-28"L-35"H Ship. Wt. 105 Lbs.

CM-3630 20"W-36"L-30"H Ship. Wt. 115 Lbs.

CM-3635 20"W-36"L-35"H Ship. Wt. 125 Lbs.






#### WHEEL CHOCKS

- RUGGED-All Arc Welded Construction.
- FIRMLY HOLDS Parked Trucks and Trailers.
- PARKED LOAD PRESSURE inclines the Chock into the Ground or Pavement Surface to prevent Vehicle from moving
- OPTIONAL: Chain for attachment to Dack and Parking Area for added Safety and Convenience.
- FINISH: Orange Enamel

GRIZZLY Wheel Chocks—at Low Cost Provide Safety to Manpower, Equipment and Cargo.



Model WC-909 Wheel Chock

Ship. Wt. 17 Lbs.

Optional: 11 Lineal Feet Chock Attachment Chain (Hot Galvanized Finish) Ship. Wt. 2 Lbs.


#### **PIGEON HOLE BIN UNITS**

All Welded, Rigid Units, Completely Assembled Ready For Use.



2421





4021

Used for parts inventory and control in factories, stores and warehouses.

7242

Firmly attached label holders also used as stops, holding loase parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.
Finish: Green Enamel

Model	Compartments	н	w	D	Compartment	Label Holder -	Ship Wt
7242	72"	42"	35 1/2 "	11%	4 ½ " wide 4 ½ " high	l"	97
4242	42"	42"	35 15 "	11%"	5% " wide 6" high	2	95
2421	24"	21"	35 1/5 "	11%	5% "wide 5%" high	2	40
4021	40"	21"	35 1/4 "	11%"	4 ¼ " wide 4 ¼ " high	1"	55



#### **TOOL DRAWER CABINET**

TIME SAVER-**COMPACT STORAGE LOCAL AREA** TOOL STORAGE

SAVES MANY STEPS TO AND FROM **MACHINE OPERATION OR JOB SITE** 

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricions and other spot workers, providing large storage drawers for tools and parts, etc. ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.

Model TDC-30 3 Drawer Unit Ship. Wt. 285 Lbs.

21½ "W x 27¾ "D x 45¾ "H

Padlock attachments for each drawer.

Drawer slides on ball bearing steel rollers.

ALL WELDED CONSTRUCTION.

Finish: ......Green Enamel

Model TDC-60 6 Drawer Unit Ship, Wt. 430 Lbs.

40" W x 27 %" D x 45 %" H

Padlock attachments for each drawer. ALL WELDED CONSTRUCTION. Finish:

.....Green Enamel

#### TOOL TRAY IN DRAWER

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.







**DRUM & CAN DOLLIES** 


1200 LBS. CAPACITY—SEMI-STEEL WHEELS 1000 LBS. CAPACITY—HARD RUBBER WHEELS



maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use,

Finish: Orange Enamel




EBR-18 31"L-1814"W-18"H Ship. Wt. 31 Lbs.



WITH DRUM ROLLERS EBR-18R 31"L-184"W-18"H Ship. Wt. 34 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles-12 lbs. Ship. Wt.



WITH CASTERS EBR-18C 31"L--1814"W--18"H




WITH CASTERS & ROLLERS EBR-18CR 31"L-1814"W-18"H Ship. Wt. 36 Lbs.

Casters: All Models—3" Semi-Steel-2 Swivel and 3" Semi-Steel Wheels.

#### DRUM CRADLES

#### 700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth, Completely assembled, Ready for immediate use. Finish: Orange Enamel.




BR-18 31"L--1814"W--18"H Ship. W/t. 26 Lbs.




WITH DIEUM ROLLERS BR-18R 31"1-184"W-Ship. Wt. 29 lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for



WITH CASTERS BR-18C 31"L-1814 "W--18"H Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS BR-18CR 31"L-1814 "W-18"H Ship. Wt. 31 Lbs.

Casters: All Models-3" Semi-Steel-2 Swivels and 3" Semi-Steel Wheels.



ALL ARC CONSTRUCTION

RUGGED



#### FLOOR LOCK ON REQUEST

large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers, 19" diometer for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corre-

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
B1	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Oronge	22
61-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3×1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
B1-GS	24-7/16"	24"	3x1-1/4	Gal.+Sanî.	32
B2-GS	30-1/2"	24"	3x1-1/4	GalSani.	25
83-G5	24-1/2"	19"	3x1-1/4	Gal,-Sani,	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

#### **ADJUSTABLE DOLLY**

#### 1200 LBS. CAPACITY-SEMI-STEEL WHEELS 1000 LBS. CAPACITY—HARD RUBBER WHEELS



AD-23-S

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER CLOSES DOWN TO 23 1/2"-- OPENS TO 36 1/2". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size-3" x 1 ¼". Finish: Orange Enamel.

AD-23-S AD-23-R

SEMI-STEEL WHEELS HARD RUBBER WHEELS Ship. Wt. 30 lbs. Ship. Wt. 28 lbs.

#### LOW DRUM TRUCK



LBR = 909 Low Drum Truck

#### **800 LBS. CAPACITY** ALL WELDED CONSTRUCTION

25 1/2" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH LOW frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil op-

Ship. Wt. 45 Lbs.

#### **DRUM DOLLY TRUCKS CAPACITY 2000 LBS.-**



DT-25-R

**SEMI-STEEL CASTERS** CAPACITY 1500 LBS.-HARD RUBBER CASTERS

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hase. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5 1/4" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	
FINISH:	Orange Enamel
CASTERS	2 Swivel2 Rigid

٠	DT-25-S	5" x 1 % " Semi-Steel Wheel	63 Ship, Wt.
	DT-25-R	5" x 1 ½ " Hard Rubber Wheel	60 Ship. Wt.



#### **HI-DRUM & CAN DOLLIES**

900 LBS. CAPACITY—SEMI-STEEL WHEELS 700 LBS. CAPACITY-HARD RUBBER WHEELS



**PROVIDE** higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-toflow materials through the drum bottom

ALL WELDED, rugged, completely assembled, ready for

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY. USE DOLLIES with GRIZZLY

No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel-Wheel Size ..3" x 1 ¼".

Top



71 w/drum


#### #235 VERTICAL **DRUM LIFTER**

U.S. PATENT No. 2,764,447



FOR OPEN

2000 LBS. CAPACITY



- QUICK—Lifter attached and removed in seconds.
- SAFE—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- VERSATILE—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- LIGHT-Weighs only 32 pounds. One man can handle with ease.
- ADJUSTABLE—Slide Lower Jow on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, battered or lopsided.
- STACKS—and tiers drums vertically in close quarters.
- RUGGED—All welded construction.
- FINISH: Orange Enamel
- Ship. Wt. 32 Lbs.

#### Gallon Drum Ship. Wt 301 24" 19 % 211 191 19 %

Height

#### #80 DRUM UP-ENDER


Botton

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs. FINISH: ..... Orange Enamel




**ALL-WELDED CONSTRUCTION** Rugged and Compact

#### **#84 SLING TYPE DRUM LIFTER**

750 LBS. CAPACITY **ALL WELDED CONSTRUCTION** 

FINISH: ..... Orange Enamel






Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#### **DRUM STORAGE RACKS**

2500 LB. CAPACITY

85	Leg	180 Ship, Wt.
85C	Casters	198 Ship. Wt.





All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30"W x 60"L x 54"H-FINISH: Orange Enamel,

#### **#VH-100 DRUM LIFTER**


1000 LBS. CAPACITY LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE

Any Angle Vertical Horizontal





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding haist collar.




Easily, Quickly, Safely Attached Holds Rigidly—Even When Load Sways Positive Grip -- Cannot Slide --- Holds Load Locks in Desired Position



FITS CONTAINERS 40" HIGH-FINISH: . . . Orange Enamel-SHIP. WT. . . . 27 Lbs.—ADJUSTMENT BETWEEN JAWS: ... 12" minimum to 40" maximum— OVERALL LENGTH: . . . 43"---WIDTH: . . . 4"

### **DRUM STORAGE RACKS**



**DS-4** 

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require ancharing to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

FINISH: Orange Enamel

DS-4	4 Drums	60″W	36"D	46"H	120 Ship. Wt.
DS-6	ó Drums	84"W	36"D	48"H	200 Ship, Wt.

#### **VDU-10 EXTRA HEAVY** PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

#### SAVES TIME—SPACE—MONEY

- ALL Welded Construction.
- RUGGED—Completely Assembled—No Bolting— Ready For Immediate Use.
- STACKS Vertically—Each Unit Tiers 2 Drums Horizontally-Stacks to 4 High.
- 4-WAY Access by Fork Lifts.
- UNIT Easily Handled-
- EASY Drum Draw Off—Drums and Storage Area Easily Kept Clean.

• DRUM Inventory Simply Maintained.
DIMENSIONS: O.A.H. = 12½"; W ≈ 44½"; Depth = 30". Floor Clearance = 31/2". Finish: Orange Enamel.

Ship. Wt. 84 Lbs.

**CAN BE EASILY** HANDLED FROM FRONT, **BACK OR EITHER SIDE** WITH FORK-LIFT TRUCKS




#### ROTO-TILTS CAPACITY 1000 LBS.


**PATENTS** U.S. No. 3,434,612 **CANADIAN NO. 887501** 



LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc-operator maintains easy and positive control.









**EASE OF** HANDLING AND **STACKING** 

VDU-10

NO. 350—FOR FLOOR OVERHEAD DUMPING CONTROLLED AT FLOOR

DUMPING ANGLE ...... 130 degrees

**WORM GEAR DRIVE HOLDS POURING** LOAD IN ANY POSITION-REDUCTION 6 TO 1.

From Front to Back .......35"D Width at widest point ...... 10"

Finish: Orange Enamel

160 Trolley with 160° Dumping Angle— Standard Trolley with 130° Dumping Angle FLOOR DUMPING MODELS

Model	A	В	C. Max. Min.	0	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27 % "	15	30 Gal.	64

**OVERHEAD DUMPING MODEL NO. 500** OVERALL DIMENSIONS ..... From Lifting Loop to Toe Plate ..... 62"H


CONTAINER CLAMPING RANGE ...... 30" min. to 36" max. for 55 Gal. Drums

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE

**FORK SWIVEL HOIST HOOKS** With Safety Latch

#### FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT



With Safety Latch CAPACITY 4000 Lbs. at 36" Length 2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

Ship. Wt. 98 Lbs.

(SINGLE) 3000 LBS. (DOUBLE) 4200 LBS. **WORKING CAPACITY** 

No. 210 DOUBLE FORK SWIVEL HOIST HOOM

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an autside fork spread of 20 ¼ ". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship, W1.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

#### Method of Attachment

Set unit on flows, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to flater which provides an opening for farks. Operator runs forks at floor level ween plates and fightens crank handles. Ready for use.

#### **Method of Detachment**

Drop forks to flower until unit sits on 4 pins. Loosen crank handles. Back off fork truck, FINISH: . . . Orange Enamel Ship, Wt. 250 Lbs.






#### GAS WELDING BENCH

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.





rows.

Extra shelves may be added, Pads on bottom of legs protect floors, Bolted construction, Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.





**EXTRA HEAVY DUTY** SHELF DIE RACKS

3000 LBS. CAPACITY

DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x 1/6" Angle Iron—"X" BRACES . . . 1" x 1/4" Band Iron-FINISH: Green Enamel.

DR-1642	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Balts	230 lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	2á Lbs. Ship. Wt.
5-24	Single Shelf-24" x 48", including balts	38 Lbs. Ship, Wt,
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship, Wt.



#### ARC WELDING BENCH

Green Enamel

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS FINISH: AW-3636 (Without Drawer Unit) AW-3636-DR (With Drawer Unit)	36"W x 36"D x 34"H
FINISH:	Green Engme
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

GW-3636-DR (With Drawer Unit) ...... Ship. Wt. 110 Lbs.

------GW-3636 (Without Drawer Unit) ...... Ship. Wt. 95 Lbs.

#### ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

OVERALL DIMENSIONS . 36"Wx36"Dx68"H FINISH: ..... Green Enamel DRAWER 1416-1 ..... Furnished with unit AW-3636-WS With 5"Wx18"L

See-Thru Shield Opening (3 Openings) Ship. Wt. 180 Lbs.

AW-3636-S With Solid Shields Ship. Wt. 175 Lbs.



AW-3636-WS

#### VERTICAL BAR RACK

#### 3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded-11/2" x 1/1" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves -bottom 6", top 6¾", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Model VB-3684

Ship. Wt. 110 Lbs.

Finish: Green Enamel

#### MOLDING BENCH

#### MOLDING BENCH INSERT



700

All welded rugged construction, designed for manual training programs. Reinforced opening supports shaker bars and rough usage. Completely assembled-ready for immediate use.

OVERALL DIMENSIONS:

23 ½ "W, 60"L, 32 ½ "H. Shelf—15 ¼ " x 56".

INSIDE DIMENSIONS: 18"W, 46"L, 18"D.

Finish: Green Enamel



701

All welded rugged construction, designed to fit into a receiving unit of appropriate height for convenient use.

Four reinforced openings support shaker bars and rough usage. A set of hinged doors covers two openings. Completely assembled—ready for immediate use.


> **OUTSIDE DIMENSIONS:** 30"W, 60"L, 15"H.

INSIDE DIMENSIONS: 26"W, 56"L, 15"H. Finish: Green Enamel

No. 700 Molding Bench 218 Lbs. Ship. Wt. No. 701 Molding Bench Insert 181 Lbs. Ship. Wt.

### CASTER CORNER SHOES

**ALL WELDED CONSTRUCTION** 



CRATE

ideal for making wood pallets or baxes partable at low cost. Shoes slide under corners. May be bolted, screwed or nailed on permanently. For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting. FINISH: Green Enamel.

Model	Capacity per Set	Ship, Wt.	Casters
CS-3S	1200 lbs.	17	3" x 1 ¼ " Semi-steel Wheels
CS-3R	1000 lbs.	15	3" x 1 ¼ " Hard Rubber Wheels

PALLET



#### PORTABLE RACK-U-FRAME

U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 

#### **PORTABLE TWIN** RACK-U-FRAME MODULES

**5000 LBS. CAPACITY** U. S. PATENT NO. 3,581,907 CANADIAN PATENT NO. 930334

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses-Only 25 Pounds-One Man Operation-Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.



- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenier
- Stops Prevent Upright Spread




Streamlined Design Smooth Finish • Stream

 Rugged Steel Construction Durable—Built for Heavy Uses

CARRY HEAVY LOADS EVENLY DISTRIBUTED



4 Stocked High Carrying Channel and Tubing on 20 Foot Lengths— 20,000 Pounds.



#### RACK-U-FRAME

#### **OUTSIDE DIMIENSIONS**

(A) 25" Wide


(B) 171/2" High

(d) 5" Wide Bottom Channel **INSIDE DIMENSIONS** 

(D) 17" Wide Bottom

(E) 23" Wide Top

(F) 151/2" High Upright



Placed in an assembly of 16 Rack-U-Frames holds the mossive load of 20,000 Lbs. 400 lbs. of Rock-U-Frames hold 20,000 lbs. THIS IS STORAGE AT LOWEST COST, AND QUICKLY INSTALLED.

Easily disassembilled-Stored in Little Space Until Next Use.


RUF-251 Flortable Rack-U-Frame Ship. Wt. 25 Lbs. Finish: Orange Enamel

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

#### PORTABLE TWIN RACK-U-FRAME MODULE—Finish: Orange Enamel

RUF-262	24" O.A.L.	86 Ship. Wt.
RUF-263	36" O.A.L.	92 Ship. Wt.
RUF-264	48" O.A.L.	106 Ship. Wt.




**OUTSIDE DIMENSIONS** 

(A) 25" Wide (B) 17½" High

(C) 5" Wide Bottom Channel

(G) 24"; 36"; 48" as Required







STACKING MODULES



MODULES ON WORK



MOVING MODULES



SPECIALS DESIGNED FOR CUSTOMERS NEEDS



**OUTSIDE DIMENSIONS** 

(A) 32" Wide

(B) 31" High (C) 5" Wide Bottom Channel 3 ¼ " High

(G) 44" Long



(D) 24" Wide Bottom (E) 29 ½ " Wide Top

(F) 28" High Upright

R11F-244

**RUF-264** 

RUF-244 44" O.A.L. 105 Ship. Wt.



# rizzly. SPECIALS

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS



ENGINE DOLL




LUBRICATING TRUCK



HOSE TREE TRUCK



MAINTENANCE REPAIRMAN WORK TRUCK UNIT
(1 TIER-W/FORK ENTRY)



MULTIPLE WORK BENCH (16 DRAWERS)



**HEAVY DUTY SHELVING** 



TRAY TRUCK



SHELF DRYING TRUCK



CABINET WORK BENCH



W/MULTIPLE SHELVES






IURRICATING TRUCK



PLATFORM LADDER TRUCK



MAINTENANCE REPAIRMAN WORK TRUCK UNIT



### REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT



2-1/2" x 13/16" 2-1/2" x 13/16" 5" x 1" Pressed Steel Wheel Soft Rubber Wheel Soft Rubber Wheel STOCK CARTS, FIVE SHELF STOCK CARTS, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCHES, ENCLOSED SHEIF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, POR-TABLE DRAWER CABINETS, PORTABLE DOOR CABINETS, TRAY STOCK CARTS, TOTE-ALL HAND CART, OPEN SIDE TRUCK.

UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS

SWIVEL	3" x 13/16"	Soft Rubber Wheel
RIGID	3" x 13/16"	Soft Rubber Wheel
SWIVEL	3" x 1-1/4"	Soft Rubber Wheel
RIGID	3" x 1-1/4"	Soft Rubber Wheel
SWIVEL	5" x 15/16"	Soft Rubber Wheel
RIGID	5" x 15/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 1-1/4"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	5" x 1"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1-1/4"	Soft Rubber Wheel
RIGIO	5" x 1 1/4"	Soft Rubber Wheel

CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOL-LIES, HI-DRUM & CAN DOLLIES, TOTE PAN HAND TRUCK, TOTE ALL

HAND TRUCK, LOW DRUM TRUCKS.				
SWIYEL	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel		
RIGID	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel		
SWIVEL	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.		
RIGID	3" x 1-1/4"	Hord Rubber, Self Lub. Brg.		

ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PACKING & STRAPPING TRUCKS, PORTABLE WORK BENCHES, HAND

	S, 3/SIDED STOCK CA	KIS.
SWIVEL RIGID SWIVEL RIGID	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
RIGID	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
SWIVEL	4" x 1-1/2"	Hard Rubber Wheel, Şelf Lub. Brg.
RIGID	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.









PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES. DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SLAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP TABLES.

5" x 1-1/4"	Semi-steel, Pin. Brg.
5" x 1-1/4"	Semi-steel, Pln. Brg.
5" x 1-5/8"	Semi-steel, Plain Brg. Wheels
	Semi-steel, Plain Brg. Wheels
	Hard Rubber, Self Lub. Brg.
	Hard Rubber, Seif Lub. Brg.

WOOD & STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING TRUCKS, HEAVY DUTY WAREHOUSE TRUCKS, BATTERY TRANSPORT TRUCK, SHEET AND PANEL TRUCK.

SWIVEL	6" x 2"	Semi-steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-steel, Plain Brg. Wheel
SWIVEL	6" x 2"	Hard Rubber, Self Lub. Brg.
RIGID	6" x 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Soft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" × 2"	Plastic Roller Brg.
RIGID	6" x 2"	Plastic Roller Brg.
		THE PERSON AND THE PE

SWIVEL	8" x 2"	Semi-steel, Plain Brg. Wheels
RIGID	B" x 2"	Semi-steel, Plain Brg. Wheels
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheels
RIGID	8" x 2"	Moldon Rubber, Roller Brg. Wheels

STOCK TRUC	KS.	
SWIVEL RIGID	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel
RIGID	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel
MARKET CONT	V COR ALL BURBOCE	AAAID TOLUCYS

NO. 175	8" x 1.75	Semi-Pneumatic Wheel	1/2." Axle
NO. 275	10" x 2.75	Semi-Pneumatic Wheel	5/8" Axle
NO. 410	350-4-2 Ply	full Pneumatic Wheel	5/8" Axle



• SEE BACK OUTSIDE COVER FOR ORDERING SUGGESTIONS

IN OUR 27th ANNIVERSARY YEAR SINCE 1949



IN OUR 27th ANNIVERSARY YEAR SINCE 1949

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this and the preceding page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



PARTS **ASSEMBLY TRUCK** 



BAR & ROD TRUCK




**CONVEYOR TOWLINE** TRUCK

 Specially designed and manufactured with automatic controls to meet customer requirements for floor and over-

In The Bicentennial Year



CERAMIC TUBE ASSEMBLY LINE TRUCK



ANGLE RACK TRUCK



**QUALITY CONTROL & TESTING STATION** 





PARTS HOPPER -2 OPENINGS



INSTRUMENT TRUCK



PORTABLE PALLET DOLLY

#### WHEN ORDERING SPECIAL **GRIZZLY EQUIPMENT USE** THIS SUGGESTED OUTLINE

- GENERAL DESCRIPTION: Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
- GENERAL DESIGN: Type of shelf; flat or tray; Type of top. Handle, etc.
  DIMENSIONS: Indicate inside or outside
- dimensions; width, length, height.

  CAPACITY: Load-Pounds: Entire unit, per
- 4 caster, per shelf.
- QUANTITY: Could substantially determine pricing.
- SPECIAL DESIGN FEATURES: Your own ideas of how unit should be constructed.
- FINISH: Standard Colors: Green, Gray or 7 Orange Enamel.

# TERPRISES, INC. 3746 KELLEY AVENUE . CLEWELAND, OHIO, U.S.A. 44114 . AREA CODE 216 UTah 1-4604

DESIGNING—ENGINEERING—DEVELOPING—MANUFACTURING PLEASE ROUTE TO


ATTN: PLANT ENGINEERING


GEN. FOREMAN ☐ MAINTENANCE

☐ PRODUCTION

EQUIP. BUYER

Additional catalogs sent on request.







# **SERVING INDUSTRY FOR 29 YEARS** MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

**Highest Quality at Low Cost** 

- \* The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.\*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

\*A few catalog items are KD.

Edward L. Pucel President

Respectfully.

Grizzly. GUARANTEE All Grizzly Equipment is fully guaranteed with a accordance with to be manufactured and specifications to be manufactured and specific at list to be marcial standards Equipment and hip commercial standards in gour plant and hip common in our caleaving our porkman Howing the shown in the specific against date of purchase. In the specific and the Gnalith Enacautes abuse by user beyond normal broduct of This is quality. 

GRIZZLY renders long term satisfactory service. You can have continued confidence in GRIZZLY.







#### **ALPHABETICAL INDEX**

#### **NUMERICAL INDEX**

EQUIPMENT	Page No.		age No.	Page		Pag
BENCHES		HOOK, FORK CRANE,	110.	No.		No
Arc Welding	23	ATTACHMENT	22	AD-23-S, AD-23-R20	PT-2448 TO PT-3496	
Arc Welding, w/Shields				AW-3636, AW-3636-S,	PU8-24SW, PUB-24RW	
Gas Welding		PIGEON HOLE BIN UNITS	.19	AW-3636-WS23	R-36, R-48, R-60, R-72, R-96	
Tool Cabinet		RACKS		B-213, BC-213	ROBT-36, ROBT-48	
		Die, Shelf, Heavy Duty	23	B-2448 TO B-3412014	RODT-42, RODT-60	7
BENCHES, WORK		Rack, Stacking Units		BC-1, BC-1C3, BC-1C5	RUF-251, RUF-244, RUF-262,	
Accessories	15	Rack-U-Frame, Portable	24	BD-2448 TO BD-3412014	RUF-263, RUF-264	
Cabinet Base	16	Rack-U-Frame, Portable,	24	BL-22, BL-28, BL-34, BL-46, BL-5815	S, H, L, K	
Cabinet, w/Sliding Door		Twin Modules	2.	BP-36S, BP-36R	S-30-DT-3 TO S-48-DT-3	4
Cabine Unit		Storage, Die,	24	BR-18, BR-18C, BR-18-R, BR-18CR20	SC-3182 TO SCF-5243	10
Drawer:Units		Extra Heavy Duty	23	BRT-48, BRT-60, BRT-72 6	SER-101SW, SER-101RW	9
Drawer Unit, Heavy		Vertical Bar		· BS-2448 TO BS-3412014	SH-36 TO SH-144	15
Drawer Unit, Multiple		_		BSD-2448 TO BSD-3412014	SL-18, SL-24	
Hard Maple Tops		SHOES, CASTER CORNER	.23	BSDD-2448 TO BSDD-349614	SLPT-2448 TO SLPT-3660	6
Heavy Duty		SPECIALS		BT-2436, BT-3036, BT-2448,	SPT-2842	6
Legs		Outside Back Cov	er	BT-3048 7	SRU-232, SRU-242, SRU-248,	
Portable, Cabinet		STANDS	-	C-1824 TO C-2448-K12	SRU-332, SRU-342, SRU-348	
Risers		Machine Cabinet	••	CB-2860-S TO CDB-3072-W16	SS-48, SS-60, SS-72	7
Tops, Hard Maple	15	Tool, Extra Heavy Duty	.18	CF-2830, CF-2835, CF-3630,	ST TO K3DC	
Tops, Pressed Wood	1.4	Tool Harry Duty	11	CF-363518	ST-36 TO ST-120	
		Tool, Heavy Duty	11	CM-2830, CM-2835, CM-3630,	T-213 TO TEC-313	
CABINETS		TABLES		CM-363518	TA-24	9
Base		Hopper	11	CRA-60, CRA-96 4	TDC-30, TDC-60	19
Door		Lift Top, Hydraulic	8	CS-2860 TO CW-3072-SD17	TH-14, TH-14C	11
Drawer		Marking, Portable	ŭ	CS-3S, CS-3R23	TPH-24	9
Machine Floor		Mij	11	CST-24 7	TSC-1828-6 TO TSC-2436-12	9
Portable Door	16	Utility	12	CT-2830, CT-2835, CT-3630,	TT-1830-6 TO TT-3048-12	9
Portable Drawer	16	Utility, Haf-Shelf	12	CT-363518	UC-2432, UC-2442, UC-2452	9
Storage, Extra Heavy Duty	6	TRUCKS	•	CT-6018	UT-2432, UT-2442, UT-2452	9
Tool Drawer	19			CU-18, CU-36, CUK-18, CUK-3615	VB-3684	
CARTS		Bar and Rod	6	DBU-3072-W, D8U-2872-S 17	VDU-10	
Hand, Tote-All	o	Beverage, Premium, 2 Wheel		DC-1, DC-1C3, DC-1C516	VH-100	
Mij Box		Box		DFT-60, DFT-60C18	W-2448 TO W-36144	
Stock		Box, Roll-Over	7	DR-1842, DR-244823	WPT-2448-SW TO	
Stock, Five Shelf		Cradle	4	DS-4, DS-621	WPT-RE-3460-RW	3
Stock, Hi-Ladder	10	Double End, Heavy Duty	3	DT-25-S, DT-25-R20	WT-3684, WT-3696	
Stock, Ladder		Drawer, Cabinet, Portable	6	DV-2242 8	YZ-75, YZ-100	
Stock, 3/Sided	7	Drum Dolly	20	EBR-18, EBR-18C, EBR-18R,	3SC-30, 3SC-36, 3SC-48, 3SC-66	
Stock, Tray		Five Shelf, Heavy Duty	10	EBR-18CR20	3ST-2448 TO 3ST-3472	7
Utility, Tote-All		Garment	8	EST-44 8	6	
•		Hand Dump	7	ET-2448-2 TO ET-3472-3 4	15	_
CASTERS, GRIZZLY EQUIP	MENT	Hand Dump, Roll-Over	7	F-2448 TO F-3412014	18-D-30 TO 24-D-60	
Inside Bo	ck Cover	Hand, Tote-All	9	FD-2448 TO FD-3412014	18-PTD-30 TO 24-PTD-60	
DESKS		Hand, Tote Pan	9	FS-2448 TO FS-3412014	18-TR-30 TO 30-TR-60	
Shop Cabinet	10	Hand, 2 Wheel, All Purpose	5	FSD-2448 TO FSD-3412014	18-TRE-30 TO 30-TRE-60	
Standing Shop		Low Drum	20	FTC-3622	24, 25, 26, 210	-
		Lumber Servicing	10	GT-72, GT-72-SD 8	59	
DOLLIES		Platform, Dolly	3	GW-2448 TO GW-3614415	71, 73	
Steel, w/Removable Handle	11	Platform, Laminated Maple	3	GW-363623	75 TO 83-GS	
		Platform, Semi-Live	6	H-1830 TO H-306010	80	
DRUMS		Platform, Steel	3	H-2024-116	84	
Cradles		Platform, 3/Sided	7	HDSC-3648-2, HDSC-3660-3,	85, 85C	21
Cradles, Ezy-Down		Platform, Tote-All	9	HDSC-3672-4 6	89, 90, 91, 92, 93, 96, 98,	
Dollies, Can		Sheet & Panel	6	HDT-42, HDT-60 7	100	5
Dollies, Hi-Drum & Can		Shelf, Divided		HLTT-36-1, HLTT-36-2 8	235	
Dolly: Adjustable		Shelf, Enclosed		HS-2448-2 TO HS-3472-311	300, 311	5
Lifter, Horizontal Sling Type.		Shelf, Sliding	7	L-1828, L-1836, L-2436, L-244810	350, 351, 500	22
Lifter, Vertical		Shop, Extra Heavy Duty	4	LBR-909, LBR-909H20	1036, 1236, 1436, 1836	
Lifter, VH-Vertical-Horizont		Shop, Heavy Duty	4	LT-20-R, LT-20-S, LT-20-78R,	1416-1 TO 2024-4	
Lifters, Dumpers, Roto-Tilt		Shop, Slat-Top, Heavy Duty	4	LT-20-78S10	1830-2 TO 2460-3	
Storage Racks		Shop, Step Ladder Attachment	4	MT-2448-2 TO MT-3072-311	1830-DT-2 TO 3060-DT-3	
Up-Ender		Side, Open	8	OFB-60, OFB-84 4	2036, 2136, 2236, 3036, 3136,	
Unit, Vertical Stacking, Porta	DIE22	Single End, Heavy Duty		OST-39	3236	18
		Stock, Cage		PC-36S, PC-36R, PC-48S, PC-48R 13	2421, 4021, 4242, 7242	
HANDLE, JACK	6	Stock, Sheet-Bar		PDC-36S, PDC-36R13	2448 TO 3496	15
HOOKS FORK SWIVEL HO		Tray, Shop	9	PE-1830 TO PE-244823		

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL.
PLEASE SPECIFY WHEN ORDERING







# **SERVING INDUSTRY FOR 29 YEARS**

### SALES—TERMS AND CONDITIONS

- ORDERING: All orders, including phone orders, must be confirmed in writing.
   Your written purchase order should specify each item by number, description, and finish color.
- 2) PRICES: All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
  We reserve the right to invoice at the prices prevailing at the time of shipment.
- 3) SPECIFICATIONS: Specifications are subject to change without notice.
- 4) ROUTING: Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
  When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the
- 5) PACKAGING: All items are packaged for domestic shipment. Additional charge will be made for special packaging.
- 6) DAMAGED GOODS: When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.
- 7) RETURNED GOODS: All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.
- 8) CHANGES AND CANCELLATIONS: Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.
- 9) CORRECTIONS: Stenographic, clerical errors, and any other errors, are subject to correction.
- 10) DELAYS: All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.
- 11) TERMS: All prices are NET—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

invoice.

Minimum orders: \$50.00 NET, plus shipping charges.

These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 4, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Effective January 1, 1978




#### STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS 2200 LBS. CAPACITY—HARD RUBBER CASTERS



**LAMINATED MAPLE** PLATFORM TRUCKS





#### **ALL WELDED CONSTRUCTION**

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 ¼ " from floor.

Casters: 2 swivel and 2 rigid,6" x 2" Finish: Green Enamel

200 LB3. CAPACITI — 36MI-31EEL CASTERS	
1400 LBS. CAPACITY—SOFT RUBBER CASTE	čS

WPT-RE-2448-RW

With  $1\,\%$  " thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle. Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Casters: 6" x 2" Soft Rubber Thread Wheels WPT-RE series have angle frame for side

6" x 2" Semi-Steel Wheels. 2 Swivel and 2 Rigid

protection. Size angle—1½"x1½"x½"

WPT Series have no frame. Self lube bearing wheels

Model	w	L	Ship. Wt.	
PT-2448	24"	48"	110	
PT-2848	28"	48**	118	
PT-3448	34"	48"	130	
PT-2460	24"	60″	121	
PT-2860	28"	60~	131-	
PT-3460	34"	60	144	
PT-2472	24"	72"	133	

Model	w	L.	Ship.		
PT-2872	28"	72"	144		
PT-3472	34"	72"	160		
PT-2496	24"	96"	155		
PT-2896	28"	96"	170		
PT-3496	34"	96"	191		
Extra Handle	Extra Handle Bars Includes Sockets				
Extra Handle	Sockets W	elded on Truck	4		

Finish: Platform—Clear Lacquered: Steel Work—Green Enamel

				w/Stee	l Frame	w/o Ste	ei Frame
Model	w L	Ship. Wt.	Steel Wheel	Rubber Wheel	Steel Wheel	Rubbe	
WPT-2448-5W	24"	48"	117			x	1
WPT-2448-RW	24"	48"	113				) x
WPT-RE-2448-5W	24"	48"	127	X			
WPT-RE-2448-RW	24"	. 48"	123		х		
WPT-2460-SW	24~	- 60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60~	132	1	X		t
WPT-3448-5W	34"	48"	137			х	
WPT-3448-RW	34"	48"	133				х
WPT-RE-3448-SW	34"	48"	147	х			
WPT-RE-3448-RW	34"	48"	143		×		
WPT-3460-SW	34"	80	155			X	
WPT-3460-RW	34"	60"	151	1			×
WPT-RE-3460-SW	34"	60"	175	X	1		
WPT-RE-3460-RW	34"	60"	171		Х		
Extra Handles & Soci	kets						

#### **DOLLY PLATFORM TRUCKS**

Platform can be reversed at no charge, with 2" deep flanges up on all sides.



24-PTD-60

ATT METRER CONZUNCTION
REMOVABLE TUBULAR HANDLE
1500 LBS CAPACITY—SEMI-STEEL WHEELS
1500 LBS CAPACITY—HARD RUBBER WHEELS
LOW DECK—5 1/4 " FROM FLOOR
Handle Overall Height—36"

Finish: Green Enamel Casters: 2 swivel and 2 rigid,4" x 1 1/2"

Model	w	ı	Ship. Wt.
18-PTO-30	18"	30"	50
18-PTD-36	16"	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60″	80
24-PTD-30	24"	30"	56

Model	w	ι	Ship. Wr.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle I	Bars Includ	les Socken	10
Extra Handle	Sockets W	elded on Truck	4

#### **HEAVY DUTY** WAREHOUSE **TRUCKS**

#### **6000 LBS. CAPACITY**

Finish: Green Enamel

W١

270

300

20

**SOLID STEEL DECK** ALL WELDED

For heavy industrial and warehouse use here severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Removable 1 ¼ " tubular handle. Other wheels and casters on request.

36

36

Handle Overall Height—36"

WT-3684

WT-3696

Extra Handle Bars

Extra Handle Sockets



WT-3696

Standard

Running Gear 2--- Swivel Casters with

includes Sockets

Welded on Truck

6" x 2" semi-steel wheels 2—Semi-steel wheels 12" x 2 ½" on 1" axle

# **HEAVY DUTY SINGLE END TRUCKS**

2000 LBS. CAPACITY-SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

> All welded for rugged stock and general shop use with 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floar clearance 6-1/4", 2 swivel and 2 rigid casters.

Casters: Semi-Steel Wheels 5" x 1%" Hard Rubber Wheels 5" x 1 %"

> Overall Height-36" Finish: Green Enamel

Truck Floor Lock -- Flat Bottom Shelf Available at Additional Charge.



Ship Wr. Model w 18-TR-30 18 30 98 18-TR-36 18 36 106 48 122 18-TR-48 18 18-TR-60 18 60 140 30 110 24 24-TR-30

Model	w	ι .	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60-	160
30-TR-30	30"	30"	125
30-TR-36	30"	36~	135
30-1R-48	30"	48"	, 160
30-TR-60	30	60"	185

#### **HEAVY DUTY DOUBLE END TRUCKS**

84"

96"


#### 2000 LBS. CAPACITY-SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for widest variety of uses with 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4", 2 rigid and 2 swivel casters.

Overall Height—36" Finish: Green Enamel Casters: Semi-Steel Wheels 5" x 1%" Hard Rubber Wheels 5" x 1 ½ "


Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

Model	w	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30 "	120
24-TRE-36	24"	36"	130





24-TRF-36



#### SHOP TRUCKS—HEAVY DUTY

HEAVY DUTY
ALL WELDED CONSTRUCTION

### 2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32 ½ " high. Clearance between shelves on 3-shelf model—10 ½"; 2-shelf model—22 ¼ ".

Floor Clearance—6 ¼ ".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverobility. Finish: Green Ename!

GRIZZLY Drawer Units can be added. See Page 16.

Casters: Semi-Steel Wheels 5" x 1 1/4" Hard Rubber Wheels 5" x 1 1/2"

Truck Floor Lock—Flat Bottom Shelf
— Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 10).

Model	Shelves	w	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30″	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30″	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3034-DT-3		30"	34	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48	135
3048-DT-2		30"	<b>48</b>	154
1848-DT-3	3	18~	48"	152
2448-DT-3	2	24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2		18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60	180
2460-DT-3		24"	60~	210
3060-DT-3	L	30"	60"	242

2436-DT-3

Optional writing

shelf attachment.

#### **EXTRA HEAVY DUTY SHOP TRUCKS**

5000 LBS. CAPACITY—SEMI-STEEL WHEELS 4000 LBS. CAPACITY—HI-CAP RUBBER WHEELS ALL WELDED CONSTRUCTION

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on ar off top. Heavy and large structures can be fabricated on truck. With tubular push handle.



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels Fruck Flowr Lock — Available at Additional Charge.

Finish: Green Enamel


	All Models 36" High	Model	W	ŗ	Ship. Wt.
	10" Floor Clearance	ET-2448-2	24"	48"	220
		ET-2460-2	24"	90	240
		ET-2472-2	24"	72"	260
	21 " clearance	ET-2848-2	28"	48"	230
	between	ET-2860-2	28	90,,	255
	shelves	ET-2872-2	28	72"	280
		ET-3448-2	×	48"	256
		ET-3460-2	34"	60"	286
<b>70</b>		ET-3472-2	34"	72"	316
	9 % ··	ET-2448-3	24"	48"	275
		ET-2460-3	24"	60	305
		ET-2472-3	24"	72"	335
	clearance	ET-2848-3	28"	48"	290
	between	ET-2860-3	28	٥٥	325
	shelves	ET-2872-3	28"	72"	365
		ET-3448-3	34"	48"	325
		ET-3460-3	34"	φ0	370
		ET-3472-3	34"	72"	415



# L ALL

# HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS





Used in shop operations, with presses, screw machines, shipping, and other equipment—items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4" x 3/16" angle iron posts—

Casters: 2 swivel, 2 rigid

Semi-Steel Wheels 5" x 1 %"
Hard Rubber Wheels 5" x 1 ½"
Truck Hoor Lock—Flat Bottom Shelf

- Available at Additional Charge. Finish-Green Enamel

### STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS-ALL STEPS ADJUSTABLE-4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

SL-24

#### **CRADLE TRUCKS**

ALL WELDED CONSTRUCTION 8000 LBS. CAPACITY

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in  $36^{\prime\prime}$  radius. Cradles permit easy loading and unloading with fork lift or sling.

Remainder of Specifications apply to CRA-60 and CRA-96. Cradle Width 23 ½ ", Overall Width 32", Height 37 ½ ", Depth 15" Casters: Swivels, 8" x 2 ½ ", Semi-Steel, Roller Bearing Wheels. Center Wheels: 14" x 2 ½ " Semi-Steel, Roller Bearing Wheels Casters: Swivels, 10" x 2 ½ ", Hi-Cap Rubber Wheels

Center Wheels: 16" x 3" Hi-Cap Rubber Wheels

CRA-60 Ship. Wt. 350 Lbs. CRA-96 Ship. Wt. 384 Lbs.

length-CRA-60 = 60"; CRA-96 = 96"

Finish: Orange Enamel



#### SHEET-BAR STOCK TRUCKS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L for OFB-60

ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).

Casters:—2—8" x 2½" Swivel Semi-Steel, Roller Bearing Center Wheels: 2—14" x 2½" Semi-Steel, Roller Bearing Casters:—2—10" x 2½" Hi-Cap Rubber Wheels Center Wheels: 2—16" x 3" Hi-Cap Rubber Wheels

Finish: Orange Enamel



CAPACITY 8000 LBS.

OFB-60 Ship. Wt. 270 Lbs. OFB-84 Ship. Wt. 294 Lbs.






#### **ALL PURPOSE HAND TRUCKS**

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.



Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship, Wt.
89	45 ½ "	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pney	30
93	48"	14"	20"	7"x14"	500	410x3.50 -4-2 Ply Pneu	42
96	45"	27"	32 1/2 "	13"x25"	650	10x2.75 Semi-Pneu	52
98	43"	18"	18"	8 ½ "x 18"	800	Bx2 Moldon	55
100	42"	19"	20"	5"×19"	800	8x2 Moldon	58

#### NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311







ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; % " floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9 ½ " wide, with plastic handles for firmer grip, easy to inaneuver in confined aisles and other areas.


ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl, Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship, Wt.
300	14%"	53 1/2 "	46 15 "	914"	15%	8¼ "×10"	650	10x2,75 Semi-Pneu	36
311	17"	53 14 -	4615"	97."	18"	8¼ ″x10″	500	410x3.50—4—2 Ply Pneu	35



#### **BAR AND ROD TRUCKS**

3400 LBS. CAPACITY - SEMI-STEEL WHEELS 3000 LBS. CAPACITY - HI-CAP RUBBER WHEELS



All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights:

Casters: 8"  $\times$  2" Semi-Steel Roller Bearing Wheels, 2 rigid & 2 swivel. 8"  $\times$  2" Hi-Cap Rubber Roller Bearing Wheels, 2 rigid & 2 swivel.

Finish: Green Enamel Truck Floor Lock Available at Additional Charge.

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292

#### **SEMI-LIVE PLATFORM TRUCKS**

2500 LBS, CAPACITY Casters: 8" x 2" Hi-Cap Rubber Wheels Platform 12" from floor

> All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck-

	Plot		
Model	W	L	Ship. Wr.
5LPT-2448	24"	48"	90
SLPT-2460	24"	60"	106
SLPT-3048	30"	48"	100
SLPT-3060	30"	60°	114
SLPT-3648	36"	48"	112
C10T 2440	74	70	107

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transpart a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

#### **JACK HANDLE**

Casters: 8" x 2" Hi-Cap Rubber Wheels

54 ½ " Long Na. 15—Ship. Wt. 35 Lbs.




SLPT-3660 W/Optional Jack Handle

#### EXTRA HEAVY DUTY STORAGE CABINETS

#### RUGGED-ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size-18"W x 35 ¾ "l.


16 Ga. Reinforced Shelves and Bottom, Sides-12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used far starage of tools, small dies, etc. All Models furnished with Plain Handle, Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.



Finish: Green Enamel

HDSC-3672-4

Model	D	w	H	Shelves	Ship, Wt.
HDSC-3648-2	19"	36"	48"	2-1 Fixed, 1 Adjustable	205
HD5C-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelve	s Available	8"D x 35%	'L	· · · · · · · · · · · · · · · · · · ·	20



#### SHEET AND **PANEL TRUCK**

2000 LBS. CAPACITY Casters: 2 Rigid and 2 Swivel,6" x 2", Hard Rubber Wheels

SPT-2842

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction jab. End stop on the length of the deck keeps material from sliding off truck.

Finish: Green Enamel

Model SPT-2842 28"W-42"L-49"O.A.H. Ship. Wt.-105 Lbs.


#### PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY - SEMI-STEEL WHEELS 800 LBS. CAPACITY - SOFT RUBBER WHEELS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories. All welded, rugged construction equipped with 5"

x 1 ¼ " casters—2 rigid and 2 swivel. Easy to roll.

Top: 20" x 24"; Height to Top Surface— Overall 34": Top, back and side stops— ½" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H,



Keyed Handle Available at Additional Charge.





PUB-24RW



#### **SLIDING SHELF TRUCKS**





#### 3/SIDED PLATFORM TRUCKS

35T-2848



#### 2400 LBS. CAPACITY—SEMI-STEEL WHEELS 2000 LBS. CAPACITY—HARD RUBBER WHEELS LARGE VOLUME CAPACITY TRUCK **REMOVABLE SHELVES**

Ruggedly built of all steel welded construction. Ready for use.

All corners and all edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

#### Easy rolling with 6" x 2" Casters —2 rigid and 2 swivel.

18" Clearance Between Shelves Extra Shelves Priced on Request

Prices include Two (2) Shelves, Finish: Green Enamel

Shelves slope 2" to back

Model	L	w	н	Shelf Size	Ship. W1.
\$5-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	_68"	37"	66"	36" x 60"	298 lbs.
SS-72	72"	37"	66"	36" x 72"	330 lbs.

CST-24

#### **CAGE STOCK TRUCK**

#### **800 LBS. CAPACITY** ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations. See-thru design for visual load inspection Used for drying purposes, paper stock, etc.

Overall Dimension	ns\
Shelves	24" x 36" — 14 Ga, steel
Finish:	Green Enamel

\* Shelves are furnished with welded clips that rest on Band Iron strips CST-24-Ship, Wt. 135 Lbs.

Additional Shelves Available at Additional Charge - Ship. Wt. 24 lbs.

#### **BOX TRUCKS ROLL-OVER BOX TRUCKS**



#### ALL WELDED CONSTRUCTION

#### 1000 LBS. CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY—SOFT RUBBER WHEELS

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt type mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length, Leakproof.

ROBT series---Roll-Over-gives maximum leverage with ease, turns over load from harizantal to vertical position remains upright, material easily removed—one man operation.

Finish: Green Engmel

Costers: Semi-Steel, 5" x 1 1/4" Hard Rubber, 5" x 1 1/2"

#### BOX TRUCKS

Ship. Wr.	_w_	D	ι	O.A.H.
95	24"	24"	36	30″
110	30"	24"	36"	30″
115	24"	24"	48"	30"
136	30"	24~	48"	30"
	95 110 115	95 24" 110 30" 115 24"	95 24" 24" 110 30" 24" 115 24" 24"	95 24" 24" 36" 110 30" 24" 36" 115 24" 24" 48"

Model	w	0	L	O.A.H.	Ship, Wt.
ROBT-36	24"	24"	36"	30	120 Lbs.
ROBT-48	24"	24"	48"	30"	140 Lbs.

#### **HEAVY DUTY** 3000 LBS. CAPACITY—SEMI-STEEL WHEELS 2000 LBS. CAPACITY—MOLD-ON RUBBER WHEELS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS:

60" O.A.H.

FINISH:

Green Fnamel

FLOOR TO DECK: DECK TO TOP FRAME: 48"

CASTERS.

2 swivel, 2 rigid, 8" x 2"

Reinforced 12 Gauge Steel platform

1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Steel

TUBULAR PUSH HANDLE


Model	w		Ship, Wr.
3ST-2448	24"	48"	185
35T-2460	24"	60"	200
35T-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60	213

Model	_ w	L	Ship. Wt.
351-2872	28"	72"	235
3ST-3448	34"	48"	215
3ST-3460	34"	60"	235
351-3472	34"	72'	258

#### 3/SIDED STOCK CARTS

#### MEDIUM DUTY 1500 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. ALL WELDED CONSTRUCTION



ALL :	MOD	ELS:
BOT	MOT	DECK:

POSTS: VERTICAL RODS: DECK HEIGHT:

¾ " Diameter 7" from floor

60" O.A.H.

12 Gauge Steel 1½ " x ½ " Angle Iron

TUBULAR PUSH BAR FINISH: CASTERS:

Green Enamel 2 swivel, 2 rigid, 4″ x 1½ "

Model	W	L	Ship. WI.
3SC-30	24"	30"	105
35C-36	24"	36"	115
35C-48	24"	48"	135
35C-60	24"	60"	155

### HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



1500 LBS, CAPACITY 4" SEMI-STEEL WHEELS 2000 LBS. CAPACITY 8" SEMI-STEEL WHEELS.





ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1 ½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN

RODT-42—Roll-Over Dump Truck

Ship. Wt.

(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.) RODT-60-Roll-Over Dump Truck

Ship. Wt.

178 Lbs. (RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HD1-60
Тор	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18"	18"
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 lbs.

#### **DIVIDED SHELF TRUCK**

1400 LBS. CAPACITY-HARD RUBBER WHEELS ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent moterial from falling off of truck while in motion. Material can be slid on and off with ease.

#### DV-2242

42"L-22"W-55% "O.A.H.

Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.

Casters: 2 Swivel 2 Rigid, 5" x 1 1/2 " Finish: Green Enamel Ship. Wt.—200 Lbs.









#### **OPEN SIDE TRUCK**

800 LBS. CAPACITY—SOFT RUBBER WHEELS ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as book cart, stock picker's truck, linen truck, or office record truck

#### OST-30

Overall Dimensions: 18½ "W x 45"L x 50"H Shelves: 18" x 39", 18 gauge steel,

flat surface

Optional: Tray Shelves 1 ¼ " deep, same price Clearance Between Shelves: 15' Casters: 4 swivels, 5" x 1 1/4"

Push Handles: Tubular, one at each end

Finish: Green Enamel Ship, Wt. 110 Lbs.




EST-44

#### **ENCLOSED SHELF TRUCK**

800 LBS. CAPACITY-SOFT RUBBER WHEELS **ALL WELDED CONSTRUCTION** 

For Warehouses, Factories and Offices-For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease



GT-72 Garment Truck-Ship. Wt. 55 Lbs.



GT-72-SD Garment Truck— Ship. Wt. 70 Lbs.

#### **GARMENT TRUCKS**

500 LBS CAPACITY-SOFT RUBBER WHEELS

#### ALL WELDED CONSTRUCTION

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling: Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD


74"L-20-1/2"W-66"H Frame: 1-1/16" Tubular Steel Casters: 4 swivels, 5" x 1-1/4" Finish: Green Enamel

Overall Dimensions: 16"W x 45"L x 62"H Shelves: 16" x 44"-20 Ga. steel 10" Clearance between Shelves Casters: 2 swivel, 2 rigid,5" x 114"

Finish: Green Enamel Ship. Wt.—110 Lbs.

#### HYDRAULIC LIFT TOP TABLES

- All Arc Welded-Rugged-Portable
- Foot Operated—
- Easily adjusted to and from working height.
- For moving dies, tools and parts to and from working station-production & main-
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.





HLTT-36-2 CAPACITY 2000 LBS.



HLTT-36-1 CAPACITY 1000 LBS

#### TOTE-ALL UTILITY CARTS TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION 800 LBS. CAPACITY - SOFT RUBBER WHEELS








Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Casters: 5" x 114" Soft Rubber self lube, 2 rigid and 2 swivel.

Finish: Green Enamel - Truck Floor Lock Available at Additional Charge



**TOTE-ALL UTILITY CARTS** All Models: 36" O.A.H. Deck Height: 30" Shelf Clearance: 21%" Floor Clearance: 6¼"

Model	W	L	Ship W1.
UC-2432	24"	32"	34
UC-2442	24"	42*	42
UC-2452	24"	52"	53

**TOTE-ALL PLATFORM TRUCKS** Ali Models: 37" O.A.H. Deck Height: 15"

Model	W	L	Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

#### TOTE-ALL HAND TRUCK

**ALL WELDED CONSTRUCTION COMBINATION 4-WHEEL CART OR** 2-WHEEL HAND TRUCK 375 LBS. CAPACITY



#### **IDEAL FOR:**

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D .- Sides: 28"H, 23 1/2"D, front to back. 30"W, 4 1/2"H,-Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1 ¼" Hard rubber swivels. —Finish: Green Enamel.

Model TA-24 Ship. Wt. 52 Lbs.

#### TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION 375 LBS. CAPACITY

FOR: TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be moneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for each turning.



TRAY: 12"D-24"L .- CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 31/4" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Green Enamel. Model TPH-24

#### Capacity: 1000 Lbs.—Semi-Steel Wheels

800 Lbs.—Soft Rubber Wheels

All welded, rugged construction for general maintenance uses—carrying parts and tools with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1 ¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

Top-15"W-28"L, Cart height-20 ½ "O.A.H.

Top and Bottom tray—1" deep. Legs: 1½" x 1½" x ½" Angle Iron Drawer: 14¾" D x 20¾" W x 5" H

Drawer Slides on Ball Bearing Steel Rollers

Finish: Green Enamel Handle: 32" Long

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Soft Rubber Wheels	56 Ship. Wt.

#### SHOP TRAY TRUCKS

**HEAVY DUTY ALL WELDED CONSTRUCTION** 

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

ALL MODELS: 36" O. A. H.

6" or 12" Deep—12 Gauge steel with 1" hemmed edges. TOP TRAY:

BOTTOM TRAY: 2" Deep-12 Gauge steel.

Clearance between Top and Bottom Trays—17-3/4". 1-3/4" x 3/16" Angle Iron

TUBULAR PUSH BAR: Floor Clearace: 6-1/4'

CASTERS: 2 swivel 2 rigid

Semi-Steel Wheels 5" x 1-5/8" Hard Rubber Wheels 5" x 1-1/2"

Truck Floor Lock-Hat Bottom Shelf

– Available at Additional Charge

Top Box W L Depth = 6" Ship, Wt.				Top Box Depth = 12"	Ship. WI
18	30	TT-1830-6	1114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



TT-2436-12

#### TRAY STOCK CARTS

**MEDIUM DUTY** ALL WELDED CONSTRUCTION 1100 LBS. CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY-SOFT RUBBER WHEELS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

ALL MODELS: 36" O.A.H.

TOP TRAY: 6" or 12" deep-16 Gauge steel with 1/2" hemmed edges. 2½" deep—16 Gauge steel with ½" hemmed edges. 1½" x 1½" x ½" Angle Iron **BOTTOM TRAY:** 

LEGS:

Clearance between top and bottom trays-

TUBULAR PUSH BAR Floor Clearance: 6 Finish: Green Enamel

CASTERS: 2 swivel 2 rigid

Semi-Steel Whieels Soft Rubber Wheels 5" x 114"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.



TSC-2436-12

w	L	Top Box Depth = 6"	Ship. Wt.	Tep Bax Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95



#### STOCK CARTS

MEDIUM DUTY **500 LBS. CAPACITY-SOFT RUBBER WHEELS** 360 LBS. CAPACITY-3" SOFT RUBBER WHEELS



#### **FIVE SHELF STOCK CARTS**

1000 LBS. CAPACITY-SEMI-STEEL CASTERS 800 LBS, CAPACITY-**SOFT RUBBER CASTERS** 



Green Ename CASTERS: 2 swivel 2 rigid

FINISH:

and store. Large capacity shelves save time and steps, on the assembly line in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

All welded, designed for

rugged factory use yet with ap-

pearance satisfactory for office

large volume capacity stock cart for filling orders and other purposes. All welded construc-tion with 1½" x ½" angle posts, and push handle located 39 ½" high for balanced handling, adds 3" to overall length of cort.

Top trays, with 21/2" sides. can be reversed at no extra cost.

Semi-Steel Wheels

Soft Rubber Wheels



DAH with Semi-Steel Casters	
Shelf Clearance 10"	Floor Clearance
inish	Green Enamel
Casters: 2 swivel, 2 rigid	

5" x 114" Truck Floor Lock-Flat Bottom Shelf - Available at Additional Charge.

Model	w	L	Ship. Wt.	Model	w	L	Ship, Wt.
L-1828	18"	28**	105	L-2436	24"	36"	144
L-1836	18"	36"	119	L-2448	24"	48"	181

5" x 1 ¼ "

Soft Rubber Plain Bearing Wheels—3" x 13/16" Flat Bottom Shelf — Available at Additional Charge. SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Soft Rubber Plain Bearing Wheels—5"  $\times$  1" Soft Rubber Ball Bearing Wheels—5"  $\times$  1"

	16 ga. e tags -2 ½ Deep	Model_	w	L	D.A.H	Shelf Clearance	Castera	Ship. Wt.
		SC -3182	18″	28	34"		3"	47
		SC -5182	18:"	28"	36"	!	5"	50
	All Tray Shelves	SC -3362	18"	36"	34"	25 ¼ "	3"	53
	Shelve.	SC -5362	18"	36 "	36"		5"	56
4.		SC -5242	24"	36"	36"		5"	66
		SC -3183	18"	28	34"		3~	62
All Tray Shelves	SC -5183	18"	28″	36"		5	65	
	SC -3363	18"	36"	34"	11%"	3"	70	
	SC -5363	18"	36"	36~		5"	73	
<b></b>		SC -5243	24"	36″	36"	1	5	88
		SCF-3182	18"	28″	34"	-	3."	47
17-7	Flat Surface	SCF-5182	18~	28"	36"		5"	50
	Top Shelf Tray Bottom	SCF-3362	18"	36	34"	25 ¼ "	3	53
	Shelf	SCF-5362	18"	36	36"		5"	56
- 4		SCF-5242	24"	36"	36"		5~	66
		SCF-3183	18"	28"	34"		3"	62
	Flat Surface	SCF-5183	18"	28″	36"		577	65
	Top Shelf Tray Center and	SCF-3363	18"	36"	34"	11%"	3	70
8	Battam Shelves	SCF-5363	18"	36″	36		5"	73
		5CF-5243	24"	36"	36	į	5"	88

#### **FIVE SHELF HEAVY DUTY TRUCKS**

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY-MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cast. Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height	68"
Shelf Clearance	12"
Floor Clearance	
Finish	Green Enamel
Casters: 2 swivel, 2 rigid	

Semi-Steel Wheels 8" x 2" Moldon Rubber Wheels 8" x 2"

#### Truck Floor Lock-Flat Bottom Shelf - Available at Additional Charge.

Model	w	L	Ship. Wt.
H-1830	18"	30"	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413



H-2436

#### HI-LADDER STOCK CARTS-LADDER STOCK CARTS

**ALL WELDED CONSTRUCTION** 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.



LADDER LT-20-R

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items insto and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

Specifications: Same for LT-20-78 and LT-20	Models with exception of O.A.H.
TOP OF CART	38 ¼ " from Floor
SHELVES 14	-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES	
SIZE OF SHIELVES Top-20"x32"Center	er—20"x36".—Bottom—20"x41"
LADDER Spring loaded of	and adjustable STEPS: 6" wide
FINISH	Green Enamel
CASTERS: 2.5wivel, 2 Rigid	

S= Semi-Steel Wheels

OA-20"W x 44"L x 78"H

R= Mard Rubber Wheels 5" x 1 1/2" Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge. Top and counter shelves reversed at no charge

STOCK CARES LT-20-788 169 Ship. Wt.

HIJLADOFE

LT-20-785

LADDER OA-20"W x 44"L x 62"H STOCK CARTS

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

#### **LUMBER SERVICING TRUCKS**

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials.

Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-100 for longer bulkier items. Width = 24": Base Length = 42": Overall Length = 65": Ht. = 441/4 Floor Clearance = 8¾" Sheet Holder adjustable to 60" overall height.

Finish: Green Enamel Ship. Wt. = 145 Lbs.



YZ-75 for shorter items.

W = 26": Depth = 24": H = 39" Floor Clearance = 7 1/2



#### PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION CAPACITY 1000 LBS.—SEMI-STEEL WHEELS CAPACITY 800 LBS.—SOFT RUBBER WHEELS

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60″	115
MT-2460-3	3	24"	60°	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30	48**	150
MT-3060-2	2	30″	60	130
MT-3060-3	3	30	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

......All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE 1500 LBS. CAPACITY—SEMI-STEEL WHEELS

1500 LBS. CAPACITY-HARD RUBBER WHEELS

MT-2460-2

30"O.A.H.--Clearance between Shelves: 21", SHELVES-16 Ga. Steel with 20 Ga. Channels, LEGS—1½" x 1½" x ½" Angle Iron, CASTERS—5" x 1½

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep,

18

18"

18

18"

24

24"

24

24"

Removable Handle Furnished with unit

30

36

48

60.

301

36"

49

60"

floor clearance 5", with 4" x 1 ½" casters, 2 swivel and 2 rigid. Removable Handle--- ½"

Model

18-D-30

18-D-36

18-D-48

18-D-60

24-D-30

24-D-36

24-D-48

24-D-60



Designed for rugged factory use yet with appearance for of fice and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



"MIJ" BOX CARTS 300 LBS. CAPACITY—WITH CASTERS Combines a Tote Box with a highly maneuverable cart.

For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. All WELDED CONSTRUCTION, Easily turned in narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.—13"W—23"L—31"H, BOX--6" deep, CLEARANCE BETWEEN BOX AND SHELF—17", BOTTOM SHELF—8" from Floor

FINISH: Green Enamel. R. 213 — Ship. Wt. 28 lbs. With Floor Pads

BC-213—Ship, W1, 28 lbs. With Ploor Pads
BC-213—Ship, V1, 29 lbs. With 2% Pressed Steel Costers

#### **HOPPER TABLES**

300 LBS. CAPACITY—WITH CASTERS



All welded construction, used beside machines for holding tate box on the slaping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly



1414 "W---2914"1---O.A.H. Back-36"---Front-30" with 1" Stop. CHUTE OPEN-ING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 61/2", CLEAR-ANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

TH-14	With Floor Pads	37 Ship. W1.
TH-14C	With 21/2" Pressed Steel Swivel Casters	40 Ship. Wt.




#### "MIJ" TABLES

300 LBS. CAPACITY-21/2" DIA. PRESSED STEEL OR SOFT RUBBER WHEELS FOR FASTER PRODUCTION LINE NEEDS

#### Rugged—Compact— High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tate baxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves. Finish: Green Enamel





Ship, Wt.

44

52

60

50

60

72

213 Series Top and Battom



Pressed Steel or Rubber			
	Overall Height	Ship Wt.	
TC-213	231/2"	22	
TEC-213	30 1/2"	24	
TC:313	23 1/4"	28	
TEC-313	301/2"	30	

Caster Models - 21/2"

-	
3i	
_	
3	

Shelves 313 Series

1 213	
TE-213	-
1 -313	
TE-313	

	TC-313	231/2"	28
	TEC-313	301/2"	30
Мо	dels With Floor	Pads Welded to L	993
Т	Height of Top Shelf	Shelf Clearance	Ship. W1.
$\neg$	24"	16"	21
	217	21"	22

27



rod-36 1/2 " long.

no extra cost.

Top reversed on request at

Finish: Green Enamel

18-D-30

#### **HEAVY DUTY TOOL STANDS**

2000 LBS. CAPACITY-ALL WELDED CONSTRUCTION

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table. ALL MODELS ...... 32-1/2" O.A.H.

Floor clearance 6 ¼ ". Pads on bottom of legs protect floors. SHELVES ...... 12 Gauge Steel LEGS ...... 1-3/4" x 3/16" Angle Iron finish: Green Enamel

		Model	w	ι	Ship. Wt.
		1830-2	18"	30"	62
		1836-2	18"	36"	70
	TOP AND BOTTOM	1848-2	18"	48~	85
	SHELVES	1860-2	18"	60	104
	Shelf Clearance	2430-2	24"	30"	83
T	22-1/4 inches	2436-2	24	36"	95
1836-2 W/2 Shelves			24"	48"	116
1000-211/2311011		2460-2	24"	60.	136
		1830-3	18"	30 "	85
ļ.	M	1836-3	18"	36"	98
		1848-3	18"	48"	120
TOP BOTTOM AND		1860-3	18"	60"	148
CENTER SHELVES		2430-3	24"	30~	112
Shelf Clearance	-1=	2436-3	24"	36**	130
10-1/8 inches	1836-3 W/3 Shelves	2448-3	24"	48"	162
10-170 menes		2460-3	24"	60"	192

#### EXTRA HEAVY DUTY TOOL STANDS (

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS ALL WELDED CONSTRUCTION . ALL SHELVES FLAT SURFACES
Finish: Green Engmel

#### 3000 LBS. CAPACITY

ALL MODELS	36" High
	12 Gauge Steel
	2" x 2" x 3/16 <sup>#</sup> Angle
	,



Clearance from floor to bottom shelf ... 8"

HS-2872-2 W/2 Shelves



o bottom shelf ... 8'

Model	w	L	Ship. Wt.
HS-2448-2	24"	48"	135
H\$-2460-2	24"	60	155
H5-2472-2	24"	72"	175
H5-2848-2	28"	48"	145
HS-2860-2	28"	8	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72~	240
HS-2448-3	24"	48"	185
H5-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48″	205
HS-2860-3	28	60"	240
HS-2872-3	28	72"	275
HS-3448-3	34"	48	230
H5-3460-3	34"	60"	280
HS-3472-3	34"	72"	335

HS-2460-2





#### UTILITY TABLES

500 LBS. CAPACITY—5" Soft Rubber Wheels 300 LBS. CAPACITY—2½" Dia. Pressed Steel Wheels Or Soft Rubber Wheels



#### **TOOL CABINET BENCHES**

ALL WELDED—READY FOR USE







LC3

S3DC

SDC

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages,

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.

SHELVES	\$ Models: 16 GaugeH-L-K Models: 14 Gauge
ANGLE LEGS	S Models: 1 ¼ " x ¼ "—H-L-K Models: 1 ½ " x ¼ "
DRAWER SIZE (D)	14"W—16"L—5"D
FINISH:	Green Ename!

	Flo	31" High Overall Floor Pads Welded to Legs		rerall 1 nd to Legs	34" High Overall With Ca 4 Swivels	
	w	L	Model	Ship. W1.	Model	Ship. Wt.
	19"	25"	St	32	sc	35
	23"	24"	нт	43	нс	46
With Top and	20″	28″	LT	44	ιc	47
Bettom Shelves	24"	36"	кт	60	кс	63
<u> </u>	19"	25"	53	42	SC3	45
	23"	24"	Н3	57	нсз	60
Whith Top, Bettom	20"	28"	ι3	59	ıc3	62
Shelves	24"	36"	К3	83	ксз	86
	19"	25"	SO3	57	SD3C	60
	23"	24"	HD3	69	нозс	72
Witth Top, Bottom  gand Center  Sibalves and	20"	28"	LD3	71	LD3C	74
No. #416-1 Drawer	24"	36"	KD3	95	KD3C	98
<u> </u>	19"	25"	SD	47	SDC	50
##ith Top and	23"	24"	НД	58	HDC	61
Battom Shelves and	20"	28"	ιD	59	ιοc	62
Drawer	24"	36"	KD	75	KDC	78
	19~	25"	\$20	77	52DC	80
with Top and	23	24"	H2D	88	H2DC	91
Shelves and #1416-2	20″	28"	L2D	89	L2DC	92
Drawer Unit	24"	36"	K2D	105	K2DC	108
$\langle \rangle$	39"	25"	S3D	98	53DC	101
	23	24"	H3D	109	нзас	112
Shelves and #1416-3	20"	28"	LJD	110	13DC	113
Boswer Unit	24"	36"	K3D	126	K3DC	129


S	helf	
W	L	Ship, Wt,
18"	23¾"	11
18"	3514"	15
18"	47% "	20
24"	35¾"	19
24"	47%~	25

#### Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.







C-1848-K

DOORS ...... 18 Gauge Steel FINISH: ..... Green Enamel

Model	н	w	D	Shelf W L	No. Shelves	No. Doors	Ship. Wi,
C-1824	34"	24"	19"	18" x 23%4"	2	1	112
C-1824-K	Keyed Ho	indle in Door	(2 Keys)				
C-1836	34"	36"	19"	18" x 35 % "	1	2	140
C-1836-K	Keyed Ho	indle in Door	(2 Keys)		1		
C-1848	34"	48"	19"	18" = 47%"	1	2	166
C-1848-K	Keyed Ho	indle in Door	(2 Keys)				
C-2436	34"	36″	25"	24" x 35%"	1	2	160
C-2436-K	Keyed Ho	ndle in Door	(2 Keys)	1			
C-2448	34"	48"	25"	24" x 47%"	1	2	190
C-2448-K	Keyed Ho	ndle in Door	(2 Keys)		1	_	

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

#### HAF-SHELF UTILITY TABLES

DIMENSIONS OF HAF-SHELF: 8" deep, full width of table-11" clearance from top of table. HEIGHT (with and without casters): ..... Overall including Haf-Shelf-42"-30" from floor to top of table. Green Enamel Haf-Shelf added to all Utility Table Models on request.



_	_				
Model	W	L			
"S"	19"	25"			
"H"	23"	24"			
ייניי	20"	28"			
"K"	24"	34			



#### **PORTABLE CABINET WORK BENCHES**

.. 2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—RUBBER WHEELS



TOP:

#### **PORTABLE CABINET WORK BENCHES**

1000 LBS. CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY - SOFT RUBBER WHEELS

#### LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.





PC-485



PC-48R w/#1424-4 Drawer Unit

#### **HEAVY DUTY**

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24%" x 47%". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-485	Semi-Steel Wheels 5" x 1%"	075.01
PC-48R		250 Ship. Wt.
R-48	Hard Rubber Wheels 5" x 11/5"	247 Ship. Wt,
K-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
<del></del>	Additional Shelf at Additional Charge	26 Ship. Wt.
<u> </u>	Floar Truck Lack at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8-4" x 12" Openings	27 Ship. Wt.



#### **BP-SERIES**

2000 LBS. CAPACITY—SEMI-STEEL WHEELS 1500 LBS. CAPACITY—RUBBER WHEELS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise.




BP-36R

BP-36R w/#1416-4 Drawer Unit

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid, FINISH: Green Enamel.

BP-365	Semi-Steel Wheels 5" x 11/4"	220 Ship. Wr.
BP-36R	Hard Rubber Wheels 5" x 1 1/2"	215 Ship. Wt.
	FLOOR TRUCK LOCK at Additional Charge	5 Ship, Wt.
	KEYED HANDLE (2 Keys) at Additional Charge	3 3riip. W1.
	WITH 3/16" STEEL PLATE TOP	250 Ship 144



adjustable on 2" Centers. FINISH: Green Enamel



PC-36R

PC-365	5" x 11½ " Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship, Wt.
PC-36R	5" x 1 ½ " Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship, Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
<u></u> -	Cylinder Lock which locks both Doors (2 Keys)	10 Ship. W1.

#### **PDC SERIES**

ALL WELDED CONSTRUCTION 1000 LBS. CAPACITY—SEMI-STEEL WHEELS 800 LBS. CAPACITY—SOFT RUBBER WHEELS



PDC-36R

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

HEIGHT: ...... 34" to Work Surface, 3" Back Stop ...... Green Enamel



PDC-36R

PDC-365	5" и 1 ¼ " Semi-Steel, 2 Swivel—2 Rigid Casters	168 Ship, Wt.
PDC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
	Cylinder Locks fitted to all Drawers (Keyed Un-alike)	
	Keyed Handle at Additional Charge	<del> </del>

#### **WORK BENCHES**

ALL WELDED CONSTRUCTION Standard Lengths 4' - 10' Specials Quoted on Request





#### WORK BENCHES

ALL WELDED CONSTRUCTION

	Te	Ship	
Model	W	<u> </u>	Wi.
FSD-2448	24"	48"	150
FSD-2460	24"	60"	167
FSD-2472	24	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28	48"	157
F5D-2860	28	60"	175
FSD-2872	28"	72"	195


	To	Ship	
Model	W	<u> 1</u>	Wt.
FSD-2896	28	76	253
FSD-28120	28″	120"	290
F5D-3448	ä	48"	176
F5D-3460	š	80"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120 *	315





Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with aussets for additional strenath

All welded construction—no bolts, rivets or other parts that have to be continually



**FSD Series** FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

TOP WITH BACK, SIDE STOPS AND STRINGER

	T+P Ship			₹өр		Ship.	1
Model	W	ι	Wt.				
B-2448	24"	48"	108	Ιſ			
B-2460	24~	60"	121	H			
B-2472	24"	72"	135				
8-2496	24"	96"	181				
B-24120	24"	120"	196	il			
B-2848	28"	48	119	ĺ			
B-2860	28"	60"	133				
B-2872	28"	72"	149	,			

1	Top		Ship.
Model	w	L	Wt.
8-2896	28"	96"	199
8-28120	28"	120"	216
B-3448	34"	48"	133
8-3460	34"	8	149
B-3472	34~	72"	166
B-3496	34"	96~	222
B-34120	34"	120"	251

#### COMPLETELY ASSEMBLED-**READY FOR USE**

TOPS ...... 12 Gauge Steel BACK AND SIDE STOPS . 12 Gauge Steel LEGS ...... 12 Gauge Steel STRINGERS ..... 16 Gauge Steel SHELVES ...... 16 Gauge Steel LEGS SET IN 2" FROM END OF TOP

BACK STOPS-3" High-12 Ga. Steel SIDE STOPS-3" High at Back, Taper to 1 ½" at Front


Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

FINISH: Green Enamel

32 1/2 " HIGH TO WORK SURFACE (34" Height Furnished at Additional Charge)

Cylinder Lock Available for Drawer at Additional Charge.



**BS Series** TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF 15¼ " deep

Model	w	ί	W .
85-2448	24"	48~	126
BS-2460	24"	60~	143
BS-2472	24"	72"	161
85-2496	24"	96	215
B\$-24120	24"	120"	236
85-2848	28~	48"	133
85-2860	28″	<b>40</b> "	151
85-2872	28"	72"	171

BD-2448 24" 48" 133 BD-2460 24" 60" 146

24" 72"


24" 96" 206 BD-24120 24" 120" 231


160

BD-2472

BD-2496

	10	P	Ship.
Medel	w	Ĺ	Wł.
BS-2896	28~	96	229
BS-28120	28″	120"	256
BS-3448	34"	4	151
BS-3460	34"	60′	171
B5-3472	34"	72"	188
BS-3496	34"	96"	252
BS-34120	34"	120	281





FLAT TOP WITH STRINGER AND SHELF-15 % " DEEP

	Тор		Ship.
Model	W	ι	Wi.
F-2448	24"	48	107
F-2460	24"	8	120
F-2472	24"	72″	134
F-2496	24"	96	180
F-24120	24"	120"	195
f-2849	28~	48"	118
F-2860	28″	ફે	132
F-2872	28″	72"	148
F-2896	28″	96″	198
F-28120	28"	120	215
F-3448	34"	48	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250

07 20 34	FS-2448 FS-2460 FS-2472	24"	48" 60"	125
34			60″	142
_	FS-2472			
		24"	72"	160
80	FS-2496	24"	96"	214
95	F5-24120	24"	120"	235
18	FS-2848	28~	48"	132
32	FS-2860	28"	60"	150
48	F5-2872	28"	72"	170
98	FS-2896	28"	96"	229
15	FS-28120	28"	120"	255
32	F5-3448	34"	48"	150
48	FS-3460	34"	60"	170
64	FS-3472	34"	72"	186
20	FS-3496	34"	96~	250
50	FS-34120	34"	120"	280
	18 32 48 98 15 32 48 64	18 F5-2848 32 F5-2840 48 F5-2872 98 F5-2872 132 F5-28120 132 F5-3448 48 F5-3440 64 F5-3472 120 F5-3496	18 F5-2848 28" 32 F5-2860 28" 48 F5-2872 28" 98 F5-2872 28" 75-2876 28" 75-2846 34" 48 F5-3440 34" 48 F5-3472 34" 490 F5-3496 34"	18 F5-2848 28" 48" 32 F5-2860 28" 60" 48 F5-2872 28" 72" 98 F5-28120 28" 96" 32 F5-3448 34" 48" 48 F5-3460 34" 60" 64 F5-3472 34" 72" 220 F5-3496 34" 96"

<u></u>	
	BD Series

TOP WITH BACK, SIDE STOPS AND BD-2848 28" 48" 144
DRAWER UNIT—No. 1424-1 BD-2860 28" 60" 158 BD-2860 28" 60" 158 Drawer: 14"W x 231/2 "D x 5"H

1	To	P	Ship.
Model	W	<u>`L</u>	_Wr.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48	159
BD-3460	34"	69	175
BD-3472	34"	72"	191
BD-3496	34~	96"	247
BD-34120	34"	120"	276



FD Series PLAT TOP WITH STRINGER AND DRAWER WHAT 1424-1

	To	Ship.	
Model	W	L	Wt.
FD-2448	24"	48"	132
FD-2460	24"	60	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120	230
FD-2848	28"	48	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Top Ship.		Ship.		To	Тор		
	L	Wt.	Model	W	<u>`L</u>	Ship Wt.	
"]	48"	132	FD-2896	28	96"	223	
-	8	145	FD-28120	28"	120"	250	
-	72"	159	FD-3448	34"	48"	158	
	96"	205	FD-3460	34″	60"	174	
-	120	230	FD-3472	34″	72"	189	
-	48	143	FD-3496	34"	96"	245	
~	60"	157	FD-34120	34	120"	275	
	70"	1770					



TOP WITH BACK, SIDE STOPS, STRINGE SHELF AND DRAWER UNIT -No. 1424-Drawer: 14"W x 23 1/2 "D x 5"H (850-2872 | 28" | 72" | 196)

	Model	To W	P	Ship. Wr.
	BSD-2448	24	48"	151
	B5D-2460	24"	60"	168
	BSD-2472	24"	72"	186
	BSD-2496	24"	96"	240
	BSD-24120	24"	120"	272
_	BSD-2848	28"	48"	158
R	BSD-2860	28"	60"	176
٠,	850,2872	28 -	72"	104

Model	w to	p L	Ship Wi
BSD-2896	28~	96"	254
BSD-28120	28"	120"	292
BSD-3448	34"	48	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317

### PRESSED WOOD TOPS (%" THICK)

Pressed wood scap- 1/4" thick—is attached directly over heavy steel top. Used four working with finished parts, die layout, instrument and electrical world. Any Size To 48" x 96"





The Storage appacity of your Work-Bench may be substantially increased without reducing the work area on bench by an easily accepted Riser. Slides easily between standard Grizzly Side and Bock Stops.

#### **WORK BENCH** RISERS

Medel	L	Ship, Wt.
R-36	36"	15
R-48	48"	19
R-60	60″	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel



Top with back, side stops, stringer shelf and two drawer units - No. 1424-1 Drawers: 14"W x 231/2"D x 5"H

Work Bench available with ¼" hard tempered peg board or 1/2" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

w	_	Ship Wt.
24"	48"	202
24"	60"	221
24"	72"	242
24"	96"	301
28"	48"	209
28"	60"	240
28"	72"	263
28"	96"	326
34"	48"	228
34"	60"	250
34"	72*	269
34"	96"	338
	24" 24" 24" 28" 28" 28" 28" 34" 34" 34"	24" 48" 24" 60" 24" 72" 24" 96" 28" 48" 28" 60" 28" 72" 28" 96" 34" 48" 34" 60" 34" 72"

#### HARD MAPLE WORK BENCHES

**ELECTRONICALLY WELDED** 




#### **WORK BENCH ACCESSORIES**

SIDE- AND BACK STOP SETS

Side Stop

EACH SET CONSISTS OF TWO SIDE STOPS
(right and left) AND ONE BACK STOP.

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.



**BASIC BENCH** 

Bosic Bench. Hard Maple Top, 2 Bench Legs, and Stringer. Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer. Metal Parts—Green Enamel.


Төр						
Model	W	L	Ship. Wt.			
W-2448	24"	48"	107			
W-2460	24"	60"	124			
W-2472	24"	72"	138			
W-3048	30″	48"	127			
W-3060	30"	60"	147			
W-3072	30"	72"	166			
W-3096	30"	96"	226			
W-30120	30"	120"	264			

Top						
Model	w	L	Ship. Wt.			
W-30144	30"	144"	296			
W-3648	36″	48"	143			
W-3660	36~	60"	167			
W-3672	36"	72"	188			
W-3696	36"	96"	256			
W-36120	36"	120"	295			
W-36144	36"	144"	344			

12 Gauge Steel Finish: Green Enamel □




Model .	Ą	В	_с	Ð	E	Ship. Wt. of Sats
2448	514	24	315	5 1/4	48	16
2460	514	24	31/2	514	60	18
2472	514	_ 24	31/2	5 %	72	20
2496	5 14	_ 24	31/2	5%	96	23
2848	514	28	3%	_ 5¼	48	18
2860	514	28	31/2	5 %	60	20
2872	514	28	3%	514	72	22
2896	5%	28	3 1/3	514	96	27
3448	5%	34	31/2	514	48	19
3460	5 1/4	34	31/2	514	60	21
3472	514	34	31/2	514	72	24
3496	514	34	3 %	5 14	96	29



#### **STRINGERS**

Model	F	G	Ship. W1.
57-36	4 14	32	4
<u>\$1-48</u>	414	44	6
ST-60	414	56	715
ST-72	414	68	9
ST-96	414	92	12
ST-120	414	116	15
ST-144	414	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

#### HARD MAPLE TOPS





Finish Top—Natural-Clear Lacquer.

Model	W	ι _	Ship, Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30	48"	74
GW-3060	30"_	60"	93
GW-3072	30"	72"	112
GW-3096	30	96"	150
GW-30120	30~	120"	187

Model	W	1	Ship. Wi
GW-30144	30	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

#### **BENCH LEGS**

#### **ALL WELDED CONSTRUCTION**

These sturdy all steel legs are designed to withstand severe usage and support weight for in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Bench Legs for special requirements on request.




Model	_ A	В	C	D	E	Ship. Wt.
BL-22	22	32 1/2	1516	18	91/2	20
BL-28	28	32 1/2	1915	27	915	22
BL-34	34	32 1/2	23 1/2	26	91/2	24
BL-46	46	32 1/2	35 14	38	9%	28
BL-58	58	321/2	471/2	50	914	34






Model	. н_	J	Ship. Wt
SH-36	1514	32	13
\$H-48	15 ¼	44	18
SH-60	151/4	56	22
SH-72	15 ¼	68	26
SH-96	15%	92	34
SH-120	15 1/4	116	42
SH-144	1514"	140	50



16 gauge one inch channel reinforced construction. Finish: Green Enamel

### WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION





Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches, Quickly fastened to wood top with bolts or lag screws, Finish: Green Enamel.

Model	w	н	D	Shelf Clearance	Lock	Ship. Wt,
CUK-36	36	19	19	В	Yes	60
CU-36	36	19	19	8		60
CUK-18	18	19	. 19	8	Yes	30
CU-18	18	19	19	8		30

Please indicate on order if unit is for installation with steel or wood bench.



#### **CABINET BASE WORK BENCHES**

**ALL WELDED CONSTRUCTION** 



CD8-3060-W

1424-1





1416-3

Drawer units can be fastened to either wood or steel benches, tablos, desks or counters. All welded construction. Padlock attachments for each drawer, Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13 ½ " x 8" x 1" in 1416 and 1424 Series; 19 ½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

#### **OVERALL OUTSIDE DIMENSIONS**

HEIGHT, ALL UNITS One Drawer—5%	": Two Drawer-124"
Three Drawer 18 1/2	": Four Drower-24 % "
WIDTH1416 & 1424 SERIES: 1614"	2024 SERIES: 22 ¼ "
DEPTH1416 SERIES: 161/2"	124 & 2024 SERIES: 24"

14"Wx16		"Dx5"H	'Dx5"H 14"Wx23 ½ "E		20"Wx23 ½ "Dx5"H	
Unit Description	Model	Ship. Wr.	Model	Ship. Wr.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-7	74
3 Drower	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Finish: Green Enamel

Cylinder Lock Available for Drawer at Additional Charge.

#### **HEAVY DUTY DRAWER UNIT**

USE WHERE SEVERE SERVICE IS NEEDED 14 GA. STEEL DRAWER 12 GA. STEEL HANGER ALL STEEL BALL BEARING ROLLERS



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items. Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Ratters.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½ " x 8" x 1 Finish ...... Green Enamel

Cylinder Lock Available for Drawer at Additional Charge. Ship, Wt. 40 Lbs.

#### PORTABLE DOOR CABINETS

ALL WELDED CONSTRUCTION

500 LBS. CAPACITY—3" SOFT RUBBER WHEEL 800 LBS. CAPACITY-5" SOFT RUBBER WHEEL

Light Duty Partiable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.



Medel	<b>Н</b>	Casters—All Swivel	Ship. Wt.
8C-1C3	30"	3" x 11/2" Soft Rubber Tread	60
8C-1C5	32"	5" x 1 % " Soft Rubber Tread	65
	Keyed Handle		
	fi for the first	·	1

With door and four drawer units form the overall base, in multiple of single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE

Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS 2 % " THICK	Model	w	P L	Bases, 18"W 24"D	Ship. Wt.
TITT	CB-2860-5	28	60"	Door Cabinets	205
Mm	C8-2872-S	28"	72"	Door Cabinets	230
周月	DB-2860-S	28"	60~	Drawer Cabinets	300
	DB-2872-\$	28	72	Drawer Cabiners	320
	CD8-2860-S	28	60"	Drawer & Door Cabinets	240
A A	CDB-2872-S	28~	72"	Drawer & Door Cabinets	275
	WITH HARD A	AAPLE BE	NCH TO	PS—1% "THICK	
mi	C8-3060-W	30″	60"	Door Cabinets	210
<u> </u>	C8-3072-W	30"	72"	Door Cabinets	235
自同	DB-3060-W	30"	60"	Drawer Cabinets	305
	D8-3072-W	30"	72"	Drawer Cobinets	325
	CD8-3060-W	30"	60"	Drawer & Door Cabinets	245
<b>国田</b>	CD8-3072-W	30"	72"	Drawer & Door Cabinets	280

ALL WELDED CONSTRUCTION CABINET SIZE: 18" W, 24" L, 26"H




Model BC-1 DOOR CABINET Shelf adjustable in 2" centers. One shelf with unit.

**Keyed Handle** Extra Shelf Ship. Wt. 9 Lbs. Base Not Included Ship. Wt. 55 Lbs.




Model DC-1 **DRAWER CABINET** Individual drawer size, 14" wide x 23 ½ " deep x 5" high. Sliding tray in each

Drawer holds small items within easy reach. Tray size: 13 1/2" x 8



No. 6 Base 614 " High Ship. Wt. 10 Lbs.



#### PORTABLE DRAWER CABINETS

**ALL WELDED CONSTRUCTION** Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER WHEEL 800 LBS. CAPACITY-5" SOFT RUBBER WHEEL

Drawers slide on Ball Bearing Steel Rollers. Cabinet Size: 18"W x 24"L

Drawer Size: Inside Dimensions, 14"W x 23 1/5"D x 5"H Tool Tray in each Drower: 8" x 13 ½ " x 1" deep. Finish: Green Enamel



DC-1C5

Model	н	Casters—All Swivel	Ship, Wt.
DC-1C3	30"	3" x 11/2" Soft Rubber Tread	118
DC-1C5	32~	5" x 1 ¼ " Saft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.



#### CABINET WORK BENCHES

(WITH SLIDING DOORS)

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15, & 16.





CW-3072-SD

All Models: 34" O.A.H. Finish: Green Enamel

WITH STEEL TOPS— 1% " Thick—12 Gauge		w	l L	Base, 25 Deep	Ship.
	CS-2860	28"	60"	Basic Unit	204
	CS-2872	28"	72"	Basic Unit	234
	CS-2860-S	28"	60	Basic Unit with Shelf	239
	CS-2872-5	28''	72"	Basic Unit with Shelf	274
	CS-2860-D	28″	60	Basic Unit with Sliding Doors	248
	CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
	CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
	CS-2872-SD	28"	72"	Basic Unit with Shelf & Sliding Doors	326
	WITH HARD A	MAPLE XXX FII	BENCI VISH	TOPS—1¼ " Thick Overhang on Fro	ent, 5"
	CW-3060	30"	60	Basic Unit	220
	CW-3072	30	72"	Basic Unit	254
	CW-3060-S	30	60"	Basic Unit with Shell	255
	CW-3072-5	30"	72"	Basic Unit with Shelf	295
	CW-3060-D	30"	60"	Basic Unit with Sliding Doors	264
	CW-3072-D	30"	72"	Basic Unit with Stiding Doors	306
	CW-3060-SD	30″	60"	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-SD	30	72"	Basic Unit with Shelf & Sliding Doors	346
Extra	\$-60 ☆	60 long	22" wide		35
Shelves <sup>14</sup>	S.72 Ju	72"	22"		





1236 With #P-66

#### **STANDING** SHOP DESKS

Open, all welded, heavy gauge steel constructionused by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH	All Mode	ls—36"
DEPTH	All Mode	ls30"
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
SIDE AND BACK STOPS	. 3" high at Back	, tapers

SHELF.... 34" wide x 181/2" deep-8" from floor DRAWERS..... Standard Grizzly Drawer Units.

see page 16 for specifications.



1036 BASIC UNIT Ship. Wt. 85 lbs.




1436 BASIC UNIT With No. 2024-4 **Drawer Unit** Ship. Wt. 225 lbs.




1236 BASIC UNIT With Two No. 1416-1 **Drawer Units** Ship. Wt. 115 lbs.



**1836 BASIC UNIT** With Two No. 1424-4 **Drawer Units** Ship. Wt. 325 lbs.




P-36 PIGEON HOLE UNIT 3—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT 6-4" x 12" openings x 9" deep Overall Length 36" Ship, Wt. 24 lbs.

#### MULTIPLE WORK BENCH DRAWER UNITS

Features 16 drawers for storage of large number of small ports, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 134" laminated hard maple or 12 gauge steel top.

34" averall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Green Enamel

Cylinder Locks Available at Additional Charge.

Model .	W	ı	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	72"	560
000-2072-3	- 46	1 77	

#### SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction —used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shap instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use. Finish: Green Enamel





3236 With #P-66

WIDTH		All Mod	dels 36"
DEPTH		All Mod	lels 30"
	HTS		Back
			48"
	nit		53"
With P-66 U	nît	43"	57"
Any GRIZZLY	GRIZZLY 1416-1—ID—14" wide x 16 ? Standard Bench Drawer can be used with this K STOPS 3" high at bock, tapers to 1½" at Fr	Unit. See	5" high. Page 16
SHELF SIZE	***************************************	28 ¾ " :	x 35 %
SHELF CLEARA	NCES		
3 Shelf Unit	Floor to Bottom Shelf		7"
	Bottom Shelf to Center Shelf		. 11¾"
	Center Shelf to Top Shelf		8"
	Top Shelf to Desk Top		. 12"
2 Shelf Unit	Floor to Bottom Shelf		7"
	Bottom Shelf to Top Shelf		
	Top Shelf to Desk Top		

Model	Shehres	Drawers	Ship. Wt.		
2036	2		184		
2136	2		202		
2236	2	_ 2	219		
3036	3		205		
3136	3	1	222		
3236	3	2	240		
P-36	36 Pigeon Profe Unit Overall Length 36" 15 3—4 x *2 openings x 9" deep				
P-66	Pigeon Mole Unit Overall Length 36" 24 6—4 x 12 openings x 9" deep				
	Cylinder Lock for	Drawers			
	Keyed Hondle in I	Door			



No. 3036 (With No. P-36 Unit) Pigeon Hole Unit Available



#### MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES



OPTIONAL No. 1015 Shelf

Rugged, all welded cabinets with 1 1/4" Tray coolant tops with 1/2 " pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.


Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page

Models, enclosed with back and door, are without shelves. No. 1015...Removable Side Shelf (Shelf Surface-10"x15") Ship. Wt. 10 Lbs.



CT-2830 20"W-28"L-30"H Ship. Wt. 90 Lbs.

CT-2835 20"W-28"L-35"H Ship. Wt. 96 Lbs.



20"W-36"L-30"H Ship, Wt. 100 Lbs.


CT-3635 20"W-36"L-35"H Ship. Wt. 106 Lbs.

#### **MACHINE CABINET STANDS**


#### **ALL WELDED CONSTRUCTION**

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with 1/2" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance Convenient shelf-15 % " x 36". GRIZZLY 1416-1 Drawer units furnished on all stands,—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 15 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.



DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 Lbs.



CT-60 Coolant Top, Tray-1 ½ " deep with ½ " pipe tee. 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.



DFT-60 Drop Front Top. Back and Side Stops — 1 1/2" H, 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.



BRACKET Top Surface 10" x 11% . Ten round holes for

mounting and adjustment. Ship. Wt. 10 Lbs.

#### **MACHINE FLOOR CABINETS**

#### CF-2830

20"W-28"L-30"H Ship. Wt. 80 Lbs.

#### CF-2835

20"W-28"L-35"H Ship. Wt. 86 Lbs.

#### CF-3630

20"W-36"L-30"H Ship. Wt. 90 Lbs.

#### CF-3635

20"W-36"L-35"H Ship. Wt. 96 Lbs.



20"W-28"L-35"H Ship. Wt. 105 Lbs.

CM-3630 20"W-36"L-30"H Ship. Wt. 115 Lbs.

20"W-28"L-30"H

Ship. Wt. 95 Lbs.

CM-2830

CM-2835

CM-3635 20"W-36"L-35"H Ship, Wt. 125 lbs.




**CM SERIES** 






#### **PIGEON HOLE BIN UNITS**


All Welded, Rigid Units, Completely Assembled Ready For Use.



7242



2421



4242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment. Finish: Green Enamel

Model	No, of Bins	_H	w	D	Compartment	label Holder	Ship Wi
7242	72	42"	35 % "	11%	4分~wide 4分~high	1"	97
4242	42	42"	35 1/2 "	11%"	5% "wide 6"hìgh	2	95
2421	24	21	35 1/2 "	11%,*	5% " wide 5% " high	2"	40
4021	40	21"	35%	11%	4¼ " wide 4¼ " high	1"	55

TIME SAVER-**COMPACT STORAGE LOCAL AREA TOOL STORAGE** 

#### **TOOL DRAWER CABINETS** FOR EXTRA HEAVY USE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc. For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.




Model TDC-30 3 Drawer Unit Ship. Wt. 285 Lbs.

ALL WELDED CONSTRUCTION. 211/2 " W x 27 % " D x 45 % " H 

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer. Drawer slides on ball bearing steel rollers.

Finish: ......Green Enamel



Model TDC-60 6 Drawer Unit Ship. Wt. 430 Lbs.

ALL WELDED CONSTRUCTION.

40" W x 27 % " D x 45 % " H 

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of tó-gauge steel with full length carrying handle.

Padlock attachments for each drawer. Drawer slides on ball bearing steel rollers.

Finish: ......Green Enamel

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### **EZY-DOWN DRUM CRADLES**

700 LBS. CAPACITY





#### **DRUM & CAN DOLLIES**

1200 LBS, CAPACITY-SEMI-STEEL WHEELS 1000 LBS. CAPACITY—HARD RUBBER WHEELS



Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Finish: Orange Enamel



EBR-18 31"L-1814"W-18"H Ship, Wt. 31 Lbs.



WITH DRUM ROLLERS

EBR-18R 31"L-184"W-18"H Ship. Wt. 34 lbs. Four 2" Semi-Steel rollers for positioning drum and manually rotating for

WITH CASTERS

WITH CASTERS & ROLLERS EBR-18CR 31"L-1814"W-18"H Ship. Wt. 36 Lbs.

EBR-18C 31"L-1814"W-18"H

Ship Wt. 34 tbs.

Casters: All Models—3" Semi-Steel-2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from crodles—12 lbs. Shap. Wt.



**ALL ARC** WELDED CONSTRUCTION

RUGGED



FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers, 19" dimeter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models, 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corro-

Model	O.D.	I.D.	Wheels	Finish	Ship, Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal,-Sani.	32
82-G\$	30-1/2"	24"	3x1-1/4	Gal. Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.·Sani.	22
75	24-1/2"	24"	3×1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

#### **ADJUSTABLE DOLLY**

1200 LBS. CAPACITY—SEMI-STEEL WHEELS 1000 LBS. CAPACITY—HARD RUBBER WHEELS



AD-23-S

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER CLOSES DOWN TO 23 1/2"-OPENS TO 36 1/4". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size-3" x 1 ¼". Finish: Orange Enamel


AD-23-S AD-23-R

SEMI-STEEL WHEELS HARD RUBBER WHEELS Ship. Wt. 30 lbs. Ship. Wt. 28 lbs.

#### DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.




Ship. Wt. 26 Lbs.



WITH DRUMS ROLLERS BR-18R 31"L-188 4 "W-18"H Ship. Wt. 29 Lbs.

Four 2" Semi-saces mollers for position-

ing drum and manually rotating for



WITH CASTERS BR-18C 31"L-1814 "W 18"H Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS BR-18CR 31"L-1814"W-18"H Ship. Wt. 31 Lbs.

Casters: All Models—3" Semi-Steel-2 Swivels and 3" Semi-Steel Wheels.





LBR-909 Low Drum Truck LBR-909H (Unit with Hinged Handle)

800 LBS, CAPACITY HARD RUBBER WHEELS

 $25\,\%$  " wide opening, 31" wide overall, 33" high, 1 ½ " low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel

STEEL TUBULAR T HANDLE WITH LOW frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.



DT-25-R

#### **DRUM DOLLY TRUCKS** CAPACITY 2000 LBS. **SEMI-STEEL CASTERS** CAPACITY 1500 LBS. HARD RUBBER CASTERS

For transporting 55 gallon drum or other container for lubrication, salvents, coolants, painting or deaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5 1/4" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	
FINISH:	Orange Enamel
CASTERS	

	DT-25-S	5" x 1% " Semi-Steel Wheel	63 Ship. Wt.
•	DT-25-R	5" x 1 ½ " Hard Rubber Wheel	60 Ship, Wt.

#### **HI-DRUM & CAN DOLLIES**

900 LBS. CAPACITY—SEMI-STEEL WHEELS 700 LBS. CAPACITY—HARD RUBBER WHEELS



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-toflow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY. USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size ...3" x 1 ¼ "

Height

10%

19 %

Top

24

191





71 w/drum

Ship, Wt

#### **#235 VERTICAL** DRUM LIFTER


U.S. PATENT No. 2,764,447



FOR OPEN or CLOSED DRUMS

**USED WITH** Fork Trucks

Chain Falls



2000 LBS, CAPACITY

- QUICK—Lifter attached and removed in seconds.
- SAFE—Fost turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- VERSATILE—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- LIGHT—Weighs only 32 pounds. One man can handle with ease.
- ADJUSTABLE—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, battered or lopsided.
- STACKS—and tiers drums vertically in close quarters.
- RUGGED—All welded construction.
- FINISH: Orange Engmel

Ship, Wt. 32 Lbs.

### #80 DRUM UP-ENDER


Bettem

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP, WT. ..... 12 lbs. FINISH: ..... Orange Enamel




Gallon Drum

**ALL-WELDED CONSTRUCTION Rugged and Compact** 

#### **#84 SLING TYPE DRUM LIFTER**

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

FINISH: ..... Orange Enamel







Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#### **DRUM STORAGE RACKS**

2500 LB. CAPACITY

ì	85	leg	180 Ship, Wt,
	85C	Costers	198 Shin, We





All welded with large sturdy 6" x 2" semi-steel wheels for easy partability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist, 30"W x 60"L x 54"H--FINISH: Orange Enamel.

#### **#VH-100 DRUM LIFTER** 1000 LBS. CAPACITY


LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE

Vertical





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.




Easily, Quickly, Safely Attached Holds Rigidly—Even When Load Sways Positive Grip-Cannot Slide -Holds Load Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: ... 16" minimum to 40" maximum—
OVERALL LENGTH: ... 43"—WIDTH: ... 4"

#### **DRUM STORAGE RACKS**



**DS-4** 

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require ancharing to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row-
- Pads on bottom of legs protect floors.

Also Designed for special requirements.

FINISH: Orange Enamel

DS-4 4 Drums 90..M 34 "D 46"H 120 Ship. W1

#### **VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT**

CAPACITY 1500 LBS. PER UNIT. SAVES TIME—SPACE—MONEY


- ALL Welded Construction.
- RUGGED—Completely Assembled—No Bolting— Ready For Immediate Use.
- STACKS Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
   4-WAY Access by Fork Lifts.
- UNIT Easily Handled-
- EASY Drum Draw Off-Drums and Storage Area Easily Kept Clean.

• DRUM Inventory Simply Maintained.
DIMENSIONS: O.A.H. = 12½"; W = 44½"; Depth 30". Floor Clearance = 31/2". Finish: Orange Enomel.

Ship. Wt. 84 Lbs.



**VDU-10** 




**CAN BE EASILY** HANDLED FROM FRONT, **BACK OR EITHER SIDE** WITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING

#### FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

#### **Method of Attachment**

Set unit on floor: brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and fightens crank handles. Ready for use.

#### **Method of Detachment**

Drop forks to flower until unit sits on 4 pins. Loosen crank handles. Back off fark truck. Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel



### All Welded Construction Designed for Heavy Usage

**PATENTS** U.S. No. 3,434,612


**ROTO-TILTS** 

CAPACITY 1000 LBS.

**CANADIAN NO. 887501** 

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trafley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc-operator maintains easy and positive control,



NO. 350—FOR FLOOR OVERHEAD DUMPING DUMPING CONTROLLED AT FLOOR REDUCTION 6 TO 1.

**WORM GEAR DRIVE HOLDS POURING** LOAD IN ANY POSITION-

160 Trolley with 160° Dumping Angle— Standard Trolley with 130° Dumping Angle FLOOR DUMPING MODELS

Model	A	В	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"+30"	15"	55 Gal.	65
351	53"	34"	32"-27 15 "	15"	30 Gal.	64

#### **OVERHEAD DUMPING MODEL NO. 500** OVERALL DIMENSIONS ...... From Lifting Loop to Toe Plate ..... 62"H From Front to Back ...... 35"D Width at widest point ......10" CONTAINER CLAMPING RANGE ...... 30" min. to 36" max. for 55 Gal. Drums DUMPING ANGLE ...... 130 degrees Ship. Wt. 98 Lbs. Finish: Orange Enamel

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.

### **FORK SWIVEL HOIST HOOKS**

With Safety Latch



(SINGLE) 3000 LBS. (DOUBLE) 4200 LBS. **WORKING CAPACITY** 



No. 210 DOUBLE FORK SWIVEL HOIST HOOK

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Reoved just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20 ¼ ". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Medel	Opening Size for Truck Fork	Ship, Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50



#### **GAS WELDING BENCH**

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.





GW-3636

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH: GW-3636 (Without Drawer Unit)	Green Enamel
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.



#### ARC WELDING BENCH

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS	Green Formal
I AW-3030 (Without Drawer Unit)	Ship Wt 125 lbs
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.
	*

#### **ARC WELDING BENCH WITH SHIELDS**

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields

Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

OVERALL DIMENSIONS . 36"Wx36"Dx68"H FINISH: ..... Green Enamel DRAWER 1416-1 ..... Furnished with unit AW-3636-WS With 5"Wx18"L See-Thru Shield Opening (3 Openings) Ship. Wt. 180 Lbs.


AW-3636-S With Solid Shields Ship. Wt. 175 Lbs.



AW-3636-WS

#### **CASTER CORNER SHOES**

**ALL WELDED CONSTRUCTION** 



Ideal for making wood pallets or boxes portable at low cost. Shoes slide under corners. May be bolted, screwed or nailed on permanently. For maving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting. FINISH: Green Enamel.

Model	Capacity per Set	Ship. Wr.	Costers
CS-3S	1200 Lbs	17	3" x 1 ¼ " Semi-steel Wheels
<u>C</u> 5-3R	1000 Lbs.	15	3" x 1 4" Hard Rubber Wheels




An extremely rugged Rock to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware.

Construction of double channel reinforced shelf.





3000 LBS. CAPACITY

**HEAVY DUTY** SHELF DIE RACKS


DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x 1/6" Angle Iron—"X" BRACES . . . 1" x 1/8" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt,
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
<u>S-</u> 18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt.
5-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship, Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

#### EXTRA HEAVY DUTY **DIE STORAGE RACKS**

#### 1000 LBS. CAPACITY PER SHELF **ALL WELDED CONSTRUCTION**



May be used as individual units or bolted in rows.

Pads on bottom of legs protect floors. Shipped set-up.

65" overall height, six 12 gauge shelves — 10" dearance between shelves; posts 144" x 1¾" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.

Finish: Green Enamel

PE-1830

Model	W	ι	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

Model VB-3684

**VERTICAL BAR RACK** 

3000 LBS. CAPACITY

Finish: Green Enamel

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded—1 15" x 16" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves -bottom 6", top 6%", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Ship. Wt. 110 Lbs.



#### PORTABLE RACK-U-FRAME

U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 



#### \*\*\*\*PORTABLE TWIN **RACK-U-FRAME MODULES**

5000 LBS, CAPACITY U. S. PATENT NO. 3,581,907 CANADIAN PATENT NO. 930334

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses—Only 25 Pounds—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes-Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.

- eath Finis
- Rugged Steel Co
- Heavy Uses



- Formed for Strength and Stacking Tie
- Carrying Handle for Strength and Conve
- Stops Prevent Upright Spread



CARRY HEAVY LOADS EVENLY DISTRIBUTED

2 Stocked High Corrying Tubing or 6 Feet Language - 4000 Pounds


ng on 20 Foot Lengths— 20,000 Pounds.



(B) 17 ½ " High (C) 5" Wide Bottom Channel **INSIDE DIMENSIONS** 

(D) 17" Wide Bottom

(E) 23" Wide Top (F) 151/2" High Upright



Placed in an exemply of 16 Rack-U-Frames holds the massive load of 20,000 Lbs. 400 Lbs. of Rock-U-Frames hold 20,000 Lbs. THIS IS STORAGE AT LOWEST COST, AND QUICKLY INSTABLED.

Easily disassembled-Stored in Little Space Until Next Use.

RUF-251 Portuble Rack-U-Frame Ship, Wt. 25 15s. Finish: Orange Enamel

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehause and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

#### PORTABLE TWIN RACK-U-FRAME MODULE—Finish: Orange Enumel

RUF-262	24" O.A.L.	65 Ship, Wt,
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48 O.A.L.	76 Ship. Wt.




(A) 25" Wide

(B) 17 1/2 " High

(C) 5" Wide Bottom Channel

(G) 24"; 36"; 48" as Required



INSIDE DIMENSIONS

(D) 17" Wide Bottom (E) 23" Wide Top

(F) 151/2" High Upright



RUF-264

HANDLING MODULES ON WORK SITE









#### SPECIALS DESIGNED FOR CUSTOMERS NEEDS



#### **OUTSIDE DIMENSIONS**

(A) 32" Wide

(B) 31" High

(C) 5" Wide Bottom

Channel 3 ¼ " High


(G) 44" Long

**INSIDE DIMENSIONS** 

(D) 24" Wide Bottom (E) 29 ½ " Wide Top

(F) 28" High Upright

RUF-244 44" O.A.L. 105 Ship. Wt.



#### STACKING RACK UNITS

ALL WELDED CONSTRUCTION

#### STACKING RACK UNITS

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 2½" square tubing.

Ship Wt. SRU-232 24 32 58 SRU-242 24 42 64 SRU-248 24 48 67 SRU-332 30′ 32 62 SRU-342 30 424 '66 SRU-348 30

### **OUTSIDE DIMENSIONS**

(A) 29" or 35" Wide

(B) 30" High


(C) 37"; 47" or 53" Long

#### INSIDE DIMENSIONS

(D) 24" or 30" Wide

(E) 32"; 42" or 48" Long

(F) 2312", High



# 24 Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



# izzlu SPECIALS

### **SERVING INDUSTRY FOR 29 YEARS**

#### SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this and the preceding page. Send us your requirements so we may submit design and quotation for your approval.


Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.




**BOX TRUCK** W/LID





BENCH (MEDIUM DUTY)






MOLDING BENCH INSERT









PORTABLE **WORK STATION** 




PANEL-END WORK BENCH

#### WHEN ORDERING SPECIAL **GRIZZLY EQUIPMENT USE** THIS SUGGESTED OUTLINE

- GENERAL DESCRIPTION: Truck, Dolly,
- GENERAL DESIGN: Type of shelf; flat or
- CAPACITY: Load-Pounds: Entire unit, per
- caster, per shelf.
  QUANTITY: Could substantially determine pricing.
- SPECIAL DESIGN FEATURES: Your own ideas of how unit should be constructed.
- FINISH: Standard Colors: Green, Vista 7 FINISM: Standard Colors, Creen, Green, Gray, Beige or Orange Enamel.

# ERPRISES, INC.





# SERVING INDUSTRY FOR 30 YEARS MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

**Highest Quality at Low Cost** 

- The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.\*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

\*A few catalog items are KD.

Grizzly. GUARANTEE All Grizzly Equipment is fully guaranteed in accordance with to be manufactured in and specifications to be manufactured in and specifications to be manufactured in and specifications to be manufactured in an an accordance of plant and in specifications our catalog our plant an how. In specification of the plant of ever, we cannot be held responsible abuse by user beyond normal usage. auuse by user beyond normal usage.

This is your guarantee of a product of highest quality. 

GRIZZLY renders long term satisfactory service. You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



MOVE



#### **ALPHABETICAL INDEX**

#### **NUMERICAL INDEX**

EQUIPMENT	Page No.	Page No.	Page No.	Page No.
Belletiere		HOOK, FORK CRANE,	ABL-22 TO ABL-5822	PT-2448 TO PT-3496
BENCHES Arc Welding	27	ATTACHMENT	AD-23-S, AD-23-R	PTC-48S, PTC-48R
Arc Welding, w/Shields			AW-3636-WS 27	PUB-24SW, PUB-24RW ,
Gas Welding		PIGEON HOLE BIN UNITS 22	B-213, BC-21311	R-36, R-48, R—60, R-72, R-96 14
Tool Cabinet	12	RACKS	B-2448 TO B-3412014	ROBT-36, ROBT-48
Brucure Work		Die, Shelf, Heavy Duty 27	BC-1, BC-1C3, BC-1C517	RODT-42, RODT-60
BENCHES, WORK Accessories	15	Rack, Stacking Units	BD-2448 TO BD-3412014	RUF-251, RUF-244, RUF-262, RUF-263, RUF-26428
Cobinet, Base		Rack-U-frame, Portable28	BL-22, BL-28, BL-34, BL-46, BL-5815	S-30-DT-3 TO S-48-DT-3
Cabinet, w/Sliding Door		Rack-U-Frame, Partable,	BP-36S, BP-36R	SBT-367222
Cabinet Unit,,		Twin Modules28	BRT-48, BRT-60, BRT-72	SC-3182 TO 6CF-5243 10
Orawer Units		Storage, Die,	BS-2448 TO BS-34120	SER-101SW, SER-101RW
Drawer Unit, Heavy		Extra Heavy Duty27	BSC-36756	SH-36 TO 5H-144
Drawer Unit, Multiple		Vertical Bar27	BSD-2448 TO BSD-3412014	St-18, St-24 4
Hord Maple Tops		SHOES, CASTER CORNER25	BSDD-2448 TO BSDD-3496 14	SLPT-2448 TO SLPT-3660 6 SPT-2842
legs		·	BT-2436, BT-3036, BT-2448,	SRU-232, SRU-242, SRU-248,
Legs, Adjustable		SPECIALS	BT-3048	SRU-332, SRU-342, SRU-34828
Portable, Cabinet	13	Outside Back Cover	CB-2860-S TO CD8-3072-W19	SS-48, SS-60, SS-72
Portable Maintenance Center		STANDS	CF-2830, CF-2835, CF-3630,	ST TO K3DC
Portable, Tool Cabinet,		Machine Cabinet	CF-3635	ST36 TO ST12015
Risers		Tool, Extra Heavy Duty	CM-2830, CM-2835, CM-3630,	T-213 TO TEC-313
Tops, Pressed Wood		Tool, Heavy Duty11	CM-3635	TA-249
1003, 110300 11000		•	CRA-60, CRA-964	TDC-30, TDC-60
CABINETS		TABLES	CS-2860 TO CW-3072-SD	TH-14, TH-14C
Bose	17	Hopper	CS-3S, CS-3R	TPH-24
Door		Lift Tap, Hydraulic	CST-24	TT-1830-6 TO TT-3048-12
Drawer		Marking, Partable11	CT-3635	UC-2432, UC-2442, UC-2452 9
Machine Floor		Mij	CT—60	UT-2432, UT-2442, UT-2452 9
Portable Door		Utility 12	CU-18, CU-36, CUK-18, CUK-3616	VB-3684 27
Storage, Book Shelf		TRUCK	DBU-3072-W, DBU-2872-S18	VDU-10
Storage, Extra Heavy Duty		TRUCKS Bar and Rod	DC1, DC-1C3, DC-1C5	VH-100
Storage, Wardrobe		Beverage, Premium, 2 Wheel5	DFT-60, DFT-60C21	W-2448 TO W-3614415
Tool Drawer		Bin, Storage	DR-1842, DR-2448	WPT-2448-SW TO WPT-RE-3460-RW
Tool, Heavy Duty	6	Box	DS-4, DS-6	WSC-36726
CARTS		Box, Roll-Over	DT-25-S, DT-25-R	YZ-75, YZ-100
Hand, Tote-All	9	Cradle	EBR-18, EBR-18C, EBR-18R,	3SC-30, 3SC-36, 3SC-48, 3SC-60
Mij Box		Double End, Heavy Duty	EBR-18CR	3\$T-2448 TO 3\$T-34727
Stock		Drawer, Cabinet, Portable	EDB-3048 TO EDB-3072 17	6 19
Stock, Five Shelf	10	Prum Dolly	EOS-3, EOS-617	15
Stock, Hi-Ladder		Garment	EST-44	18-D-30 TO 24-D-60
Stock, Ladder		Hand Dump7	ET-2448-2 TO ET-3472-3	18-PTD-30 TO 24-PTD-60
Stock, 3/Sided		Hand Dump, Roll-Over	EWB-3048 TO EWB-3072	18-TRE-30 TO 30-TRE-60
Stock, Tray		Hand, Tote-All	EWS-3048 TO EWS-3072 16 F-2448 TO F-34120	24, 25, 26, 210
CASTERS, GRIZZLY EQUIPMI		Hand, Tote Pan9	FD-2448 TO FD-34120	59
	ck Cover	Hand, 2 Wheel, All Purpose 5	FS-2448 TO FS-34120	71, 73 24
DESKS	2CK COVC.	Low Drum	FSD-2448 TO FSD-3412014	75 TO 83-G\$ . 23
Shop Cabinet	20	Lumber Servicing	FTC-36	80
Standing Shop		Platform, Laminated Maple	GT-72, GT-72-SD8	84 24
DOLLIES		Platform, Semi-Live	GW-2448 TO GW-36144	85, 85C . 24 89, 90, 91, 92, 93, 96, 98,
Steel, w/Removable Handle	11	Platform, Steel	GW-3636	100
DRUMS		Platform, 3/Sided	H-2024-1	235
Cradles	23	Platform, Tote-All 9	HDSC-3648-2, HDSC-3660-3,	300, 311
Cradles, Ezy-Down		Sheet & Panel 6	HDSC-3672-4 6	350, 351, 500 25
Dollies, Can,		Shelf, Divided         8           Shelf, Enclosed         8	HDT-42, HDT-60	1036, 1236, 1436, 1836
Dollies, Hi-Drum & Can		Shelf, Sliding	HDTC-2442	1416-1 TO 2024-4
Dolly, Adjustable		Shop, Extra Heavy Duty 4	HLΠ-36-1, HLΠ-36-28	1830-2 TO 2460-3
Lifter, Vertical		Shop, Heavy Duty	H\$-2448-2 TO H\$-3472-3	1830-DT-2 TO 3060-DT-3 4 2036, 2136, 2236, 3036, 3136
Lifter, VHVertical-Harizontal		Shop, Slat-Top, Heavy Duty 4	L-1828, L-1836, L-2436, L-2448 10	3236
Lifters, Dumpers, Roto-Tilt		Shop, Step Ladder Attachment 4	LBR-909, LBR-909H	2421, 4021, 4242, 7242 22
Storage Racks		Side, Open	LT-20-R, LT-20-S, LT-20-78R, LT-20-78S	2448 TO 3496 15
Up-Ender		Single End, Heavy Duty	MT-2448-2 TO MT-3072-3 11	
Unit, Vertical Stacking, Portable	25	Stack, Cage .7	MTC-60S, MTC-60R	
ELECTRICAL OUTLET STRIPS.	16	Stock, Sheet-Bar . 4 Tray, Shop 9	OFB-60, OFB-84	
		пау, эпор	OST-39	
/ HANDLE, JACK HOOKS, FORK, SWIVEL HOIS		WORK STATIONS	PC-36S, PC-36R, PC-48S, PC-48R 13	
HOOKS, FORK, SWIVEL HOIS	ai,25	WORK STATIONS 16, 17	PDC-26S, PDC-36R	

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL. PLEASE SPECIFY WHEN ORDERING.





## **SERVING INDUSTRY FOR 30 YEARS**

### SALES—TERMS AND CONDITIONS

- 1) ORDERING: All orders, including phone orders, must be confirmed in writing.

  Your written purchase order should specify each item by number, description, and finish color.
- 2) PRICES: All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
  We reserve the right to invoice at the prices prevailing at the time of shipment.
- 3) SPECIFICATIONS: Specifications are subject to change without notice.
- 4) ROUTING: Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
  - When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.
- 5) PACKAGING: All items are packaged for domestic shipment. Additional charge will be made for special packaging.
- 6) DAMAGED GOODS: When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.
- 7) RETURNED GOODS: All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.
- 8) CHANGES AND CANCELLATIONS: Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.
- 9) CORRECTIONS: Stenographic, clerical errors, and any other errors, are subject to correction.
- 10) DELAYS: All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.
- 11) TERMS: All prices are NET—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: \$50.00 NET, plus shipping charges.

12) These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 6, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS
2200 LBS. CAPACITY—6" HARD RUBBER CASTERS



#### LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS, CAPACITY—SEMI-STEEL CASTERS

1400 LBS. CAPACITY - SOFT RUBBER CASTERS

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS 2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS

PT-2860

48"

48

49"

60

60

60

72

w

24"

28

34"

24

28

34

24

Madel

PT-2448

PT-2848

PT-3448

PT-2460

PT-2860

PT-3460

PT-2472

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform

Casters: 2 swivel and 2 rigid, 6" x 2" 2 swivel and 2 rigid, 8" x 2"

#### Finish: Green Enamel

Model	w	l.	Ship. Wi.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	P6"	170
PT-3496	34"	96"	191
Extra Handle	10		
Extra Handle	Sockets W	elded on Truck	4

9% " from floor.

Soft Rubber Available on Request

#### W

Model	w	l.	Ship. Wi.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	P6"	170
PT-3496	34"	96"	191
Extra Handle	10		
Extra Handle	Sockets W	elded on Truck	4

#### **DOLLY PLATFORM TRUCKS**

110

118

130


121

131

144

133

1500 LBS CAPACITY - SEMI-STEEL CASTERS 1500 LBS CAPACITY—HARD RUBBER CASTERS



ALL WELDED CONSTRUCTION REMOVABLE TUBULAR HANDLE LOW DECK-5 % " FROM FLOOR Handle Overall Height—36"

Finish: Green Enamel

Casters: 2 swivel and 2 rigid, 4" x 1 1/5"

24-PTD-60

Model	w	ι	Ship. ₩1.
18-PTD-30	18"	30	50
18-PTD-36	18 '	36	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60"	80
24-PTD-30	. 24"	30"	56

					charge,
with	h 2" de	ep fla	nges u	ip on d	all sides.
_					

Model	w		Ship. Wt.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle 1	Bars Inclu	des Sockets	10
Extra Handle	Sockets W	elded on Truck	4

#### **HEAVY DUTY SINGLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on battom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4", 2 swivel and 2 rigid casters.

Wheels: Semi-Steel 5" x 1%" Hard Rubber 5" x 1 1/2

> Overall Height-36" Finish: Green Enamel


Truck Floor Lock — Flat Bottom Shelf - Available at Additional Charge.

Model	w	ı	Ship. Wr.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48	122
18-TR-60	18"	۴0	140
24-TR-30	24"	30	110
24-TR-36	24"	36"	120

Model	_ w	ι	Ship. Wt.
24-TR-48	24"	48	140
24-TR-60	24"	60"	160
30-TR-30	30"	30.,	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
20-19-40	70"	40"	194

#### Wheels:

6" x 2" Soft Rubber ó" x 2" Semi-Steel 2 Swivel and 2 Rigid Self lube bearing wheels



WPT-RE-2448-RW

WPT-RE series have angle frame for side

protection. Size angle—1½" x 1½" x ½" WPT Series have no frame.

With 1 1/2" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle. Deck bottom reinforced with 2-6" x 1" Maple Battens for caster attachment.

Finish: Platform-Clear Lacquered: Steel Work-Green Enamel

<u></u>	1		1	w/Stee	l frame	w/o Ste	el frome
Model	w	Ship.	Steel Wheel	Rubber Wheel	Steel Wheel	Rubber Wheel	
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				Х
WPT-RE-2448-\$W	24"	48"	127	X	,		
WPT-RE-2448-RW	24"	48"	123		×	۰	
WPT-2460-SW	24"	60"	126			*	
WPT-2460-RW	24	60"	122				X
WPT-RE-2460-SW	24"	60"	136	Т х			
WPT-RE-2460-RW	24"	60"	132		×		
WPT-3448-SW	34"	48"	137			x	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-5W	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		х		
WPT-3460-SW	34"	60"	155			X	i
WPT-3460-RW	34"	60"	151	1			×
WPT-RE-3460-5W	34"	60"	175	X			
WPT-RE-3460-RW	34"	60	171	1	х		
Extra Handles & Soc	kets		<u> </u>		"		

#### **HEAVY DUTY DOUBLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY-HARD RUBBER CASTERS

All welded for widest variety of uses with 1-3/4"  $\times$  1-3/4"  $\times$ 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Finish: Green Enamel

Overall Height—36"

Semi-Steel 5" x 1% " Hard Rubber 5" x 1 1/2"

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

Model	w	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	<b>60</b> ''	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130



Ship. Wt. Model 24-TRE-48 24 48. 150 24-TRE-60 24 60 170 30-TRE-30 30 30 136 146 30-TRE-36 36 30 30. 48 171 30-TRE-48 30-TRE-60 30

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### SHOP TRUCKS—HEAVY DUTY

ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Troy shelves 2'

deep. All sizes 32 1/2" high, Clearance between shelves on 3-shelf model -- 10 % '; 2-shelf model -- 22 % ". Floor Clearance-6 14".

Sturdy 12-gauge shelves with tubular push handle;

1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for contralled maneuverability. Finish: Green Enamel



2436-DT-3

Optional writing

shelf attachment.

GRIZZLY Drawer Units can be added. See Page 16.

Wheels:

Semi-Steel 5" x 1%" Hard Rubber 5" x 1 1/2"

Truck Floor Lock—Flat Bottom Shelf - Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 10). SHIPPING WT. 10 Lbs.

Model	Shelves	₩	Ĺ	Ship. Wt.
1830-DT-2	2	18	30"	93
2430-DT-2		24	30"	105
3030-DT-2		30"	30~	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24	30 .	134
3030-DT-3	·	<b>3</b> 0°	30"	152
1836-DT-2	2	18	36	100
2436-DT-2		24"	36"	115
3036-D1-2		30	36"	130
1836-DT-3	3	18	36"	128
2436-DT-3		24	36"	150
3036-DT-3		30	361	172

Model	Shelves	*	L	Ship. Wt.
1848-DT-2	2	18"	48"_	116
2448-DT-2		24"	48"	135
3048-DT-2		30	48"	154
1848-DT-3	3	18"	48"	152
2448-D1-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18	60″	135
2460-DT-2		24	60	155
3060-DT-2		30"	60	177
1860-DT-3	3	18	60.	180
2460-DT-3	}	24	60″	210
3060-D1-3	ŀ	30"	60	242


#### EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY-SEMI-STEEL CASTERS 4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS ALL WELDED CONSTRUCTION

For moving heavy parts or large tote boxes and shearings to and presses and other aperations. Flat top for easy stiding of lærge dies, molds and castings on or off sep. Heavy and large

structures can be fiabricated on truck.

With tubular push handle. Finish: Green Enamel



ET-2460-2

Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels

Truck Floor Lock - Available at Additional Charge.

	All Models 36" High	Model	8	L	Ship. Wt.
	10" Floor Clearance	ET-2448-2	24"	48"	220
		ET-2460-2	24"	8	240
		ET-2472-2	24~	72"	260
	21 clearance	E1-2848-2	28"	48	230
	between	ET-2860-2	28"	60"	255
	shelves	£1-2872-2	28"	72"	280
		E1-3448-2	34"	48 "	256
	:	ET-3460-2	34"	60"	286
		ET-3472-2	341	72	316
~	9%	ET-2448-3	24"	48"	275
		ET-2460-3	24"	60	305
		ET-2472-3	24"	72	335
		ET-2848-3	28.	48	290
	between	ET-2860-3	28"	60″	325
	shelves	ET-2872-3	28"	72"	365
		ET-3448-3	34"	48"	325
		ET-3460-3	34"	60	370
		ET-3472-3	34	72"	415



2000 LBS. CAPACITY—SEMI-STEEL CASTERS

1500 LBS. CAPACITY-HARD RUBBER CASTERS

ALL WELDED CONSTRUCTION

Medel	Shelves	W	L	Ship, Wt.
\$-30-D1-2	2	24"	30	117
\$-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
5-48-DT-2	2	24"	48	150
\$-48-DT-3	3	24"	48"	196

Casters: 2 swivel, 2 rigid Semi-Steel Wheels 5" x 1%"

Hard Rubber Wheels 5" x 1 ½ " Truck Floor Lock—Flat Battom Shelf - Available at Additional Charge.

Finish—Green Enamel



Used in shop operations, with presses, screw machines, shipping, and other equipment tems easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP-12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" opart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4"  $\times$  1-3/4"  $\times$ 3/16" angle iron posts —

#### STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

**SL-24** 

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS-ALL STEPS ADJUSTABLE-4" STEPS. 62" O.A.H.


SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

#### **ALL WELDED CONSTRUCTION** CRADLE TRUCKS 10,000 LBS. CAPACITY—STEEL WHEELS 6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled oneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling. Length—CRA-60 = 60"; CRA-96 = 96"; CRA-120 = 120"

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120 Cradle Width 231/4", Overall Width 331/4", Height 36 3/8", Depth 15"



Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3" **Ductile Iron Roller Bearing Casters** Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels Center Wheels: 16" x 3" Swivels, 10" x 21/3"

CRA-60 CRA-96

Ship. Wt. 350 Lbs. Ship, Wt. 384 Lbs. Ship. Wt. 416 Lbs.

CRA-120 Finish: Orange Enamel

#### SHEET-BAR STOCK TRUCKS

10,000 LBS. CAPACITY—STEEL WHEELS 6,000 LBS. CAPACITY-HI-CAP RUBBER WHEELS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist. ID = 30" W; OD: 33" W x 60" L for OFB-60

 $ID = 30^{\circ\prime} W_i$  OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to

OFB-60 and OFB-84).



OFB-60

Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3" Ductile Iron Roller Bearing Casters Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels Center Wheels: 16" x 3" Swivels, 10" x 21/3"

> OFB-60 Ship. Wt. 270 Lbs. OFB-84 Ship. Wt. 294 Lbs. Finish: Orange Enamel






#### **ALL PURPOSE HAND TRUCKS**

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.





Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship, W1.
89	45 % "	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Prieu	37
91	48"	14"	20"	7' x14"	500	410x3.50—4—2 Ply Pneu	40
92	48	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.5042 Ply Pneu	42
96	45"	27	32 % "	13"×25"	650	12"x3" Semi-Pneu	:57
98	43"	18"	18"	8 1/2 "x 18"	800	8x2 Maldon	- 55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58







ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

**ESPECIALLY** designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; % " floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9 ½ " wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.



			, <del>,, _,</del>						
i i	Axie	Ht. W/Case	Ht. W/O Case	Frame	Overall	Toe			! .
Model	Lgth.	Hndl, Ext.	Hndl. Ext.	Width	Width	Plate	Capacity	Wheels	Ship, Wt.
300	14%"	53 % "	46 1/2 "	9%"	15%	8%" x 10%"	650	10x2.75 Semi-Pneu	36
311	17"	53 1/5 "	46%	9%"	18"	8¼" × 10½"	500	410x3.50—4—2 Ply Pneu	35

#### **BAR AND ROD TRUCKS**

3400 LBS. CAPACITY - SEMI-STEEL CASTERS 3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS

Model		Ĺ	Ship W1.
BRT-48	36"	48*	255
BRT-60	36"	60"	275
BR1-72	36"	72"	292



#### EXTRA HEAVY DUTY STORAGE CABINETS

All Models have 1 Fixed Center Shelf, All Other Shelves Adjustable on 2" Centers. Shelf Size—18" W x 35%" L.

RUGGED—ALL WELDED CONSTRUCTION

Cabinets built for years of rugged use. Units have 16 Ga, Reinforced Shelves and Bottom, Sides—12 Ga. Doars 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle. Units shipped completely assembled and ready for use.




#### Finish: Green Enamel

Keved handle available at additional charge

HDSC-3672-4

Model	D	W	н	Shelves	Ship. Wt.
HDSC-3648-2	19"	36	. 48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19	36	. 69	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19	36	72"	4-1 Fixed, 3 Adjustable	300
Additional Shelve	s Available	8"D x 35%	1		20



Casters:

Semi-Steel Roller Bearing Wheels. x 2" 2 rigid & 2 swivel.


Hi-Cap Rubber Roller Bearing Wheels, 8" x 2' 2 rigid & 2 swivel.

Finish: Green Enamel

Truck Floor Lock Available at Additional Charge,

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.



#### SHEET AND PANEL TRUCK

2000 LBS. CAPACITY Casters: 2 Rigid and 2 Swivel 6" x 2" Hard Rubber Wheels

Ship. Wt. - 105 Lbs.

Finish: Green Enamel

28"W-42"L-49"O.A H

SPT-2842

All welded rugged construction —Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the comstruction job. End stop on the length of the deck keeps material from sliding off truck.

#### SEMI-LIVE PLATFORM TRUCKS

Ship, Wt.

90

104

100

114

112

2500 LBS. CAPACITY x 2" Hi-Cap Rubber Wheels Platform 12" from floor

> All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck-

> For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

> Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

JACK HANDLE

24

74

30

30

60

60

Madel

SLPT-2448

SLPT-2460

SLPT-3048

SLPT-3060

SLPT-3648

SLPT-3660

54 ½ " Long No. 15-Ship. Wt. 35 Lbs.

8" x 2" Hi-Cap Rubber Wheels



WSC-3672

#### WARDROBE—STORAGE CABINET

#### ALL WELDED CONSTRUCTION

Heavy Duty Cabinet has the double purpose of storage on one side and 4 fixed shelves on the other. There is a full length shelf on top for extra storage. Model fur-nished with Keyed Handle, Padlock Hasp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shell, Divider—16 Gauge Steel: Doors, Back and Half Shelves—18 Gauge Steel: Bottom-14 Gauge Steel.

**CABINET SIZE: 21"D x 36"W x 72"H** 

Finish: Green Enamel

Ship. Wt. 248 Lbs.

#### HEAVY DUTY TOOL CABINET

Large variety of uses-in warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42" Clearance between shelves—121/2

Body and Shelves—14 Gauge Steel

Top, Bottom and Door—12 Gauge Steel Finish: Green Enamel Ship. Wt. 128 Lbs.




#### **BOOK SHELF—STORAGE** CABINET

#### ALL WELDED CONSTRUCTION

Used in office, factory and shop operations. Unit has 2 fixed shelves on top for storage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Plain Handle, Keyed Handle available at additional charge.

Entire unit constructed of 16 Gauge BOOK SHELF DEPTH—12 Finish: Green Enamel Ship, Wt. 235 Lbs.



OVERALL DIMENSION of CABINET-19"Dx36"Wx75" OAH

48" High from floor to top of storage cabinet.



#### SLIDING SHELF TRUCKS

2400 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—HARD RUBBER CASTERS LARGE VOLUME CAPACITY TRUCK 2 REMOVABLE SHELVES



#### 3/SIDED PLATFORM TRUCKS

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. Ready for use.

All corners and all edges are round for safe handling without damage to other equipment.

See Thru design for visual load inspection.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials. Standard unit consists of 2 shelves and bottom.

18" Clearance Between Shelves

Prices include Two (2) Shelves, Extra Shelves Priced on Request

Casters: 6"x2"
—2 rigid and 2 swivel.

Finish: Green Enamel



Model	L	w	' н	Shelf Size	Ship, Wt.
SS-48	56"	37"	66"	36" x 48"	266 lbs.
	68"	37	66"	36" x 60"	298 lbs.
\$\$-60 \$\$-72	72'	37'	66"	36" x 72"	330 lbs.

#### **CAGE STOCK TRUCK**

CST-24

55-72

### 800 LBS. CAPACITY ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.

See-thru design for visual load inspection.

Used for drying purposes, paper stock, etc.


Overall Dimensions	241/2"Wx42"Lx62"H
Shelves	24"x36"—14 Ga. steel
Wheels	5"x1¼" Soft Rubber
	<ul> <li>2 swivel, 2 rigid</li> </ul>
Finish	Green Enamel

★ Shelves are furnished with welded clips that rest on Band Iron strips CST-24.—Ship, Wt. 135 Lbs. Additional Shelves Available at Additional Charge — Ship, Wt. 24 lbs.

# BOX TRUCKS ROLL-OVER BOX TRUCKS ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS





GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

OX TRUCKS

BOX IRUCKS						
Models W/O Lids	Ship. Wt.	w	D	L	O.A.H.	
BT-2436	95	241	24	36	30"	1
BT-3036	110	30	24"	36"	30"	1
BT-2448	115	24"	24"	48	30"	1
BT-3048	136	30"	24"	48"	30"	I

Finish: Green Enamel

Wheels:
Semi-Steel, 5"x1½"
Soft Rubber, 5"x1½"

 ROLL-OVER BOX TRUCKS
 D
 L
 O.A.H.
 Ship, Wt.

 Model
 W
 D
 L
 O.A.H.
 Ship, Wt.

 ROB1-36
 24"
 24"
 36"
 30"
 120 lbs.

 ROB1-48
 24"
 24"
 48"
 30"
 140 lbs.


Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H.
FLOOR TO DECK: 12"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Steel TUBULAR PUSH HANDLE

FINISH: Green Enamel WHEELS: 8"x2", 2 swivel, 2 rigid.

Model	W	ī	Ship. WI.
35T-2448	24	48	185
35T-2460	24	60	200
351-2472	24	72	220
351-2848	28.	48"	200
351,2860	28"	60	213



Model	w	L.	Ship. WI.
351-2872	28	72	235
351-3448	34	48	215
351-3460	34	60	235
35T-3472	341	72	258

#### 3/SIDED STOCK CARTS

### MEDIUM DUTY 1500 LBS. CAPACITY—SEMI-STEEL CASTERS

1500 LBS. CAPACITY—HARD RUBBER CASTERS
For variety of uses in factories, warehouses, offices, etc.

For variety of uses in factories, warehouses, attices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

#### ALL WELDED CONSTRUCTION

ALL	MODE	LS:
BOT	TOM	DEC
POS	TS:	
VER	TICAL	ROD
DEC	K HEI	GHT:
TUB	ULAR	PUSH

60" O.A.H. 12 Gauge Steel 1½" x ½" Angle Iron ¾" Diameter 7" from floor

TUBULAR PUSH BAR FINISH: WHEELS:

Green Enamel 4"x1½", 2 Swivel, 2 Rigid.

	•			
Model	w	ı	Ship, Wt.	
3SC-30	24"	30"	105	
3SC-36	24"	36	115	
3SC-48	24	48"	135	
350.60	24"	40	155	

#### HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



35C-30

1500 LBS. CAPACITY 4" SEMI-STEEL CASTERS 2000 LBS. CAPACITY 8" SEMI-STEEL CASTERS

RODT-42

Alt WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1 ½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charce).

Handy in machine shops, screw machine operations, production and assembly lines. RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN OPERATION.

RODT-42—Roll-Over Dump Truck

Ship. Wt.

130 Lbs.

178 Lbs.

(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)

RODT-60—Roll-Over Dump Truck Ship, Wt.

(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Тор	24"W ± 42"L	24"W x 60"L
Bottom	24"W x 29"l	24"W x 47"L
Box Depth	18"	18"
Floor to Top of Box	23"	23
Handle From Floor	36"	36"
Ship. Wt.	120 lbs.	168 Lbs.

#### **DIVIDED SHELF TRUCK**

#### 1400 LBS, CAPACITY—HARD RUBBER 'CASTERS ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stack picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242

42"L-22"W-55¾ "O.A.H.

Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance

Casters: 2 Swivel, 2 Rigid, 5"x11/2"

Finish: Green Enamel Ship. Wt.--200 Lbs.









#### **OPEN SIDE TRUCK**

800 LBS, CAPACITY—SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

#### OST-39

Overall Dimensions: 18 1/2 "W x 45"L x 50"H Shelves: 18" x 39", 18 gauge steel,

flat surface

Optional: Tray Shelves 1 ¼ " deep, same price

Clearance Between Shelves: 15' Casters: 4 swivels, 5" x 1 1/4

Push Handles: Tubular, one at each end

Finish: Green Enamel Ship, Wt. 110 Lbs.

#### **ENCLOSED SHELF TRUCK**


#### 800 LBS. CAPACITY-SOFT RUBBER CASTERS

**ALL WELDED CONSTRUCTION** 

EST-44

Overall Dimensions: 16"W x 45"L x 62"H

Shelves: 16" x 44"---20 Ga. steel 10" Clearance between Shelves



Casters: 2 swivel, 2 rigid 5" x 1 ¼ " Finish: Green Enamel Ship. Wt.-110 Lbs.

> For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slape 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.

tenance.


#### **GARMENT TRUCKS** ALL WELDED CONSTRUCTION

500 LBS. CAPACITY-SOFT RUBBER CASTERS

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.


> Dimensions the same for both GT-72 and GT-72-SD

> > 74"L-20-1/2"W-66"H Frame: 1-1/16" Tubular Steel Casters: 4 swivels, 5" x 1-1/4" Finish: Green Enamel



GT-72 Garment Truck-Ship. Wt. 55 Lbs.

> GT-72-SD Garment Truck-Ship. Wt. 70 Lbs.



#### HYDRAULIC LIFT TOP TABLES

• For moving dies, tools and parts to and from working station-production & main-


- All Arc Welded—Rugged—Portable
- Foot Operated-
- Easily adjusted to and from working height.
- · Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.

HLTT-36-1 CAPACITY 1000 LBS.



Swivel Casters..5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end. Raised Top Height......43" from Floor Top travel......12"

Model HLTT-36-2 Top.......30"W-48"L Swivel casters .5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end. Raised Top Height......43" from Floor Top Height......31" from Floor



HLTT-36-2 CAPACITY 2000 LBS.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. - CLEVELAND, OHIO 44114



#### **TOTE-ALL UTILITY CARTS TOTE-ALL PLATFORM TRUCKS**

**ALL WELDED CONSTRUCTION** 800 LBS. CAPACITY - SOFT RUBBER CASTERS



**TOTE-ALL HAND CART** 

1000 Lbs.—Semi-Steel CASTERS 800 Lbs.—Soft Rubber CASTERS

Top--15"W-28"L Cart height—20 ½ "O.A.H.

Handle: 32" Lona

SER-101-RW

Top and Bottom tray—1" deep. Legs: 1½" x 1½" x ½" Angle Iron Drawer: 14¾" D x 20¾" W x 5" H

Drawer Slides on Ball Bearing Steel Rollers

Finish: Green Enamel


All welded, rugged construction for general maintenance uses—carrying parts and tools with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments

Casters: Easy to roll with 5" x 1 14" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship. W1
SER-101-RW	w/Sol1 Rubber Wheels	56 Ship. W1

#### Finish: Green Enamel

Truck Floor Lock Available at Additional Charge



Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading

and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x1½" Soft Rubber self lube, 2 rigid and 2 swivel.

TOTE-ALL UTILITY CARTS

24" 32'

24" 42"

24" 52"

All Models: 36" O.A.H. Deck Height: 30" Shelf Clearance: 215/4" Floor Clearance: 644

UC-2432

UC-2442

UC-2452

rip Wi.	)
34	1

Model	W		Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

#### TOTE-ALL PLATFORM TRUCKS

All Models: 37" O.A.H. Deck Height: 15"

TOTE.	ΔII	HAND	TRUCK



ALL WELDED CONSTRUCTION COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK 375 LBS. CAPACITY

#### IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING **TANKS**
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23 1/2 "D, front to back. 30"W, 4 1/2 "H, --Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1 %" Hard rubber swivels. --- Finish: Green Enamel.

Model TA.24

Ship, Wr. 52 Lbs.

#### **TOTE PAN HAND TRUCK**

ALL WELDED CONSTRUCTION 375 LBS. CAPACITY

FOR: TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.



TRAY: 12"D-24"L.-CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3%" from floor.—O.A.H.—42", 22" from front to back wheel. -WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Green Enamel. Model TPH-24 Ship. Wt. 55 Lbs.

2000 LBS. CAPACITY—SEMI-STEEL CASTERS SHOP TRAY TRUCKS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

HEAVY DUTY ALL WELDED CONSTRUCTION

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

6" or 12" Deep-12 Gauge steel with 1" hemmed edges. Clearance between Top and Bottom Trays-17-3/4".

BOTTOM TRAY: 2" Deep—12 Gauge steel.

1-3/4" x 1-3/4" x 3/16" Angle Iron ALL MODELS: 36" O. A. H.

**TUBULAR PUSH BAR:** 

Floor Clearace: 6-1/4"

2 swivel 2 rigid

CASTERS:

Semi-Steel Wheels

Hard Rubber Wheels 5" x 1-1/2"

#### Truck Floor Lock—Flat Bottom Shelf – Available at Additional Charge Finish: Green Enomel

w	Ł	Tep Box Depth = 6	Ship. Wt,	Top Box Depth = 12	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	11-2430-6	128	11-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	11-2448-12	184
30	48	11-3048-6	180	TT-3048-12	208



#### TRAY STOCK CARTS

**MEDIUM DUTY** ALL WELDED CONSTRUCTION 1100 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

Finish: Green Enomel

ALL MODELS:

36" O.A.H.

CASTERS: 2 swivel 2 rigid Semi-Steel Wheels 5" x 114" 5" x 114" Soft Rubber Wheels

LEGS: 11/2" x 11/2" x 1/4" Angle Iron

Clearance between top and bottom trays—18" TSC-2436-12 TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY. BOTTOM TRAY: 6" or 12" deep-16 Gauge steel with 1/2" hemmed edges. 2½" deep—16 Gauge steel with ½" hemmed edges.

#### Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

w	ı	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95



STOCK CARTS MEDIUM DUTY 500 LBS. CAPACITY-SOFT RUBBER CASTERS 360 LBS. CAPACITY-SOFT RUBBER CASTERS



#### **FIVE SHELF STOCK CARTS**

1000 LBS. CAPACITY-SEMI-STEEL CASTERS **800 LBS. CAPACITY-**SOFT RUBBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

**Built for Years of Easy Rolling** Service


FINISH: Green Enamel

CASTERS: 2 swivel 2 rigid

Shop Trucks, Page 4)

Soft Rubber Plain Bearing Wheels—5" x 1" Soft Rubber Ball Bearing Wheels-5" x 1"

Soft Rubber Plain Bearing Wheels-3" x 13/16"



SC-5362

Shelves— Angle All Trays—:	Logi	Model	*	٠	D.A.H	Shelf Gearance	Wheels	Ship. Wt.
		SC -3182	18"	28	34"		3"	47
	All Tray	SC -5182	18:"	28"	36		5"	50
	Shelves	SC -3362	18"	36	34"	25 ¼ "	3"	53
P 2	2	SC -5362 SC -5242	18"	36	36" 36"		5"	56 66
		SC -3183	18"	28	34"		3	62
		SC -5183	18"	28	36"		5	65
	All Tray Shelves	SC -3363	18"	36"	34"	1136"	3"	70
		SC -5363	18"	36"	36		5"	73
- 1		SC -5243	24"	36″	36"		5"	88
		SCF-3182	18"	28	34"		3″	47
	Flat Surface Top Shelf	SCF-5182	18"	28	36"		5"	50
	Tray Bottom	SCF-3362	←	36	34"	25 14	3"	53
	Shelf	SCF-5362	-	36"	36"	l	5"	56
		SCF-5242	24"	36"	36"		5"	66
	Flat Surface	SCF-3183	18"	28"	34"		3"_	62
	Top Shelf	SCF-5183 SCF-3363	18"	28"	36"	11%"	5"	65
	Tray Center and	SCF-5363	18"	36"	34"	11111	3" 5"	70 73
	Bottom Shelves	SCF-5243	24"	36"	36"	ł	3	88

SCF-5363

#### HI-LADDER STOCK CARTS\*LADDER STOCK CARTS



#### ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY-HARD RUBBER CASTERS

SHELVES..... 14-Gauge steel, Tray Type-2" deep CLEARANCE BETWEEN SHELVES..... TOP OF CART.......381/4" from Floor

CASTERS: 2 Swivel, 2 Rigid 5" x 1%

S= Semi-Steel Wheels

R= Hard Rubber Wheels 5" x 1 1/2"

SIZE OF SHELVES —Top—20"×32"

-Center---20"x36" -Bottom-20"x41"

Permits work up to 10 feet HI-LADDER sigh. This truck can be used LT-20-78R for working high stockroom shelves and bins.

LT-20-R

LADDER

LADDER ..... Spring landed and adjustable STEPS: 6" wide

With adjustable lodder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from jab and shippings locations.

Ladder automatically sticles to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved. Finish. . . . . Green Enamel

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H. Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge. Top and center shelves reversed at no charge

QA-20"## x 44"Lx 78"H HI-LADDER STOCK CARTS

169 Ship, Wt. 11-20-78R 174 Ship, Wt. LT-20-78S

LADDER OA-20 "W x 44"L x 62"H STOCK CARTS

150 Ship. Wt. LT-20-R

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 11/2" x 11/2" x 1/e" angle posts, and push handle located 39 15" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 212" sides, can be reversed at no extra cost.

Floor Clearance	67."
O.A.H. with Semi-Steel Casters	58 1/4"
O.A.H. with Soft Rubber Casters	
Shelf Clearance	10"
FinishGreen I	Enamel

Casters: 2 swivel, 2 rigid Semi-Steel Wheels

5" x 1 ¼ " 5" x 1 ¼ " Soft Rubber Wheels

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	w	ι	Ship. Wt.	Mode
L-1828	18"	28"	105	L-2436
L-1836	18"	36"	119	L-2448

Model	W	l	Ship, WI.
L-2436	24"	36"	144
L-2448	24"	48~	181

L-1836

#### FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shap, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle pasts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Shelf Clearance......12" Floor Clearance......91/2" Finish......Green Enamel

Casters: 2 swivel, 2 rigid Semi-Steel Wheels Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf - Available at Additional Charge.

Model	w	7	Ship. Wt.
H-1830	18"	30	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413




H-2436

#### LUMBER SERVICING TRUCKS

#### 1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-75 for shorter items. W = 26": Depth = 24": H = 39" Floor Clearance = 7 1/2 Finish: Green Enamel Ship. Wt. = 72 Lbs.






10 Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114 PUCEL ENTERPRISES, INC

#### PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION CAPACITY 1000 LBS.—SEMI-STEEL CASTERS CAPACITY 800 LBS.—SOFT RUBBER CASTERS



30"

......All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE

1500 LBS. CAPACITY—SEMI-STEEL CASTERS

1500 LBS. CAPACITY—HARD RUBBER CASTERS

30

36

48

60

30,

36

48

60

2448-3

MT-2460-2

30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS-11/2" x 11/2" x 1/6" Angle Iron, CASTERS-5" x 11/4

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep,

floor clearance 5", with 4" x 1 ½" casters. 2 swivel and 2 rigid. Removable Handle— ½

Ship, WI.

40

52

60

45

50

60

72

184

MT-3072-3

rod-36 ½ " long.

18

18

18

18

24

24

24

24

Removable Handle Furnished with unit

Model

18-D-30

18-D-36

18-D-48

18-D-60

24-D-30

24-D-36

24-D-48

24-D-60



Designed for rugged factory

light duty truck for industrial

Top and bottom shelves are

"MIJ" BOX CARTS

300 LBS, CAPACITY-

BC-213

es a Tate Bax with a highly maneuverable cart. For stacking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and O.D.-13"W-23"L--31"H, BOX moving items in tool cribs and shipping rooms. ALL CLEARANCE BETWEEN BOX AND SHELF---117 BOTTOM SHELF-8" from floor WELDED CONSTRUCTION, Easily turned in narrow aisles, speeds up jobs, reduces work fatigue by eliminat- FINISH: Green Enamel Ship. Wr. ing manual lifting of heavy shop boxes and places parts B-213—With Floor Pads BC-213—With 21/s" Pressed Steel Costers 29 lbs at a normal work elevation.

#### HOPPER TABLES

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the slaping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are drapped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



14 ½ "W—29 ½ "L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEAR-ANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Engmel.

TH-14	With Floor Peds	37 Ship. Wt.
TH-14C	With 21/2" Pressed Steel Swivel Casters	40 Ship, Wt.



#### "MIJ" TABLES 300 LBS. CAPACITY-21/2" DIA. PRESSED STEEL OR SOFT RUBBER CASTERS FOR FASTER PRODUCTION LINE NEEDS

### Rugged—Compact— High Quality at Low Cost

ALL MODELS.13" wide x 23" long. SHELVES..... 16 Gauge Steel LEGS. . . . Structural Angle

Caster Models - 21/2"

Pressed Steel or Rubber

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds

tote boxes at the right height for rapid handling, less fatigure for operator. Casters move table to tate pan, little effort required to place pan on table and move to next operation. Back and side stops and drap front on

Finish: Green Enamel

	Overall Height	Ship WI.
TC-213_	231/2"	22
TEC-213	30 1/2"	24
TC-313	231/5"	28
TEC-313	30 1/2"	30



#### 213 Series Top and Battem

313 Series

!	Medels With Fleer	rads Welded to L	191
	Height of Top Shelf	Shelf Clearance	Ship, Wt,
T -213	24"	16"	21
TE-213	317	21"	23
1 -313	24"	716	27
TE-313	31"	10"	29



ALL WELDED CONSTRUCTION Floor clearance 6 ¼ " Pads on bottom of legs protect floors.

Top reversed on request at

Finish: Green Ename!


no extra cost.

18-D-30

Finish: Green Enamel ALL MODELS ....... 32-1/2" O.A.H.

SHELVES ..... 12 Gauge Steel LEGS ..... 1-3/4" x 3/16" Angle Iron

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.




### EXTRA HEAVY DUTY TOOL STANDS 3000 LBS. CAPACITY

for handling long lengths of sheet metal. Placed be side shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS ALL WELDED CONSTRUCTION \* ALL SHELVES FLAT SURFACES
Finish: Green Enamel

ALL MODELS......36" High SHELVES.....12 Gauge Steel LEGS.....2"x2"x3/16" Angle

Model	w	t	Ship, W1.
H\$-2448-2	24"	48"	135
HS-2460-2	24"	ģ	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	4	145
HS-2860-2	28″	ŝ	170
HS-2872-2	28	72"	195
HS-3448-2	34"	48	165
HS-3460-2	34"	60	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48′	185
HS-2460-3	24"	60"	215
MS-2472-3	24"	72"	245
HS-2848-3	28"	48	205
H5-2860-3	28"	80	240
HS-2872-3	28	72	275
H5-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335



Clearance from floo to bottom shelf ... 8'

HS-2460-2





Clearance from floor to bottom shelf ... B' Clearacne between

HS-2872-3 W/3 Shelves



#### UTILITY TABLES

500 LBS. CAPACITY—5" Soft Rubber CASTERS 300 LBS. CAPACITY—2½" Dia. Pressed Steel CASTERS Or Soft Rubber CASTERS



TOOL CABINET BENCHES ALL WELDED-READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.


Additional shelves must be welded in place, if installed at factory please specify spacing. Shelves can not be adjusted. Benches with Grizzly Drawers and Casters quoted on request.

taper to 1 ½ " front O.A.H. 37"











Model	н	w	D	w	helf L	No. Shelves	No. Doors	Ship, Wt.
C-1824	34"	24	19	18	. 23 %	2	1	112
C-1824-K	Keyed Ha	ndle in Door	(2 Keys)	Ī				
C-1836	34"	36	19"	18	x 35 ¾	1	2	140
C-1836-K	Keyed Ha	ndle in Door	(2 Keys)					
C-1648	34"	48	19"	18	x 47 ¾	1	2	166
C-1848-K	Keyed Ho	ndle in Door	(2 Keys)					
C-2436	34"	36	25	24	x 35 ¾	1	2	160
C-2436-K	Keyed Ha	ndle in Door	(2 Keys)					
C-2448	34"	48	25	24	x 47%	1	2	190
C-2448-K	Keyed Ho	indle in Door	(2 Keys)	1	_			

OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS,

#### PORTABLE TOOL CABINET WORK BENCHES

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY-MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION. for machine ALL WELDED CONSTRUCTION, for mochine operators, production and maintenance workers, repairmen, etc. Furnished with a nine Drawer Cabinet, which provides much storage of tools, ports and other items. Sides and bock stop prevent objects from rolling off top. Equipped with Keyed Handle on doors.

terupped with Keyed Handle on doors.

CASTERS: 2 rigid and 2 swivel, 8" x 2"

Dimensions: Size of top—26" x 48"; Height—37\%" to work surface; 3" back stop; Overoll Height—40\%"; Total Overall Length—63"; Vise Shelf-1-12" x 25" (Vise Shelf standard on all models); Storage Cabiner Size: Top Comportment—21" w x 23\%" d x 10"h, Battom Comportment—21" w x 23\%" d x 15"h.

Finish- Green Frame



Vise Available Upon Request.	Vise	Available	Upon	Request.
------------------------------	------	-----------	------	----------

PTC-4BS	Semi-Steel Wheels 8"x2"	348 Ship Wi
PTC-48R	Moldon Rubber Wheels 8"x2"	345 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt
	With 3/16" Steel Plate Top	67 Ship W1.

#### PORTABLE MAINTENANCE CENTER **WORK BENCHES**

4000 LBS. CAPACITY-SEMI-STEEL CASTERS 4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS ALL WELDED CONSTRUCTION

For maintenance workers, mill wrights, electricions, repairmen and other spot workers.

Bench furnished with 2 nine drawer tool cabinets to pro-

vide large storage place for tools and parts and especially eliminates atherwise necessary trips to another work bench and stock room.

CASTERS: 2 rigid and 2 swivel, 8" x 21/5" Dimensions' Size of top—28" x 60". Overall Height—30'." (includes 3/16" steel plate top, Total Overall Length—64's'". Top four Comportments—11" x 14"d x 10"h, Battom Shelf (Open at both ends) 23"w x

Model turnished with Keyed Handles on Tool Cabinets and Comportment Doors. Vise is available upon request. Finish: 2 Nine Drawer Cabinets—Red Ename All Other Metal Parts—Gray Enamel

١	MTC-60S	Semi-Steel Wheels 8"x2%"	696 Ship Wt.
	MTC-60R	Hi-Cap Rubber Wheels B"x2½"	688 Ship Wt.
	Floor Tru	ck Lock at Additional Charge	5 Ship Wt.

All welded construction, handle heavy loads of tools, parts and other items for production rarkers, machine operators, and repairmen on assembly lines beside machines, in garages,

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.







SHELVES

5 Models: 16 Gauge—H-L-K Models: 14 Gauge

ANGLE LEGS

\$ Models: 1¼"x1/8"—H-L-K Models: 1½" x 1/8"

DRAWER SIZE (D) 14"W-16"L-5"D

FINISH: Green Enamel

Cylinder Lock Available at Additional Charge

300 13	fio		High Ov Is Welde	rerall 34 ed to Legs		rall With Casters wivels
	w	ι	Model	Ship. Wt.	Madel	Ship. Wt.
<u> </u>	19	25	51	32	sc	35
	23	24	нт	43	нс	46
	20	28	1;	44	ιc	47
With Top and Bottom Shahes	24	36	ΚŤ	60	кс	63
/ \	19	25	53	42	SC3	45
$\searrow$ $\checkmark$	23	24	нз	57	нсз	60
With Top, Barron	20	28	13	59	1C3	62
and Conner Shelver	24"	36	К3	83	ксз	86
<u> </u>	19	25	503	57	\$D3C	တ
	23	24	HD3	69	нрас	72
With Top, Burton and Contar	20	28	103	71	rD3C	74
Shelves and No. 1416-1 Swawer	24	36	KD3	95	козс	98
$\overline{}$	19	25	\$D	47	SDC	50
With Isond	23	24	но	58	HDC	61
Bornom Shelves and	20	28	1D	59	ιδC	62
g1416-1 Oresents	24	36	KD	75	KDC	78
	19	25	520	77	S2DC	80
With Tage and	23	24"	H20	88	H2DC	91
Shekwa and glatte-2	20	28	120	89	12DC	92
Drawer Unit	24	36	K2D	105	KZDC	108
	19	25	S3D	98	S3DC	101
THE !	23	24	нзо	109	нзас	112
With Tap and Battom Shelverand	20	28	130	110	13DC	113
61416-9 Orewen Sheit	24	36	K3D	126	K3DC	129



# PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—RUBBER CASTERS



TOP:


HEIGHT:

## PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

#### LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.






PC-48R w/#1424-4 Drawer Unit


#### **HEAVY DUTY**

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-485	Semi-Steel Wheels 5" x 1%"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1 1/2"	247 Ship, W1,
R-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. WI.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings 9" deep	18 Ship. Wt
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings 9" deco	27 Ship, WI





All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top available an request.






BP-36R

BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-365	Semi-Steel Wheels 5 x 1 %	220 Ship. Wt
BP-36R	Hard Rubber Wheels 5 x 1 1/2	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wr.
	Keyed Handle (2 Keys) at Additional Charge	·
	With 3/16" Steel Plate Top at Additional Charge	260 Ship, Wt.



21 ¼ " x 36".

34" to Work Surface.



SHELF SIZE: 19" x 35 % ",

adjustable on 2" Centers.


FINISH: Green Enamel

PC-36S	5" x 1 ¼ " Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. WI.
	Additional Shelf at Additional Charge	16 Ship. W1.
	Cylinder Lock which locks both Doors (2 Keys) at Addition	nal Charge

#### PDC SERIES

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size:  $10\,\%$ " wide x 20" deep x 25" high.



PDC-365	5" x 1 1/4" Semi-Steel, 2 Swivel —2 Rigid Casters	168 Ship, W1,
POC-36R	5" x 1 ¼ Saft Rubber, 2 Swivel —2 Rigid Casters	165 Ship, W1.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
	Cylinder Locks fitted to all Drawers (Keyed Un-alike) at A	dditional Charge
	Keyed Handle at Additional Charge	

#### **WORK BENCHES**

ALL WELDED CONSTRUCTION Standard Lengths 4' - 10' Specials Quoted on Request





#### **WORK BENCHES**

#### ALL WELDED CONSTRUCTION

	10	P	Ship
Model	W.	`L _	W1.
FSD-2448	24"	4	150
F\$D-2460	24"	٠ <u>6</u>	167
FSD-2472	24"	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	8	175
F5D-2872	28"	72~	195

	To	P	Ship
Model	W	1	W1.
FSD-2896	28 "	96	253
FSD-28120	28	120	290
FSD-3448	34"	48	176
FSD-3460	34"	ŝ	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
F5D-34120	34"	120′₹	315





Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hald heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

**FSD Series** 

FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

TOP WITH	BACK,	SIDE	STOPS
AN	D STRI	NGER	

		IOP		
Model _	W	L_	Wi.	
B-2448	24"	48"	108	
B-2460	24"	60"	121	
8-2472	24"	72"	135	
B-2496	24"	96"	181	
B-24120	24"	120"	196	
B-2848	28"	48	119	
B-2860	28~	60	133	
B-2872	28″	72	149	

Model	**************************************	P -	Ship. Wi.
B-2896	28"	96"	199
8-28120	28"	120"	216
B-3448	34"	48	133
8-3460	34"	60~	149
B-3472	34"	72"	166
8-3496	34	96"	222
8-34120	34	120"	251

#### COMPLETELY ASSEMBLED-READY FOR USE

TOPS ...... 12 Gauge Steel BACK AND SIDE STOPS . 12 Gauge Steel LEGS ..... 12 Gauge Steel STRINGERS ..... 16 Gauge Steel SHELVES ..... 16 Gauge Steel LEGS SET IN 2" FROM END OF TOP

BACK STOPS—3" High—12 Ga. Steel SIDE STOPS—3" High at Back, Taper to 1 ½

Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

F5-2448

FS-2472

FINISH: Green Enamel 32 1/2 " HIGH TO WORK SURFACE

(34" Height Furnished at Additional Charge)

Cylinder Lock Available for Drawer at Additional Charge.



15 ¼ " deep

	Ť o	Ship.	
Model	W	<b>1</b>	_Wi.
BS-2448	24"	*	126
BS-2460	24"	ક	143
85-2472	24"	72.	161
BS-2496	24"	96"	215
BS-24120	24 ′	120"	236
B\$-2848	28	48	133
BS-2860	28"	60	151
BS-2872	28	72"	171

	To	P	Ship.
Model	W	Į.	Wi.
BS-2896	28"	96"	229
B5-28120	28"	120"	256
BS-3448	34"	48″	151
BS-3460	34"	60	171
BS-3472	34"	72"	188
BS-3496	34"	96"	252
85-34120	34"	120	281





FS SERRES FLAT TOP WITH STRINGER AND SHELF-15 4" DEEP

	To	P	Ship.
Model	w	L	Wt.
F-2448_	24	48"	107
F-2460	24"	60	120
F-2472	24"	72"	134
F-2496	24	96"	180
F-24120	24"	120"	195
F-2849	28"	48"	118
F-2860	28 ~	60"	132
F-2872	28"	72"	148
F-2896	28 "	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
E 24120		120	250

2848	28	48"	118	ŀ	FS-2848	28"	48	132
2860	28	60"	132	ĺ	FS-2860	28~	Š	150
-2872	28"	72"	148		FS-2872	29."	72"	170
-2896	28″	96"	198		F5-2896	28"	96"	229
F-28120	28"	120"	215	l	FS-28120	28″.	120"	255
F-3448	34"	48"	132	]	FS-3448	34"	48"	150
-3460	34"	60"	148	]	FS-3460	34"	60″	170
F-3472	34"	72"	164	]	FS-3472	34"	72	186
F-3496	34"	96"	220	}	FS-3496	34"	96	250
F-34120	34"	120"	250	1	FS-34120	34"	120"	280

TOP WITH BACK, SIDE STOPS AND	214	96	24"	FS-2496	180	96"	24"
DRAWER UNIT-No. 1424-1	235	120	24"	FS-24120	195	120"	24"
Drawer: 14″W x 23⅓ ″D x 5″H	132	48	28"	FS-2848	118	48"	28"
	150	8	28~	FS-2860	132	60"	28 -
	170	72"	28."	FS-2872	148	72"	28"
	229	96"	28"	FS-2896	198	96"	28″
	255	120"	28″	FS-28120	215	120"	28"
Mr CIE	150	48	34"	FS-3448	132	48"	34"
	170	60	34"	FS-3460	148	60″	34"
	104	72	94"	EC 2472	144	7.7	2.40

24" 48" 125 FS-2460 24" 60" 142

24" 72" 160

Ship

<del>-</del> -	
加	
177	BSD Series

DON SOLIES
TOP WITH BACK, SIDE STOPS, STRINGER
SHELF AND DRAWER UNIT -No. 1424-1
Drower: 14"W x 231/2 "D x 5"H

2448 2460 2472	W 24" 24"	48" 60"	Ship Wi. 133 146
2460	24"	60"	146
	+	_	
2472	24"	72"	
		,	160
2496	24"	96"	206
24120	24"	1201	231
2848	28"	48"	144
2860	28"	40"	158
	-2848 -2860		<del></del>

Model	w	<u> </u>	Wt.
8D-2872	28"	72"	174
BD-2896	28″	96"	224
BD-28120	28″	120"	251
BD-3448	34"	48"	159
BD-3460	34	8	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
8D-34120	34	120	276

Төр



200	B50-2412
BSD Series	BSD-2848
BSD Series TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT —No. 1424-1 Drawer: 14"W x 23 ½ "D x 5"H	8SD-2860
D	85D-2872

		Ρ.	Ship.]
Model	W	<u>k</u>	Wi.
B\$D-2448	24"	48^	151
BSD-2460	24	Š	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
8SD-2860	28"	60~	176
85D-2872	28"	72"	196

	1 e	P	Shi
Model	w	<u> </u>	W
BSD-2896	28"	96″	254
BSD-28120	28."	120″	29
BSD-3448	34"	48	177
B\$D-3460	34"	60	197
8SD-3472	34"	72"	21:
BSD-3496	34"	96"	27
BSD-34120	34"	120"	317

	FD Series
RAT	TOP WITH SHRINGER AND DRAWER UNIT 1424-1


		_	MID.
Model	W	k	Wi.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28	48"	143
FD-2860	28	φ0°	157
FD-2872	28	72"	173

Model	₩	<u> </u>	WI.
FD-2896	28"	96~	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	8	174
FD-3472	34	.72°	189
FD-3496	34	-96"	245
FD-34120	34	120"	275

### PRESSED WOOD TOPS ("" THICK)

Pressed wood top 4" thick—is attached directly over heavy steel top. Used for working with finished parts, die layout, instrume and electrical world. Any Size To 48" x 96".





The Storage appacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops.

#### **WORK BENCH** RISERS

Model	ι	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72~	27
R-96	96"	34

Top with back, side stops, stringer shelf and two drawer units - No. 1424-1 Drawers: 14"W x 231/2"D x 5"H

Work Bench available with 4" hard tempered peg board or 1/2" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

Model	w	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	8	221
BSDD-2472	24"	72*	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72*	263
8SDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	80	250
BSDD-3472	34"	72*	269
BSDD-3496	34"	96*	338





**BSDD Series** W/Peg Board Back



#### ADJUSTABLE BENCH LEGS ALL WELDED CONSTRUCTION

No need to adjust to a Work Bench height any longer. now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32%" to 37%" on 1" centers. Holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.


All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column

Finish: Green Enomel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Height	Ship Wt.
ABL-22	22"	321/1" to 371/4"	23
ABL-28	26"	32%" 10 37%"	25
A8L-34	34"	· 32½" to 37½"	27
ABL-46	46"	321/3" to 371/3"	31
ABL-58	58"	321/2" to 371/4"	37

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.



Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer. Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—14" Thick; Overall Height including Bench Top is 34 4". Prices shown are for a complete basic bench including balts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer. Metal Parts—Green Enamel.

**BASIC BENCH** 

Тор				
Model	W	L	Ship. Wt.	
W-2448	24"	48"	107	
W-2460	24"	60"	124	
W-2472	24"	72"	138	
W-3048	30"	48**	127	
W-3060	30"	60″	147	
W-3072	30"	72	166	
W-3096	30"	96"	226	
W-30120	30"	120"	264	

Тор				
Model	W	<u> </u>	Ship. Wt.	
W-30144	30"	144	296	
W-3648	3å"	48	143	
W-3660	36"	60"	167	
W-3672	36"	72"	188	
W-3696	36″	96"	256	
W-36120	36"	120	295	
W-36144	36	144"	344	


#### WORK BENCH ACCESSORIES

ABL-28


SIDE- AND BACK

STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.



Model	A	8	c	D	E	Ship. Wt. of Sets
2448	5 14	24	315	514	48	16
2460	5 1/4	24	3 1/2	514	. 60	18
2472	5 ¼	24	3 %_	514	72	20
2496	5 ¼	24	3 %	514	96	23
2848	5 14	28	3%	5 1/4	48	18
2860	5 1/4	28	31/2	514	60	20
2872	5 ¼	28	374	5 1/4	72	22
2896	5 1/4	28	31/2	514	96	27
3448	5 ¼	34	31/2	514	48	19
3460	5 14	34	314	514	60	21
3472	514	34	335	514	72	24
3496	514	34	31/2	5 1/4	96	29



### HARD MAPLE TOPS



Finish Top—Natural-Clear Lacquer.

Model	w	ī	Ship, Wi.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	74"	72"	86
GW-3048	30"	48"	74
GW-3060	30″	60"	93
GW:3072	30"	72~	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187

Model	_₩	_L	Ship, Wt.
GW-30144	30	144"	218
GW-3648	36	48	86
GW-3660	36	60″	108
GW-3672	36	72"	130
GW-3696	36"	96	174
GW-36120	36"	120	216
GW-36144	36"	144	260

### **BENCH LEGS**



BL-58 Bench Leg furnished with center upright channel.

Mode Ε Ship. Wt. BL-22 22 32 1/2 1515 18 9% 20 BL-28 28 32 W 19 1/2 22 9 1/2 22 34 32 14 23 1/2 26 9% BL-34 24

35 1/2

46

32 14


BL-46

**ALL WELDED CONSTRUCTION** 

severe usage and support weight for in excess of normal

Bench Legs for special requirements on request.

SHELVES



Model

5T-36

\$T-48 ST-60

ST-72

ST-96

51-120

ST-144

4 1/4


4 1/4

4 1/4

414

414

Model	н	3	Ship, Wt.
SH-36	1514	32	13
SH-48	15 14	44	18
SH-60	15 ¼	56	22
SH-72	1514	84	26
SH-96	15 1/4	92	34
SH-120	1514	116	42
SH-144	154"	140	50



STRINGERS

32

56

68

92

116

140

Ship. Wt.

12

15

16

G

16 gauge one inch channel reinforced construction. Finish: Green Enamel

16 gauge one inch channel reinforced construction. Finish: Green Enamel



Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114

38 9 1/2

50 9%

Finish: Green Enamel

28



#### **BENCH DRAWER UNITS**



1416-2





Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13 ½  $^{\circ}$  x 8  $^{\circ}$  x 1 in 1416 and 1424 Series; 19 ½  $^{\circ}$  x 8 $^{\circ}$  x 1 in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

#### **OVERALL OUTSIDE DIMENSIONS**

- 1 I I I I I	0.3000,00000000
HEIGHT, ALL UNITS	One Drawer— 5%"; Two Drawer—121/2",
	Three Drawer-18 1/2 "; Four Drawer-24 1/2 "
WIDTH1416 & 1424 S	ERIES: 151/4"2024 SERIES: 221/4"
DEPTH1416 SERIES:	16" 1424 & 2024 SERIES: 24"
FINISH: GREEN ENAMEL	

	14 Wx16	'Dx5"H	14 Wx23 ½ Ox5 H 20 Wx			3 % "Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wi.	Model	Ship. Wt.	
1 Drawer	1416-1	15	1424-1	26	2024-1	30	
2 Drawer	1416-2	45	1424-2	60	2024-2	74	
3 Drawer	1416-3	66	1424-3	90	2024-3	105	
4 Drawer	1416-4	8.7	1424-4	120	2024-4	136	

Cylinder Lock Available for Drawer at Additional Charge.

#### **HEAVY DUTY DRAWER UNIT**

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS

Finish: Green Enamel



H-2024-

All welded construction. Handles heavy loads of tools, parts and other items. Drawers can be attached to work benches, tables, desks or counters.

Padlock tob on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Orower slides effortlessly on Ball Bearing Steel Rollers.

### WORK BENCH CABINET UNITS ALL WELDED CONSTRUCTION





Cabinet starage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either waard top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

				Shelf		
Model	w	H	D	Clearance	Lock	Ship, Wt.
CUX-36	36	19	19	8	Yes	60
CU-36	3e	19	19	8		60
CUK-18	18	19	19	8	Yes	42
CU-18	1.5	19	19	8		42

Please indicate on order if unit is for installation with steel or wood bench.

## WORK STATIONS HEAVY DUTY ALL WELDED CONSTRUCTION

These benches provide more efficient work stations for your institutional or industrial lab uses. All Work Stations equipped with bench riser shell  $(10\%''' \text{wide} \times 10''' \text{high})$  with pegboard back for hanging small tools or instruments and electrical outlet strip, wired with a six foot cord. Models come standard with 12 gauge top, available with Hard Maple or black chemical-resistant Formica Tops upon request. Grizzly Bench Drawer Units, additional Drawers or Accessories can be added. (See pages 15 & 16.) All models shipped set-up, ready for immediate use.

#### **WORK STATIONS**

#### EWB-SERIES


This series come standard with riser shelf, electrical autlet strip and pegboard bock. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon request.

Grizzly Bench Drawer Units or Accessories can be added. (See pages 15 & 16).

All units shipped set-up, ready for immediate use.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EW8-3048	30"	48"	321/3"	170
EWB-3060	30"	60"	32¼"	190
EW8-3072	301	72"	321/4"	210



#### **WORK STATIONS**

#### **EWS-SERIES**

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 23%" deep x 5" high.


Tool Tray in each Drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Units come standard with a full length riser shelf (10%" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	46"	33 % "	253
EWS-3060	30"	60"	33 1/4 "	272
EWS-3072	30"	72"	331/4"	291



EWS-3072 w/optional Hard Maple Top









**ALL WELDED CONSTRUCTION** CABINET SIZE: 18"W, 24"L, 26"H



EOS-6

For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six foot cord. Either of the below strips are available on Grizzly Work Benches. They are installed by welding on steel top work benches or screwed on wood top benches.

15 Amps—125 Volts—3 Wire

Model		Receptacle Spacing	Number of Receptacles	Ship. Wt.
EOS-3	3 Foot Length	9"	4	2
EÖS-6	6 Foot Length	12"	6	4

#### WORK STATIONS EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is 24" deep x 18" wide and contains four drawers, each 14" wide x 231/2" deep x 5" high inside. Each drawer con be furnished with padlock loop eyes, cylinder locks or plain face. Drawers stides effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides. Release stop for removal of drawer. Cabinet sets on a 6" high base.

Tool tray in each drawer, 8'' wide x 13%" long x 1" high, holds small items within easy reach. Models furnished with bench riser shelf (10½" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 15 & 16), Units available with Hard Maple or black chemical resistant Formica Top upon request.

Finish: Green Enamel

Cylinder Locks Available at Additional Charge.

Model	Wid⊕	Longth	Height to Work Surface	Ship. Wt.
EDB-3048	30"	48"	33%"	256
ED8-3060	30"	60"	33%"	276
ED8-3072	30"	72"	33%"	296



EDB-3060 w/optional Hard Maple Top

#### PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 11/4" casters—2 rigid and 2 swivel. Easy to

Top: 20"x24"; Height Top Surface-Overall 34"; Top, back and side stops—1/4" high; Space inside cabinet 13"H, 22"W, 20"D Drowers: 20"W, 19"D, 5"H,

PUB-24RW

#### Finish: Green Enamel


PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wr.

Keyed Handle Available at Additional Charge.



**Base Not Included** Finish: Green Enamel

Ship. Wt. 55 Lbs.



Keyed Handle—Extra Shelf Available at Additional Charge.

#### DRAWER CABINET

ALL WELDED CONSTRUCTION CABINET SIZE: 18"W, 24"L, 26"H

Individual drawer size, 14" wide x 23 ½ " deep x 5" hiah.

Stiding tray in each Drawer holds small items within easy

reach Tray size: 13 % " x 8"

Base Not Included Finish: Green Enamel Ship, Wt. 110 Lbs.

Model DC-1

Cylinder Lock Available at Additional Charge

#### **#6 BASE**



(For models BC-1 and DC-1) Base must be welded on to cabinets.

6¼" High Ship. Wt. 10 Lbs.

#### PORTABLE DOOR CABINETS

**ALL WELDED CONSTRUCTION** 500 LBS. CAPACITY-3" SOFT RUBBER CASTERS 800 LBS. CAPACITY-5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments. Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enomel.



BC-1C5

Model	Н	Costers—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 11/2" Soft Rubber Tread	60
BC-1C5	32"	5" x 1 % " Soft Rubber Tread	65
	Keyed Hand	le Available at additional charge.	
	Extra Shelf		

#### PORTABLE DRAWER CABINETS

**ALL WELDED CONSTRUCTION** Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER CASTERS 800 LBS. CAPACITY-5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers. Cabinet Size: 18"W x 24"L Drawer Size: Inside Dimensions, 14"W x 23 ½ "D x 5"H Tool Tray in each Drawer: 8" x 13 ½" x 1" deep. Finish: Green Enamel



DC-1C5

Model	н	Casters—All Swivel	Ship. Wt.
DC-1C3	30	3" x 11/2" Soft Rubber Tread	118
DC-IC5	32	5 x 1 % Soft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.



# MULTIPLE WORK BENCH DRAWER UNITS



Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



Drower units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1%" laminated hard maple or 12 gauge steel too.

 $34^{\prime\prime}$  overall height with wood or steel top individual drawer size,  $14^{\prime\prime}$  wide x  $2312^{\prime\prime}$  deep x  $5^{\prime\prime}$  high

Finish: Green Enamel
Cylinder Locks Available at Additional Charge.

Model	w	ι	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	.72"	560

DBU-3072-W


TIME SAVER—
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

# TOOL DRAWER CABINETS FOR EXTRA HEAVY USE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.



Model TDC-30 3 Drawer Unit Ship. Wt. 285 Lbs.

> Model TDC-60 6 Drawer Unit Ship. Wt. 430 Lbs.



Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 10-gauge seed with full length carrying handle.

Padlock attachments for each drawer.

Drawer slides on ball bearing steel rollers.

Finish: ......Green Enamel

 ALL WELDED CONSTRUCTION.
 40" W x 27 ¾" D x 45 ¾" H

 INDIVIDUAL DRAWER SIZE
 15 %" W x 12" D x 27" L

 TOOL TRAY SIZE
 10" W x 15 ¼" D x 3" H

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.

Drawer slides on ball bearing steel rollers.

Finish: ......Green Enamel

(grizz


18 Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114

#### CABINET BASE WORK BENCHES

ALL WELDED CONSTRUCTION



## CABINET WORK BENCHES (WITH SLIDING DOORS)



With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE Finish Top—Natural-Clear Lacquer, Metal Finish: Green Enamel.


Keyed Handle—Cylinder Lock Available at Additional Charge.

#### WITH STEEL TOPS- 11/4" THICK

	Model	To W	ip L	Bases 16"W 24"D	Ship. Wt.
	CB-2860-5	28	60··	Door Cabinets	205
	CB-2872-5	281	72	Door Cabinets	230
	D8-2860-S	28	60"	Drawer Cabinets	300
	DB-2872-\$	28	72	Drawer Cabinets	320
	CD8-2860-\$	28	40	Drawer & Door Cabinets	240
	CD8-2872-\$	28	72	Drawer & Door Cabinets	275

#### WITH HARD MAPLE BENCH TOPS-1% THICK

	Model	Ta W	PL	Bases 18"W 24"O	Ship. Wt.
	CB-3060-W	30	60	Door Cabinets	210
	C8-3072-W	30	72″	Door Cabinets	235
	D8-3060-W	30"	60	Drawer Cabinets	305
	D8-3072-W	30~	72"	Drawer Cabinets	325
	CD8-3060-W	30"	60	Drawer & Door Cabinets	245
J. J. J. J. J. J. J. J. J. J. J. J. J. J	CD8-3072-W	30	72"	Drawer & Door Cabinets	280



All welded heavy gauge steel construction, with steel or wood taps, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15 & 16.

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE


Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

#### WITH STEEL TOPS-14" Thick-12 Gauge

	Ţ	op.	- "	Ship.
 ļ	W	ı	Base, 25 Deep	Wi.
CS-2860	28"	60	Basic Unit	204
CS-2872	28	72	Basic Unit	234
CS-2860-5	28	60	Basic Unit with Shelf	239
C5-2872-S	28	72	Basic Unit with Shelf	274
CS-2860-D	28	60	Basic Unit with Sliding Doors	248
CS-2872-D	28	72	Basic Unit with Sliding Doors	286
C\$-2860-SD	28	60	Basic Unit with Shelf & Sliding Doors	283
CS-2872-SD	28	72	Basic Unit with Shelf & Sliding Ooors	326

### WITH HARD MAPLE BENCH TOPS—1 % Thick Overhang on Front, 5 NATURAL WOOD FINISH

		10	P		Ship.
		W	ι	Base, 25 Deep	Wi.
- 1	CW-3060	30	60	Basic Unit	220
	CW-3072	30-	72'	Basic Unit	254
+ 7	CW-3060-S	30"	60 ··	Basic Unit with Shelf	255
	CW-3072-\$	30	72"	Basic Unit with Shelf	295
	CW-3060-D	30	60"	Basic Unit with Sliding Doors	264
	CW-3072-D	30 .	72	Basic Unit with Sliding Doors	306
	CW-3060-SD	30"	60	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-SD	30"	72	Basic Unit with Shelf & Sliding Doors	346
Extra	5-60 ☆	60''	22 wide		35
Shelves	S-72 ☆	72 dang	22' wide		40





## STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.


Completely assembled, ready for immediate use.

#### Finish: Green Enamel

WIDTH	All Mode	ls36"
DEPTH	All Mode	ls-30"
OVERALL HEIGHTS		Back
Basic Unit		48"
With P-36 Unit		53"
With P-66 Unit		57"
SIDE AND BACK STOPS 3		k, tapers
	to 11/2 "	

SHELF....34" wide x 18½" deep—8" from floor DRAWERS....... Standard Grizzly Drawer Units, see page 16 for specifications.

#### Cylinder Lock Available at Additional Charge.







1036 BASIC UNIT Ship. Wt. 85 lbs.



1436 BASIC UNIT With No. 2024-4 Drawer Unit Ship. Wt. 225 lbs.



1236 BASIC UNIT With Two No. 1416-1 Drawer Units Ship. Wt. 115 lbs.



1836 BASIC UNIT With Two No. 1424-4 Drawer Units Ship. Wt. 325 lbs.

# (Arizzlu)

#### SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction—used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use. Finish: Green Enamel



No. 3036 (With No. P-36 Unit) Pigeon Hole Unit Available







Model	Shelves	Drawers	Ship. WI.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	222
3236	3	2	240
	igeon Hole Unit ( —4" x 12" oper	Overall Length 36 nings x 9" deep	15
6	—4" x 12" oper		
Cylinder	Lock for Drav	wers at Additio	nal Charge
Keyed F	landle in Door	at Additional	Charge

WIDTH		All Mod	lels 36"
DEPTH		All Mod	dels 30"
OVERALL HEIG	HTS	Front	Back
Basic Unit		43"	48"
	nit		53"
	nit		57"
SHELF SIZE		28 ¾ " ;	∢35%″
SHELF CLEARA	NCES		
3 Shelf Unit	Floor to Bottom Shelf		7"
	Bottom Shelf to Center Shelf		. 11%"
	Center Shelf to Top Shelf		8″
	Top Shelf to Desk Top		
2 Shelf Unit	Floor to Bottom Shelf		. 12"
	Bottom Shelf to Top Shelf		7″

Optional Pigeon Hole Units Available on any of the above Units at Additional Charge.





6—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 24 lbs.



#### **MACHINE FLOOR CABINETS**

Rugged, all welded cabinets with 1 1/4" Tray coolant tops with 1/4" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

#### FOR BASE CABINET USE WITH BENCH TYPE MACHINES


Keyed Handle—Cylinder Lock Available at Additional Charge.

CT-2830 20"W—28"L—30"H Ship. Wt. 90 Lbs


CT-2835 20"W—28"L—35"H Ship. Wt. 96 Lbs.

CT-3630 20"W--36"L--30"H Ship. Wt. 100 Lbs.

CT-3635 20"W-36"L-35"H Ship. Wt. 106 Lbs.



#### CT SERIES



CF-2830 20"W---28"L---30"H Ship. Wt. 80 Lbs.

20"W---28"L---35"H Ship. Wt. 86 Lbs.

CF-3630 20"W—36"L—30"H Ship. Wt. 90 Lbs.


CF-3635 20"W—36"L—35"H Ship. Wt. 96 Lbs.

#### CM-2830 20"W—28"L—30"H Ship. Wt. 95 Lbs.

CM-2835 20"W—28"L—35"H Ship. Wt. 105 Lbs.

CM-3630 20"W—36"L—30"H Ship. Wt. 115 Lbs.

CM-3635 20"W—36"L—35"H Ship. Wt. 125 Lbs.



#### **OPTIONAL: No. 1015**

Removable Side Shelf (Shelf Surface—10" x 15")

Available at Additional Charge.
Ship. Wt. 10 Lbs.




#### **MACHINE CABINET STANDS**

#### **ALL WELDED CONSTRUCTION**


For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with  $\mathcal{H}''$  pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, Convenient shelf—15%"  $\times$  36". GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide (D x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 16 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.


Keyed Handle—Cylinder Lock Available at Additional Charge.




DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 Lbs.



CT-60 Coolant Top, Tray—
1 1/4" deep with 1/2" pipe tee.
22" W, 60" L, 32" H.
Ship, Wt. 198 Lbs.



**DFT-60** Drop Front Top. Back and Side Stops — 1 1/s " H, 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.
















#### **PIGEON HOLE BIN UNITS**

All Welded, Rigid Units, Completely Assembled Ready For Use.



2421





4242

7242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the wait placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the after to any height, with units balted tagether for firmer attachment.

Finish: Green Enamel

Model	No. of Bins	н	W	٥	Compartment	Label Holder	Ship WI
7242	72	42"	35 1/2	11%"	4 ½ ″ wide 4 ½ ″ high	1"	97
4242	42	42"	35 1/3	11%	5% " wide 6" high	2"	95
2421	24	21 '	35 1/2 "	11%	5% wide 5% high	2"	40
4021	40	21"	35%	11%	4 ¼ " wide 4 ¼ " high	1"	55

#### STORAGE BIN CABINET

#### ALL WELDED CONSTRUCTION

Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc.

Truck furnished with Plain Handle; Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: :26"W x 20"L x 72"H


Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage.

Construction: Entire Unit 16 Gauge

Finish: Green Enames

Ship, Wt. 322 lbs.

SBT-3672







#### EZY-DOWN DRUM CRADLES 700 LBS. CAPACITY

Give maximum leverage with ease, break the heaviest loaded drums from vertical to harizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled.

Finish: Orange Engme Ready for immediate use.





EBR-18 31"L-1814"W-18"H Ship. Wt. 31 Lbs.



WITH DRUM ROLLERS EBR-18R 31"L-18 4 "W-18"H Ship. Wt. 34 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

WITH CASTERS

EBR-18C 31"L-1814 "W-18"H

Ship oWt. 34 Lbs.

WITH CASTERS & ROLLERS

EBR-18CR 31"L-1814"W-18"H


2 Swivel and 3" Semi-Steel Wheels.

Ship, Wt. 36 Lbs. Casters: All Models—3" Semi-Steel—


#### **DRUM CRADLES**

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use, Finish: Orange Enamel.

**700 LBS. CAPACITY** 



BR-18 31"L-1814"W-18"H Ship. Wt. 26 Lbs.



WITH DRUM ROLLERS 18R 31"L-1814 "W-18"H Ship. Wt. 29 Lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for



#### **DRUM & CAN DOLLIES**

1200 LBS. CAPACITY—SEMI-STEEL CASTERS 1000 LBS. CAPACITY—HARD RUBBER CASTERS





WELDED CONSTRUCTION

RUGGED



#### FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corre-

Model	Q.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-G5	24-7/16"	24"	3x1-1/4	GalSani.	32
82-G5	30-1/2"	24"	3x1·1/4	GalSani.	25
83-G\$	24-1/2"	19"	3x1-1/4	GalSani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Oronge	15

#### ADJUSTABLE DOLLY

1200 LBS, CAPACITY—SEMI-STEEL CASTERS 1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 231/2"—OPENS TO 361/2". Can be used as a rectangle for tote boxes.

SEMI-STEEL WHEELS

HARD RUBBER WHEELS



skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size-3" x 11/4". Finish: Orange Enamel.

AD-23-S

AD-23-R

Ship. Wt. 30 lbs. Ship. Wt. 28 lbs.

800 LBS. CAPACITY HARD RUBBER WHEELS




 $25\,\%\,^{\prime\prime}$  wide opening,  $31\,^{\prime\prime}$  wide overall,  $33\,^{\prime\prime}$ high, 11/2" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diometer. Finish: Orange Enamel.




STEEL TUBULAR T HANDLE WITH LOW frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.



WITH CASTERS BR-18C 31"L-1814"W-Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS BR-18CR 31"L-1814"W-18"H Ship. Wt. 31 Lbs.


Casters: All Models—3" Semi-Steel— 2 Swivels and 3" Semi-Steel Wheels.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. CLEVELAND, OHIO 44114



#### HL-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL CASTERS 700 LBS. CAPACITY—HARD RUBBER CASTERS



**PROVIDE** higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-toflow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel-Wheel Size ...3" x 1 ¼ ".



71 w/drum

Model	Bottem	Tap	Height	Gallon Drum	Ship, Wt.
71	30	24"	19 1/2	55	44
73	21"	19	1935	30	38


#### #80 DRUM UP-ENDER

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling SHIP. WT. ..... 12 lbs.

FINISH: ..... Orange Enamel




ALL-WELDED CONSTRUCTION **Rugged and Compact** 

#### **#84 SLING TYPE DRUM LIFTER**

750 LBS, CAPACITY ALL WELDED CONSTRUCTION


SHIP, WT. .... ......... 11 lbs. FINISH: ..... Orange Enamel




Lifts drum horizannally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#### DRUM STORAGE RACKS 2500 LB. CAPACITY

85	leg	180 Ship. Wt.
950	Costers	198 Ship, Wt.





All welded with Karge sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installizations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you naw have. If your hoist does not travel over rack, the wheel model can be moved under your habist. 30"W x 60"L x 54"H---FINISH: Orange Enamel.


#### **#235 VERTICAL DRUM LIFTER**

U.S. PATENT No. 2,764,447

Or CLOSED DRUMS USED WITH Fork Trucks Chain Falls Cranes and Hoists.

Ship. Wt. 32 Lbs.





- SAFE—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- VERSATILE—Lifter moves SS and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- LIGHT—Weighs only 32 pounds. One man can handle with ease.
- ADJUSTABLE—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, battered or lopsided.
- QUICK—Lifter attached and removed in seconds. RUGGED—All welded construction.
- STACKS—and tiers drums vertically in close quarters. FINISH: Orange Enamel

#### **#VH-100 DRUM LIFTER**

1000 LBS. CAPACITY

LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE







Lifts from any angle. Load can be bolonced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.




Easily, Quickly, Safely Attached Holds Rigidly—Even When Lood Sways Positive Grip—Cannot Slide ---Holds Load



FITS CONTAINERS 40" HIGH-FINISH: . . . Orange Enamel-SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: ... 16" minimum to 40" maximum— OVERALL LENGTH: ... 43" — WIDTH: ... 4"

Locks in Desired Position

#### **DRUM STORAGE RACKS**



Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.


Self-Standing units, do not require ancharing to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

DS-4

FINISH: Orange Enamel

DS-4	4 Drums	60°W	36"D	48"H	120 Ship, Wt.
DS-6	6 Drums	84"W	36 D	48"H	200 Ship. Wt.





#### **DRUM DOLLY TRUCKS**



# FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



OVERALL DIMENSIONS	
PLATFORM	5 1/3" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	
FINISH:	Orange Enamel
CASTERS	Orange Enamel 2 Swivel—2 Rigid

DT-25-S	5" x 1%" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1 ½ " Hard Rubber Wheel	60 Ship. Wt.

#### FORK SWIVEL HOIST HOOKS

With Safety Latch

(SINGLE) 3000 LBS. (DOUBLE) 4200 LBS. WORKING CAPACITY





No. 210 DOUBLE FORK SWIVEL HOIST HOOK


(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required, Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20 ½ ". Fork Swivel Haist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wr.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Dauble Frame Hook	210	2" × 10"	50



#### CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

#### **Method of Attachment**

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.


#### **Method of Detachment**

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

#### **CASTER CORNER SHOES**

ALL WELDED CONSTRUCTION



Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is  $8'' \times 8'' - 5\cdot 3/4''$  O.A.H.—Flange  $2'' - 3\cdot 7/8''$  high to platform—7/16" holes for mounting.

FINISH: Green Enamel.

Model	Capacity per Set	Ship. W1.	Costers
CS-3S	1200 tbs.	17	3" x 1 ¼ " Semi-steel Wheels
CS-3R	1000 lbs.	15	3" x 1 ¼ " Hard Rubber Wheels


#### VỞU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY


- 3A,13,1,111 31 AG1 1110
- ALL Welded Construction.
   RUGGED—Completely Assembled—No Bolting—Ready For Immediate Use.
- STACKS Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- 4-WAY Access by Fork Lifts.
- UNIT Easily Handled-
- EASY Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- DRUM Inventory Simply Maintained.

DIMENSIONS:,O.A.H. = 12½"; W = 44½"; Depth = 30". Floor Clearance = 3½". Finish: Orange Enamel.
Ship. Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

VDU-10





CAN BE EASILY
HANDLED FROM FRONT,
BACK OR BITHER SIDE
WITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING

#### ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS U.S. No. 3,434,612 CANADIAN NO. 887501


#### All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.

Model	A	В	C. Max, Min.	D	Drum	Ship, Wt.
350	59"	35"	36"-30"	15"	55 Gol.	65
351	53	34"	32 -27 %	15	30 Gal.	64





WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION— REDUCTION 6 TO 1.

No. 350 & No. 351

160 Trolley with 160° Dumping Angle— Standard Trolley with 130° Dumping Angle FLOOR DUMPING MODELS

#### **OVERHEAD DUMPING MODEL NO. 500**



OVERALL DIMENSIONS

Finish: Orange Enamel Ship. Wt. 98 Lbs.

CONTAINER CLAMPING RANGE ...... 30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE ...... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.







#### GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

#### Cylinder Lock Available at Additional Charge.

A sturdy Gas Welding Bench for extra strength and durability. The tap is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS FINISH: GW-3636 (Without Drawer Unit) GW-3636-DR (With Drawer Unit)	36"W x 36"D x 34"H
FINISH:	Green Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

#### **ARC WELDING BENCH**

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.

AW-3636



#### Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED, SEE PAGE 16.

1	OVERALL DIMENSIONS	36"W x 36"D x 34"H
-	FINISH:	Green Enamel
	AW-3636 (Without Drawer Unit)	Ship, Wt. 125 Lbs.
Į	AW-3636-DR (With Drawer Unit)	Ship, Wt. 140 Lbs.

#### ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1...... Furnished with unit Pads on bottom of legs protect floors. Shipped KD, ready for assembly.

OVERALL DIMENSIONS—


36"Wx36"Dx68"H

FINISH: Green Enamel

Cylinder Lock Available
at Additional Charge

Ship. Wt. 180 Lbs. AW-3636-S With Solid Shields

Ship. Wt. 175 Lbs.
AW-3636-WS With 5"W x 18"L
See-Thru Shield Opening (3 Openings)



#### 3000 LBS. CAPACITY


An extremely rugged Rock to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Solted construction. Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.



# HEAVY DUTY SHELF DIE RACKS



SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x 16" Angle Iron—"X" BRACES . . . 1" x 16" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. W1.
5-18	Single Shelf—18" x 42", including bolts	26 lbs. Ship. W1.
S-24	Single Shelf24" x 48", including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

# PE-1830

## EXTRA HEAVY DUTY DIE STORAGE RACKS

#### 1000 LBS. CAPACITY PER SHELF ALL WELDED CONSTRUCTION

Uses for tools, dies and other heavy

material.

May be used as individual units or bolted in rows.

Pads on bottom of legs protect floors. Shipped set-up.

65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 144" x 14" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.

Finish: Green Enamel

Model	w	L.	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30*	215
PE-2436	24"	36"	250
PE-2448	24"	48*	305

#### VERTICAL BAR RACK 3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded— $1V_2'' \times 1V_2'' \times V_8''$  angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves—bottom 6", top 6 %", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Finish: Green Enamel Ship, Wt. 110 Lbs.



VB-3684





#### **PORTABLE RACK-U-FRAME**

**RUF-251** 

U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 



metal and plastic items.

RUF-262 24" O.A.L 65 Ship. Wt. RUF-263 36" O.A.L 70 Ship. Wt. RUF-264 48" O.A.L 76 Ship. Wt.

#### PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses—Only 25 Pounds—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes-Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.

Easily disassembled—Stored in Little Space Until Next Use.

RUF-251 Portable Rack-U-Frame Ship. Wt. 25 Lbs. Finish: Orange Enamel



CARRY

HEAVY LOADS EVENLY

DISTRIBUTED

and Tubing on 20,000 Pounds.

(B) 17½ " High

**OUTSIDE DUMENSIONS** 

INSIDE DIMIENSIONS

(F) 15½ ‴ Haighh Úpright

(D) 17" Wide Bottom

(E) 23" Wide Top

QUICKLY INSTALLED.


(C) 5" Wide Bottom Channel

Formed for Strength and Stacking Tiers

- Carrying Handle for Strength and Conven
- Stops Prevent Upright Spread
- Streamlined Design —
   Smooth Finish
- Rugged Steel Construction
- Durable—Built for Heavy Uses



2 Stocked High Carrying Tubir 6 Foot Longths 4000 Pounds.



Placed in an assumbly of 16 Rock-U-Frames holds the massive load of 20,000 Lbs. 400 Lbs. of Rock-U-Figures hold 20,000 Lbs. THIS IS STORAGE AT LOWEST COST, AND

#### **OUTSIDE DIMENSIONS**


(A) 25" Wide (B) 17½" High (C) 5" Wide Bottom Channel

(G) 24"; 36"; 48" as Required

#### INSIDE DIMENSIONS

(D) 17" Wide Bottom (E) 23" Wide Top

(F) 15 ½ " High Upright



STACKING MODULES



HANDLING MODULES

ON WORK

SITE

Used in multiples with fork lifts, as required, to provide length and tier height needed for

Fork lifts can easily stack and remove the modules to provide temporary and long term

storage facilities; provide material at work stations on the production line, in the ware-

house and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other

MOVING MODULES



SPECIALS DESIGNED FOR CUSTOMERS NEEDS



#### **OUTSIDE DIMENSIONS**

(A) 32" Wide (B) 31" High

(C) 5" Wide Bottom Channel 3 ¼ " High

(G) 44" Long

#### **INSIDE DIMENSIONS**

(D) 24" Wide Bottom (E) 29 ½ " Wide Top

(F) 28" High Upright

RUF-244 | 44" O.A.L. | 105 Ship. Wt.




#### STACKING RACK UNITS **ALL WELDED CONSTRUCTION**

#### STACKING RACK UNITS

Model	W	L	Ship Wt.
SRU-232	24"	32"	58
5RU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 21/2" square tubing. Finish: Orange Enamel



#### **OUTSIDE DIMENSIONS**

(A) 29" or 35" Wide

(8) 30" High

(C) 37"; 47" or 53" Long



(D) 24" or 30" Wide (E) 32"; 42" or 48" Long

(F) 231/2" High





# izzlu. SPECIALS

#### SERVING INDUSTRY FOR 30 YEARS

#### SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.


Few of the thousands of Specials we manufactured are noted in the photos on this page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.




**BOX TRUCK** W/LID









MOLDING BENCH INSERT



**Heavy Duty Warehouse TRUCK** 








HARD MAPLE TOP PANEL-END WORK BENCH



BATTERY CHARGING & TESTING STATION



HAND TRUCK




**PORTABLE** WORK STATION

#### WHEN ORDERING SPECIAL **GRIZZLY EQUIPMENT USE** THIS SUGGESTED OUTLINE

- GENERAL DESCRIPTION: Truck, Dolly,
- Lifts, Work Bench, Stand, Carts, etc. GENERAL DESIGN: Type of shelf; flat or tray; Type of top. Handle, etc.
  DIMENSIONS: Indicate inside or outside
- dimensions; width, length, height.
- CAPACITY: Load-Pounds: Entire unit, per caster, per shelf.
- QUANTITY: Could substantially determine pricing.
- SPECIAL DESIGN FEATURES: Your own 6 ideas of how unit should be constructed.
- FINISH: Standard Colors: Green, Visto 7 Green, Gray, Beige or Orange Enamel.

# ENTERPRISES, INC. 3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S A 44114 • AREA CODE 216 881-4604





# SERVING INDUSTRY SINCE 1949 MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

**Highest Quality at Low Cost** 

- \* The GRIZZLY Equipment items shown in this catalog are typical of the many items
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- \* GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.\*
- \* We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- \* We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- \* GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- \* We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

\*A few catalog items are KD.

Respectfully,

ANTHONY E MINYAD

ANTHONY F. MLAKAR
President

Grizzly, GUARANTEE

#### Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of states and the first

STANDARD PAINT COLORS

UNLESS OTHERWISE INDICATED IN CAT-ALOG, GRIZZLY EQUIPMENT WILL BE PAINTED GRAY.

**Optional Colors Available At** 

No Additional Cost:

Dark Green

Dark Blue

Vista Green

Light Blue

Dark Brown

Orange

Beige

Red

GRIZZLY renders long term satisfactory service.

You can have continued confidence in GRIZZLY.





#### ALPHABETICAL INDEX

#### **NUMERICAL INDEX**

EQUIPMENT	Poge	Page	Page	Po
BEN169156	No.	No.	No.	
BENCHES	21	ELECTRICAL OUTLET STRIPS19	ABL-22 TO ABL-5817	MTC-60S, MTC-60R
Arc Welding		HANDLE, JACK6	AD-23-S, AD-23-R	OFB-60, OFB-84
Gas Welding		HOOKS, FORK, SWIVEL HOIST29	AW-3636, AW-3636-S,	PC-36S, PC-36R, PC-48S, PC-48R
Tool Cabinet		HOOK, FORK CRANE,	AW-3636-WS31	PDC-36\$, PDC-36R
BENCHES, WORK		ATTACHMENT29	B-213, BC-21313	PDC-42S, PDC-42R
Accessories		•	B-2448 TO B-3412016	PE-1830 TO PE-2448 PPET-2636
Cabinet, Base		LOCKERS, DOUBLE PERSONAL6	BC-1, BC-1C3, BC-1C5	PT-2448 TO PT-3496
Cabinet, w/Sliding Door		RACKS	BD-2448 TO BD-34120	PT-2442-SE TO PT-3060-SE
Drawer Units		Die, Shelf, Heavy Duty	BP-36S, BP-36R	PTC-485, PTC-48R
Drawer Unit, Heavy		Rack-U-Frame, Partable Inside	BR-18, BR-18C, BR-18 R, BR-18CR26	PUB-24SW, PUB-24RW
Drawer Unit, Multiple	21	Back Cover	BRT-48, BRT-60, BRT-726	R-36, R-48, R-60, R-72, R-96
Hard Maple Tops		Rack-U-Frame, Portable, Extra Heavy	BS-2448 TO BS-3412016	ROBT-36, ROBT-48 RODT-42, RODT-60.
Heavy Duty, Reinforced Steel Top .	16	Duty Inside Back Cover	BSC-3675	RUF-244, RUF-262, RUF-263, RUF-264 3
Knock Down		Rack-U-Frame, Portable,	85D-2448 TO BSD-34120	RUF-251, RUF-640 Inside Rock Cove
Legs, Adjustable		Twin Modules	BT-2436, BT-3036, BT-2448,	S-30-DT-3 TO S-48-DT-3
Portable, Cabinet		Storage, Die, Extra Heavy Duty31 Vertical Bar31	BT-30488	\$BT-3672
Portable Maintenance Center			C-1824 TO C-2448-K20	SC-3182 TO SCF-5243
Portable, Tool Cabinet	14	SHOES, CASTER CORNER29	CB-2860-S TO CDB-3072-W	SER-101SW, SER-101RW
Risers	16	SPECIALS Outside Back Cover	CF-2830, CF-2835, CF-3630,	5H-36 TO SH-1441
Tops, Pressed Wood		STANDS	CF-363524	SL-18, SL-24
CABINETS		Machine Cabinet	CM-2830, CM-2835, CM-3630, CM-363524,	SLPT-2448 TO SLPT-3660
Base	20	Tool, Extra Heavy Duty	CRA-60, CRA-96	SPT-2842
Door		Tool, Heavy Duty13	CS-2860 TO CW-3072-SD22	SRU-232, SRU-242, SRU-248,
Drawer		STOOLS, LOW PORTABLE ASSEMBLY21 TABLES	CS-3S, CS-3R29	SRU-332, SRU-342, SRU-348
Locker, 3 Door Unit		Examination, Portable Production 10	CST-248	ST TO K3DC
Machine Floor		Hopper	CT-2830, CT-2835, CT-3630,	ST-36 TO ST-120
Portable Door		Lift Top, Hydraulic 10	CT-363524	ST&T-2436 TO STBT-3048
Storage, Bin		Marking, Portable	CT-6024 CU-18, CU-36, CUK-18, CUK-3618	T-213 TO TEC-3131
Storage, Book Shelf		Mi[	DBU-3072-W, DBU-2872-S	TA-24
Storage, Extra Heavy Duty		Utility14	DC-1, DC-1C3, DC-1C520	TH-14, TH-14C
Storage, Wardrobe	7	TRUCKS	DFT-60, DFT-60C	TSC-1828-6 TO TSC-2436-12
Tool, Heavy Duty	<i>.</i> . 7	Bar and Rod	DLCU-2424	TT-1830-6 TO TT-3048-121
CARTS		Beverage, Premium, 2 Wheel	DPL-16216	UC-2432, UC-2442, UC-2452 1
Hand, Toté-All		Box, Roll-Over8	DR-1842, DR-244831	UT-2432, UT-2442, UT-24521
Mopping Floor and Cleaning	10	Box, See-Thru	DS-4, DS-6	VB-3684
Stock	12	Cradle4	DV-22429	VDU-10
Stock, Five Shelf		Double End Heavy Duty	EBR-18, EBR-18C, EBR-18R, EBR-18CR 26	, W-2448 TO W-36144
Stock, Hi-Ladder		Drawer, Cabinet, Portable	EDB-3048 TO EDB-3072 19	WPT-2448-SW TO
Stock, Ladder		Five Shelf, Heavy Duty12	EOS-3, EOS-619	WPT-RE-3460-RW
Stock, 3/Sided		Garment9	EST-44	WSC-3672
Utility, Tote-All		Hand Dump8	ET-2448-2 TO ET-3472-3	YZ-75, YZ-1001
		Hand Dump, Rall-Over8	EWS-3048 TO EWS-3072	3SC-30, 3SC-36, 3SC-48, 3SC-60
CASTERS, GRIZZLY EQUIPMENT		Hand, Tote-All	F-2448 TO F-3412016	3ST-2448 TO 3ST-3472
Inside Back	Cover	Hand, Tote Pan	FCD-2839	15
DESKS		Low Drum	FD-2448 TO FD-34120	18-D-30 TO 24-D-60
Filing Cabinet	25	tumber Servicing12	FSD-2448 TO FSD-34120	18-PTD-30 TO 24-PTD-60
Shop	23	Platform, Dolly	FTC-3629	18-TR-30 TO 30-TR-60
Shop Cabinet	23	Platform, Heavy Duty Single End25	FWS-3448, FWS-349619	18-TRE-30 TO 30-TRE-60
Standing Shop	23	Platform, Laminated Maple3	GT-72, GT-72-SD9	24, 25, 26, 210
DOLLIES		Platform, Semi-Live	GW-2448 TO GW-36144 17	71, 73
Steel, w/Removable Handle	13	Platform, 3/Sided8	GW-3636	75 TO 83-GS
DRUMS		Platform, Tote-All	H-2024-118	80
Cradles	26	Sheet & Panel	HDSC-3648-2, HDSC-3660-3,	84
Cradles, Ezy-Down		Shelf, Divided9	HDSC-3672-47	85, 85C2
Dollies, Can	27	Shelf, Enclosed	HDT-42, HDT-60	89, 90, 91, 92, 93, 96, 98, 100
Dollies, Hi-Drum & Can	27	Shelf, Sliding8 Shap, Extra Heavy Duty4	HDTC-24427	235
Dolly, Adjustable		Shop, Heavy Duty4	HLTT-36-1, HLTT-36-2	300, 311
Lifter, Horizontal Sling Type	28	· Shop, Slat-Top, Heavy Duty4	HS-2448-2 TO HS-3472-3	350, 351, 500
Lifter, VH-Vertical-Horizontal	28	Shop, Step Ladder Attachment 4	L-1828, L-1836, L-2436, L-2448 12	1036, 1236, 1436, 18362
Lifters, Dumpers, Roto-Tilt		Side, Open9	LBR-909, LBR-909H	14161-1 TO 2024-4
Storage Racks	28	Single End, Heavy Duty3	LPAS-1616, LPAS-1323	1830-2 TO 2460-3
Up-Ender	28	Stock, Cage	LT-20-78512	1830-DT-2 TO 3060-DT-3
Unit, Vertical Stacking, Portable	30	Tray, Shop11	MFC-2510	2448 TO 36144
7		WORK STATIONS	MT-2448-2 TO MT-3072-313	

STANDARD PAINT COLORS: GRAY, VISTA GREEN, DARK GREEN, BEIGE, DARK BROWN, LIGHT BLUE, DARK BLUE, RED OR ORANGE ENAMEL. PLEASE SPECIFY WHEN ORDERING.







# SERVING INDUSTRY SINCE 1949

#### SALES—TERMS AND CONDITIONS

- 1) ORDERING: All orders, including phone orders, must be confirmed in writing. Your written purchase order should specify each item by number, description, and finish color.
- 2) PRICES: All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges. We reserve the right to invoice at the prices prevailing at the time of shipment.
- 3) SPECIFICATIONS: Specifications are subject to change without notice. Due to minor design changes, equipment may not conform exactly to photographs in catalog.
- 4) ROUTING: Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect. When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid

within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the

- 5) PACKAGING: All items are packaged for domestic shipment. Additional charge will be made for special pack-
- 6) DAMAGED GOODS: When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.
- 7) RETURNED GOODS: All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.
- 8) CHANGES AND CANCELLATIONS: Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.
- 9) CORRECTIONS: Stenographic, clerical errors, and any other errors, are subject to correction.
- 10) DELAYS: All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.
- 11) TERMS: All prices are NET—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice,

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: \$80.00 NET, plus shipping charges.

These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 8 and subsequent Price Lists as issued from time to time, which may be issued without notice.



#### **STEEL PLATFORM TRUCKS**


2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS 2200 LBS. CAPACITY—6" HARD RUBBER CASTERS



#### LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS, CAPACITY—SEMI-STEEL CASTERS 1400 LBS, CAPACITY—SOFT RUBBER CASTERS

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS
2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS



48

48

48

601

90.

40

72

24

28

341

74

28.

34

24

PT-2448

PT-2848

PT-3448

PT-2460

PT-2860

PT-3460

PT-2472

#### ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle.

Casters: 2 swivel and 2 rigid, 6" x 2"-

Finish: Gray Enamel

Model	*	L	Ship Wr.
PT-2672	26"	72	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handle	Bars Includ	les Sockets	10
Extra Handle	Sockets W	elded on Truck	4

2 swivel and 2 rigid, 8" x 2"

Model	. w	L	Ship. Wr.
PT-2672	26"	72"	144
PT-3472	34"	72"	160
PT-2496	24	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handk	Bars Inclu	des Sockets	10
Extra Handk	Sockets W	elded on Truck	4

#### **DOLLY PLATFORM TRUCKS**

Ship

110

118

130


121

131

144

133

1000 LBS CAPACITY - SEMI-STEEL CASTERS 1000 LBS CAPACITY - HARD RUBBER CASTERS



**ALL WELDED CONSTRUCTION** REMOVABLE TUBULAR HANDLE LOW DECK-5% " FROM FLOOR Handle Overall Height-36"

Finish: Gray Enamel

Casters: 2 swivel and 2 rigid, 4" + 1 14"

24-PTD-60

Medel	w	, i	Ship, Wr,
18-PTD-30	18	30"	50
18-PTD-36	18"	36	57
18-PTD-48	18"	48	68
18-PTD-60	18"	60"	80
24-PTD-30	24"	30	56

Platform can be reversed at no charge, with 2" deep flanges up on all sides.

Madel	w	L	Ship. Wr.
24-PTD-36	24"	36"	63
24-PTD-48	24	48 "	74
24-PTD-60	24"	60"	85
Extra Handle I	Bars Includ	es Sockets	10
Extra Handle	Sockets W	elded on Truck	4

#### **HEAVY DUTY SINGLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters. Wheels: Semi-Steel 5" x 1%

Hard Rubber 5" x 1 1/2

Overall Height—36" Finish: Gray Enamel


Truck Floor Lock — Flat Bottom Shelf Available at Additional Charge.

Medel	w	1	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48	122
18-TR-60	18"	60	140
24-TR-30	24"	30	110
24-TR-36	24"	36	120

Medel	w		Ship. Wt.
24-TR-48	24"	48	140
24-TR-60	24"	60	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30	48"	160
30-TR-60	30	60	185

#### Wheels:

- 6" x 2" Soft Rubber
- 6" x 2" Semi-Steel
- 2 Swivel and 2 Rigid



WPT-RE-2448-RW

WPT-RE series have angle frame for side protection.

Size angle-175" x 1 15" x 16" WPT Series have no frame.

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" averall height with remavable tubular handle. Deck bottom reinforced with 2-6" x 1" Maple Battens for caster attachment.

Finish: Platform — Clear Lacquered, Steel Parts — Gray Enamel

			1	w/Stee	l Frome	w/e Sh	of frame
Model	w	w L	Ship. Wt.	Steel Wheel	Rubber Wheel	Steel Wheel	Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113	7			X
WPT-RE-2448-5W	24"	48-	127	x			† <del></del>
WPT-RE-2448-RW	24"	48"	123		×	•	†
WPT-2460-5W	24"	60"	126			х	
WPT-2460-RW	24"	60~	122	1			X
WPT-RE-2460-5W	24"	60-	136	X			
WPT-RE-2460-RW	24"	60~	132		x		
WPT-3448-SW	34"	48"	137	1		х	<del></del>
WPT-3448-RW	34"	48"	133	1		- 71	х
WPT-RE-3448-5W	34"	48**	147	×			
WPT-RE-3448-RW	34"	48"	143	.1 —	×		
WPT-3460-SW	34"	60"	155			X	·
WPT-3460-RW	34"	60"	151	1	-		X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171	1	х		· ·
Extra Handles & Soci	kets		T	7			

#### **HEAVY DUTY DOUBLE END TRUCKS**

2000 LBS. CAPACITY-SEMI-STEEL CASTERS 1500 LBS. CAPACITY-HARD RUBBER CASTERS

All welded for widest variety of uses with 1-3/4" x 1-3/4" x 3/16" angle posts. Tray sides 2" deep an bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Finish: Gray Enamel

Overall Height—36"

Wheels:

Semi-Steel 5"x1%" Hard Rubber 5" x 1 ½ "

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

Medel	w	_ ι	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36" -	115
18-TRE-48	18"	48"	131
18-1RE-60	18"	60~	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130



Medel	w	L	Ship. Wr.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60··	170
30-TRE-30	30"	30	136
30-TRE-36	30"	36	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196



#### SHOP TRUCKS—HEAVY DUTY

ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



#### **HEAVY DUTY** SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2 deep

All sizes 32 ½ " high. Clearance between shelves on 3-shelf model-10 1/2"; 2-shelf model-22 1/4.". Floor Clearance-6 %".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Costers for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability. Finish: Gray Enamel



Optional writing shelf attachment.

Marie Control

2436-DT-3



Casters: 2 swivel, 2 rigid Semi-Steel Wheels 5" x 1% Hard Rubber Wheels 5" x 1 ½ "

Truck Floor Lock—Flat Sottom Shelf Available at Additional Charge.

Finish: Gray Enamel



5-30-DT-3

GRIZZLY Drawer Units can be added. See Page 18

Wheels:

Semi-Steel 5" x 1%" Hard Rubber 5" x 1 ½ "

Truck Floor Lock--- Flat Bottom Shelf - Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 12). Writing surface 13" wide x 18" long, 30° tilt, 1/4" lip. SHIPPING WT. 10 LBS.

Medel	Shehres	w		Ship. Wt.		
1830-DT-2	- 2	18"	3	93		
2430-DT-2	is L	24"	30	105		
3030-DT-2		30"	30	118		
1830-DT-3	*3	18"	30	116		
2430-DT-3	•	24"	30.	134		
3030-DT-3		30″	30	152		
1836-DT-2	. 2	18"	36	100		
2436-DT-2	.1	24"	36	115		
3036-DT-2		30"	36"	130		
1836-DT-3	3	18"	36"	128		
2436-DT-3		24"	36"	150		
3034-DT-3		30"	36"	172		

Medel	Shelves	W	L	Ship. Wt.	
1848-DT-2	. 5	10"	48	116	
2448-DT-2		24"	48"	135	
3048-DT-2		30"	48"	154	
1848-DT-3	3	18"	48"	152	
2448-DT-3		24"	48"	180	
3048-DT-3		30"	48"	210	
1860-DT-2	2	18	60"	135	
2460-DT-2	i	24"	60·-	155	
3060-DT-2		30"	60"	177	
1860-DT-3	3	18"	40··	160	
2460-DT-3	}	24"	60"	210	
3060-DT-3	1	30"	60"	242	

#### STEP LADDER ATTACHMENT

tems easily lifted off truck with slings and grabs.

FOR SHOP TRUCKS

3/16" angle iron posts—

**SL-24** 

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS-ALL STEPS ADJUSTABLE-4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship, Wt. 45 Lbs.

Finish: Gray Enamel

ET-2460-2

# CRADLE TRUCKS ALL WELDED CONSTRUCTION 10,000 LBS. CAPACITY—STEEL WHEELS 6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Crodies permit easy looding and unlooding with fork lift or sling. Length—CRA-60 = 60": CRA-96 = 96"; CRA-120 = 120"

Used in shop operations, with presses, screw machines, shipping, and other equipment

TOP-12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2"

apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8",

2-shelf models 22-1/4", floor clearance---6-1/4" Tubular Push Handle, 1-3/4" x 1-3/4" x

Easily slides heavy dies on and off top with safety to fingers and hands.

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120. Cradle Width 23½", Overall Width 33¾", Height 36¾", Depth 15".

CRA-120 furnished with 4 cradles. CRA-96

Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3" **Ductile Iron Roller Searing Casters** 

Swivels: 8"x3" Casters: Hi-Cap Rubber Wheels Center Wheels: 16" x 3"

Swivels, 10" x 21/4" CRA-60 Ship. Wt. 350 Lbs.

CRA-96 Ship. Wt. 384 Lbs. Ship. Wt. 416 Lbs. CRA-120

Finish: Orange Enamel

For moving Survey parts or large tote baxes and shearings to and from

**ALL WELDED CONSTRUCTION** 

presses and ember operations. Flat top for easy sticking of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.

Finish: Gray F vamel



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels Truck Floorisch - Available at Additional Charge.

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL CASTERS 4000 LBS, CAPACITY—HI-CAP RUBBER CASTERS

	<del>_</del>				
	All Medels 36" High	Medel	W	L.	Ship. Wt.
	10" Floor Clearance	ET-2448-2	24"	48"	220
		ET-2460-2	24"	60	240
		ET-2472-2	24"	72"	260
	21" clearance between shelves	ET-2848-2	26"	48"	230
		E1-2860-2	26"	80.	255
		ET-2872-2	26"	72	280
		ET-3448-2	34"	48	· 256·
		ET-3460-2	34"	60"	286
· 10		ET-3472-2	34-	72"	316
* _		ET-2448-3	24-	48"	275
		ET-2460-3	24-	60.	305
	9%"	ET-2472-3	24"	72"	335
	degrance	ET-2848-3	28"	48"	290
	between	ET-2860-3	28"	60	325
-	shelves	ET-2872-3	28"	72	365
		ET-3448-3	34-	48	325
		ET-3460-3	34"	60"	370
		ET-3472-3	34"	72	415

#### SHEET-BAR STOCK TRUCKS

10,000 LBS, CAPACITY-STEEL WHEELS 6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 22" W; OD = 33" W x 60" L for OFB-60 '

ID = 22" W; OD = 33" W  $\times$  84" L for OFB-84. (The remainder of specifications apply to OF8-60 and OF8--84.)


Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3"

> Swivels: B"x3" Casters: Hi-Cap Rubber Wheels

Center Wheels: 16" x 3" Swivels, 10" x 2%

OFB-60 Ship. Wt. 270 Lbs. OFB-84 Ship. Wt. 294 Lbs. Finish: Orange Enamel

**Ductile Iron Roller Bearing Casters** 









#### **ALL PURPOSE HAND TRUCKS**

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.



Medel	Overall Height	Frame Width	Overall Width	Tee Plate	Cepecity	Wheels	Ship. Wt.
89	45 1/2 "	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	50	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20-	7"x14"	500	410x3.50—4—2 Pty Preu	. 40
92	48"	- 14"	20"	7"z14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42'
96	45"	27"	32 1/2 "	13"×25"	650	12"x3" Semi-Pneu	52
98	43"	18"	18"	8 1/2 "x 18"	800	8x2 Moldon	. 55
100	42"	19"	20	5"x19"	800	8x2 Moldon	58



tor's arms and shoulders.

NEW IMPROVED
PREMIUM BEVERAGE TRUCK
300 and 311



STACKING HOLDER permits firm hold on as many as 6 cases high; %" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9 ½ " wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.


ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

ALL WELDED tubular balanced construction, easy to push, even under the heavi-

est loads; keeps the load on the axle, bearings and wheels, and off opera-

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

Att. EDGES ROUNDED SMQOTH for neat appearance—and safety—Finish: Orange Enamel.




#### BAR AND ROD TRUCKS

3400 LBS. CAPACITY - SEMI-STEEL CASTERS 3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS



Medel	W	L	Ship Wt:
BRT-48	36"	48"	255
BRT-60	36"	60° .	275
BRT-72	36"	72"	. 292



**BRT-60** 

mi-Steel Roller Bearing Wheels, 8" x 2" 2 rigid # 2 swivel.

Hi-Cap Rubber Roller Bearing els. 8" x 2" 2 rigid & 2 swivel.

Finish: Gray Enamel

Truck Floor Lock Available at Additional Charge.

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items. All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel

# SPT-2842

#### SHEET AND . **PANEL TRUCK**

2000 LBS, CAPACITY Casters: 2 Rigid and 2 Swivel 6" x 2" **Hard Rubber Wheels** 

Ship. Wt.—105 Lbs.

Finish: Gray Enamel

28"W-42"L-49"O.A.H.

Deck-1/2" plywood

-Used for transporting panel units, partition sections, All welded august construction masonite, formica, building and other long type materials, to and from work stations, in the struction jab. End stop on the length of the deck keeps material from plant, and on the c sliding off truck.

#### SEMI-LIVE PLATFORM TRUCKS

2500 LBS, CAPACITY 8" x 2" Hi-Cap Rubber Wheels Platform 12" from floor

	<b>#</b>		
Medel		L	Ship. Wt.
SLP1-2448	74	48"	90
SLPT-2460	74-	60	106
SLPT-3048	300	. 48"	100
SLPT-3060	307	60"	114
SLPT-3648	. 36	48"	112
SLPT-3660	395	60"	127

All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck-

W/Optional Jack Handle

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Gray Enamel Jack Handle engages and disengages platform. See below for separate Jack Handle.

#### **#15 JACK HANDLE**

Rubber Wheels — 54½ "Long —Ship. Wt. 35 Lbs.

#### DOUBLE PERSONAL LOCKERS

All welded construction, for shop and warehouse uses, lockers stackable and each locker equipped with three fixed shelves, padlock loop eye and keyed handle. Top locker comes with

Top Locker Size: 161/4" Deep x 21 1/4" Wide x 34" High in back.

Bottom Locker Size: 161/4" Deep x 211/4" Wide x 30" High.

Shelf Clearances:


5" Top to First Shelf

5" First Shelf to Second Shelf

41/4" Second Shelf to Third Shelf 10" Third Shelf to Bottom

Finish: Gray Enamel

Ship, Wt. Top Locker 85 Lbs. Bottom Locker 89 Lbs.



DPL-1621

#### 3 DOOR LOCKER CABINET UNIT

**OVERALL CABINET SIZE:** 24" W x 24" L x 74" H

All welded, rugged construction for storage of individual belongings and supplies in various areas and departments in plant. Doors equipped with pull handles and padlock loop eyes. Entire unit constructed of 14 gauge steel. Unit shipped completely assembled and ready

Inside Dimension of Cabinets: 231/4" Wide x 22¼" Deep x 24" High

Finish: Gray Enamel

Ship, Wt. 230 Lbs.

Specials Quoted Upon Request to Meet Customer's Requirements.



DLCU-2424



SLPT-3660




# EXTRA HEAVY DUTY STORAGE CABINETS

RUGGED—ALL WELDED CONSTRUCTION
400 LBS. CAPACITY PER SHELF

All Models have 1 Fixed Center Shelf, All Other Shelves Adjustable on 2" Centers. Shelf Size — 18" W x 3574"

Cabinets built for years of rugged use. Units have 16 Ga. Reinfarced Shelves and Bottom, Sides — 12 Ga., Doors 18 Ga. with 20 Ga. Reinfarcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Keyed Handle. Units shipped completely assembled and ready for use.

Finish: Gray Enamel



HDSC-3672-4

				·	
Model	D	W	Н	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48**	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60″	3 I fixed, 2 Adjustable	250
HDSC-3672-4	19:	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelve	s Available 1	8"D x 35%	Ί.		20

#### **HEAVY DUTY TOOL CABINET**

Large variety of uses—in, warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42" Clearance between shelves—12'/-"

Construction:
Body and Shelves—14 Gauge Steel
Top, Bottom and Door—12 Gauge Steel

Finish: Gray Enamel



Ship. Wt. 128 Lbs.

#### WARDROBE-STORAGE CABINET

ALL WELDED CONSTRUCTION


Heavy Duty Cabinet has the double purpose of storage on one side and 4 fixed shelves on the other. There is a full length shelf on top for extra storage. Model furnished with Keyed Handle. Padlock Hasp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shelf Divider — 16 Gauge Steel: Doors, Back and Half Shelves — 18 Gauge Steel: Bottom — 14 Gauge Steel.

**CABINET SIZE:** 21"D x 36"W x 72"H

Finish: Gray Enamel

Ship. Wt. 248 Lbs.



WSC-3672

# BOOK SHELF—STORAGE CABINET

**ALL WELDED CONSTRUCTION** 


Used in office, factory and shop operations. Unit has 2 fixed shelves an top for starage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Keyed Handle.

Entire unit constructed of 16 Gauge BOOK SHELF DEPTH—12" Finish: Gray Enamel Ship. Wt. 235 Lbs.

#### OVERALL DIMENSION of CABINET

19"Dx36"Wx75" OAH 48" High from floor to top of storage cabinet.



SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES



#### SLIDING SHELF TRUCKS

2400 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—HARD RUBBER CASTERS LARGE VOLUME CAPACITY TRUCK **2 REMOVABLE SHELVES** 



#### 3/SIDED PLATFORM TRUCKS

3000 LBS, CAPACITY—SEMI-STEEL CASTERS 2000 LBS, CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. All corners and edges are round for saf-Ruggedly built of all steel welded construction. Ready for use. All corners and all edges are round for safe handling without damage to other equipment. handling without damage to other equipment. See Thru design for visual load inspection creases load capacity over platform trucks. Used in shipping and receiving rooms. See Thru design for visual laad inspection. For large or heavy stock orders and other purposes.

18" Clearance Between Shelves

Prices include Two (2) Shelves. Extra Shelves Priced on Request

Casters: 6"x2" \_2 rigid and 2 swivel.

Finish: Gray Enamel



Medel	L 1	w _]	н	Shelf Size	Ship. W1.
\$\$-48	56~	37	66"	36" k 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
\$5.72	80-	37 <sup></sup>	66"	36" x 72"	330 lbs.

Shelves are easily removed by sliding out of channels permitting truck to be used for large

bulky materials. Standard unit consists of 2 shelves and bottom. Shelves slope 2" to the rear.

#### **CAGE STOCK TRUCK**

CST-24

SS-72

#### **800 LBS. CAPACITY** ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stack room and many other operations. See-thry design for visual load inspection. Used for drying purposes, paper stock, etc.

Overall Dimensions	241/5"Wx42"Lx62"H
	24"x36"—14 Ga. steel
	5"x11/4" Soft Rubber
	2 swivel, 2 rigid
Finish	Gray Enamel

\* Additional removable shelves are furnished with welded clips that rest on Band Iron strips

CST-24-Ship. Wt. 135 lbs.

Additional Shelves Available at Additional Charge - Ship. Wt. 24 lbs.

#### **BOX TRUCKS ROLL-OVER BOX TRUCKS**

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS





ROBT-36

GRIZZLY Bask Frenck and Roll-Over Box Truck are used for handling packaged goods, in and warehouses, line operations, disposal of waste materials, and for

sion, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 wivel caster of the center of each end. Turns within half of its length. Leakproof.


ROBT series: "Ball Over—gives maximum leverage with ease, turns over load from horizont-

-remains upright, material easily removed—one man operation

OX TRUCKS					
Medel	Ship. WI.	w	D	ι	O.A.H.
81-2436	95	24'	24"	36	30"
8T-3036 <del>作</del>	110	30	24"	36"	30
8T-244	115	24"	24"	48"	30"
	- 124	30"	24"	48	30

Soft Rubber, 5"x1%"

ROLL-OVER MAC	TRUCKS				
Model 63	W	D	ι	O.A.H.	Ship. W1,
ROST-36	24"	24"	36"	30"	120 Lbs.
ACST. 48	24"	24"	48"	30"	-140 lbs.



Sides and Back 3/4" Flattened **Expanded Metal 13 Gauge Steel** 

Reinforced 12 Gauge Steel platform FRAME: 1-1/2" x 3/16" Angle Iron

TUBULAR PUSH HANDLE

DECK TO TOP FRAME: 48"

ALL MODELS: FLOOR TO DECK:

**Gray Enamel** FINISH-WHEELS: 8"x2", 2 swivel, 2 rigid.

Drop Front Door Available on all Models

60" O.A.H.

12

Model	_w	L .	Ship. W1.
351-2448	24"	48"	185
3ST-2460	24"	60"	200
351-2472	24"	72" ·	220
JST-2848	28"	48"	200
3ST-2860	28"	60"	213

Model	w	1	Ship. Wt.
3ST-2872	28"	72"	235
3ST-3448	34"	· 48"	215
3ST-3460	34"	60~	235
351-3472	34"	72"	258

3ST-2848

#### 3/SIDED STOCK CARTS

MEDIUM DUTY 1500 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS, CAPACITY-HARD RUBBER CASTERS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

#### ALL WELDED CONSTRUCTION

ALL MODELS: **BOTTOM DECK:** POSTS:

VERTICAL RODS-DECK HEIGHT-

FINISH-

WHEELS:

60" O.A.H. 12 Gauge Steel 1½″x ½″ Angle Iron 1/4 Digmeter " from floor

TUBULAR PUSH BAR

**Gray Enamel** 4"x11/2", 2 Swivel,

2 Rigid.

Model	W	L "	Ship, Wt.
3SC-30	24"	30"	105
35C-36	24"	36	115
3SC-48	24"	48"	135
3SC-60	24"	60	155

#### HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



3SC-30

1000 LBS. CAPACITY 4" SEMI-STEEL CASTERS 1500 LBS. CAPACITY

8" SEMI-STEEL CASTERS

RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1 ½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).


Handy in machine shops, screw machine operations, production and assembly lines. RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed.

130 Lbs. -Roll-Over Dump Truck Ship. Wt. (RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.) 178 Lbs. RODT-60--- Roll-Over Dump Truck Ship. Wt.

(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)
Finish: Gray Enamel

I HIMBIL V	oray challet	
Hand Dump Trucks =	HDT-42	HDT-60
Top	24"W x 42"L	24"W = 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	. 18"	18"
Floor to Top of Box	23"	23
Handle From Floor	36"	36
Ship. Wt.	120 Lbs.	168 lbs.





Finish: Gray Enamel

Semi-Steel, 5"x1%"



#### **DIVIDED SHELF TRUCK**

1400 LBS. CAPACITY—HARD RUBBER CASTERS ALL WELDED CONSTRUCTION

Large variety of uses — in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. All shelves and bottom pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

#### DV-2242

42"L-22"W-55% "O.A.H.

Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clear-

Casters: 2 Swivel, 2 Rigid, 5"x1 1/2"

Finish: Gray Enamel Ship. Wt.-200 Lbs.



DV-2242

#### OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION



For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

#### OST-39

Overall Dimensions: 18 ½ "W x 45"L x 50"H Shelves: 18" x 39", 18 gauge steel,

flat surface

Clearance Between Shelves: 15" Casters: 4 swivels, 5" x 1 14" Push Handles: Tubular, one at each end Finish: Gray Enamel Ship. Wt. 110 Lbs.

#### **ENCLOSED SHELF TRUCK**

800 LBS. CAPACITY-SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the bock to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.


Casters: 2 swivel, 2 rigid 5" x 1 14" Finish: Gray Enamel Ship. Wt.—110 Lbs.



Overall Dimensions: 16"W x 45"L x 62"H Shelves: 16" x 44"-20 Ga. steel 10" Clearance between Shelves

#### **GARMENT TRUCKS**

500 LBS. CAPACITY-SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION




Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver

> Dimensions the same for both GT-72 and GT-72-\$D

> > 74"L—20-1/2"W—66"H Frame: 1-1/16" Tubular Steel Casters: 4 swivels, 5" x 1-1/4" Finish: Gray Enamel

GT-72 Garment Truck ---



GT-72-SD Garment Truck --Ship Wt. 98 Lbs.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES





#### MOPPING FLOOR AND CLEANING CART

**800 LBS. CAPACITY** 



All welded construction, handles all your general cleaning needs such as mops, brooms, brushes, pails, etc. For use in supermarkets, hotels, leaspitals, restaurants, etc.

Overall Dimensions: 25" W x 33" L x 41" H Accessory Box Size: 10½" W x 227¼" L x 8" H Bottom Dack Size: 25" W x 25" L x 2" D Costers: 5" x 1¼", Non-marking Polyolefin,

2 rigid and 2 swivel Finish: Gray Enamel

Ship. Wt. 68 Lbs.

Accessaries Not Included

# PORTABLE PRODUCTION... EXAMINATION TABLE

500 LBS. CAPACITY 5" Soft Rubber Stem Casters




All welded construction used by inspectors, checkers, inventory use, etc. Table equipped with removable  $\frac{1}{4}$ " pressed wood top and  $\frac{1}{4}$ " lip above pressed wood in front to prevent parts and other items from rolling off. Unit has 8" high steel clipboard holder with 70° slope to the back. All swivel costers for easy movability. Shipped completely assembled ready for immediate use.

assembled teads for imme	dicie use.
Width	
	Front 38½" — Back 46¾"
Finish: Gray Enamel	
Ship We A3 Ibe	

#### HYDRAULIC LIFT TOP TABLES

- All Arc Welded---Ruggéd---Portable
- Foot Operated—
- Easily adjusted to and from working height.
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.
- For moving dies, tools and parts to and from working station—production & maintenance.

HLTT-36-1 CAPACITY 1000 LBS.




 Model HLTT-36-1
 Top.
 20"W-36"L

 Swivel Casters.5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
 43" from Floor Top Height.

 Raised Top Height.
 31" from Floor Top Height.
 12"

 FINISH: Orange Enamel—Ship. Wt.
 260 Lbs.



HLTT-36-2 CAPACITY 2000 LBS.



ALL WELDED CONSTRUCTION 800 LBS. CAPACITY - SOFT RUBBER CASTERS



**TOTE-ALL HAND CART** 

CAPACITY: 1000 LBS.—SEMI-STEEL CASTERS 800 LBS.—SOFT RUBBER CASTERS

Top—15"W—28"L, Cart height—20½ "O.A.H.

0½ "O.A.H. SER-101-RW

Handle: 32" Long

Top and Bottom tray—1" deep.. Legs: 1½" x 1½" x ½" Angle Iron Drawer: 14¾" D x 20¾" W x 5" H Drawer Slides on Ball Bearing Steel Rollers

Finish: Gray Enamel

2000 LBS, CAPACITY-SEMI-STEEL CASTERS

1500 LBS. CAPACITY—HARD RUBBER CASTERS


All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1 14" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Saft Rubber Wheels	56 Ship. Wt.

#### Truck Floor Lock Available at Additional Charge

Finish: Gray Enamel



Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading

and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x1"/" Soft Rubber self lube, 2 rigid and 2 swivel.

#### TOTE-ALL UTILITY CARTS

All Models: 36" O.A.H. Deck Height: 28" Shelf Clearance: 19¾" Floor Clearance: 6¼"

Model	W	L	Ship Wt.
UC-2432	24"	32"	59
UC-2442	24"	42*	66
UC-2452	24"	52"	73

#### TOTE-ALL PLATFORM TRUCKS All Models 36" O.A.H. Deck Height: 15"

Model	*		Ship Wt.
UT-2432	24"	32"	50
UT-2442	24"	42"	55
UT-2452	24"	52"	60

#### **TOTE-ALL HAND TRUCK**

ALL WELDED CONSTRUCTION COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK 375 LBS. CAPACITY

#### **IDEAL FOR:**

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.— Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels. —Finish: Gray Enamel

Model TA-24 Ship. Wt. 52 Lbs.

#### **TOTE PAN HAND TRUCK**

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumotic wheels as a hand truck or pushed as a cort on 4 wheels. Two swivel casters in front for easy turning.



TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 34" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 14" Hard Rubber Swivels.—FINISH: Gray Enamel Model 19tH-24

Ship. Wt. 55 Lbs.

SHOP TRAY TRUCKS 1500 LBS. (
HEAVY DUTY ALL WELDED CONSTRUCTION

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.

Clearance between Top and Bottom Trays—17-3/4"

BOTTOM TRAY: 2" Deep-12 Gauge steel.

LEGS: 1-3/4" x 1-3/4" x 3/16" Angle fron ALL MODELS: 36" O. A. H. Floor Clearace: 6-1/4" TUBULAR PUSH BAR.

CASTERS

2 swivel 2 rigid Semi-Steel Wheels 5" x 1-5/8" Hard Rubber Wheels 5" x 1-1/2"

# Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge Finish: Gray Enamel

w	ι	Top Box Depth = 6"	Top Box Depth = 12	Ship. Wt.	
18	30	11-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	11-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



#### TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

Finish: Gray Enamel

ALL MODELS:

36½" O.A.H.

CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1 ¼"
Soft Rubber Wheels 5" x 1 ¼"

LEGS: 1½ "x1½ "x ½ " Angle Iron

Clearance between top and bottom trays—18" TSC-2436-12
TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY: BOTTOM TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges. 2½" deep—16 Gauge steel with ½" hemmed edges.

#### Truck Floor Lock-Flat Bottom Shelf - Available at Additional Charge.

w	ı	Top Box Depth = 6"	Ship, Wt,	Tep Bex Depth = 12	Ship. Wt.
16	28	TSC-1820-6	67	TSC-1828-12	75
18	36	T\$C-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95



**STOCK CARTS** MEDIUM DUTY 500 LBS. CAPACITY 5" SOFT RUBBER CASTERS 360 LBS. CAPACITY-3" SOFT RUBBER CASTERS



#### FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY-SEMI-STEEL CASTERS 800 LBS. CAPACITY-SOFT PURBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

**Built for Years of Easy Rolling** 

FINISH: Gray Enamel CASTERS: 2 swivel 2 rigid

Soft Rubber Plain Bearing Wheels-Soft Rubber Ball Bearing Wheels-5" x 1" Soft Rubber Plain Bearing Wheels-3" x 13/16"


SC-5362 w/#1416-1 Drawer Unit

Flat Bottom Shelf and Bench Drawer Units (See Page 16) — Available at Additional Charge. — SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

SCF-5363

Shelves — Pests — 1 ½" x 1 All Trays —	- 16 ga. ½" x ½" angle 2½" Deep	Madel	w		D.A.H	Sheff	Wheels	Ship. Wt.
		SC -3182	18,"	28"	34"		3"	47
	All Tray Shelves	SC -5182	18.	28"	36		5"	50
		SC -3362	18"	36"	34"	25 % "	3	53
		SC -5362	18"	36"	36"	] .	5"	56
- 4		SC -5242	24"	36"	36"		5-	66
		SC -3183	18"	28"	34"		3"	62
	All Tray Sholves	SC -5183	18"	28"	36"	11%"	5"	65
		SC -3363	18"	36"	34"		3"	70
		SC -5363	18"	36"	36~		5~	73
* *		SC -5243	24~	36"	36"		5-	88
		SCF-3182	18"	28	34		3"	47
	Mat Surface	SCF-5182	18"	26"	36		5"	50
	· Top Shelf Tray Bottom	SCF-3362	18~	36	34	25 ¼ "	3~	53
	Shelf	SCF-5362	18"	36"	36"		5"	56
- 3		SCF-5242	24-	36	36"		5"	66
		SCF-3183	18~	28	34"		3~	62
	Flat Surface	SCF-5183	18"	28"	36"	ł	5~	65
	Top Shelf Tray Center and	SCF-3363	18"	36"	34	11%4"	3"	70
	Bettern Shelves	SCF-5363	18-	36	36"	ł.	5"	73
<b></b>		SCF-5243	24"	36"	36"		5	88

#### HI-LADDER STOCK CARTS-LADDER STOCK CARTS



SHELVES..... 14-Gauge steel, Tray Type-2" deep CLEARANCE BETWEEN SHELVES..... TOP OF CART......38¼" from Floor

LADDER

CASTERS: 2 Swivel, 2 Rigid

S= Semi-Steel Wheels 5" + 154 R= Hard Rubber Wheels 5" x 1 1/2

> SIZE OF SHELVES —Тор—20"x32"

-Center-20"x36" -Bottom---20"x41"

HI-LADOER LT-20-752

17-20-78# A

Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.

LT-20-R STEPS: 6" wide

LADDER ..... Spring loaded and adjustable

169 Ship. W1.

174 Ship. Wt.

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and starage areas, and for moving such items to and from job and shipping locations.

Ladder authorized slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to becausely moved. Finish...... Gray Enamel

Specification Same for LT-20-78 and LT-20 Models with exception of O.A.H. Truck Floor Bock-Flat Bottom Shelf — Available at Additional Charge. er shelves reversed at no charge Teo and co

HI-LADOER 🏯 OA-20"W x 44"L x 78"H STOCK CALL

LADDER OA-20"W x 44"L x 62"H STOCK CARTS

150 Ship. W1. LT-20-8

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 11/2" x 11/2" x 1/4" angle posts, 16 gauge shelves and push handle located 391/2 " high for balanced handling, adds 3" to overall length of cart.

Top trays, with 21/2" sides, can be reversed at no extra cost.

O.A.H. with Semi-Steel Costers...... 581/4" O.A.H. with Soft Rubber Casters...... 58%" Shelf Clearance......10" Finish..... Gray Enamel

Casters: 2 swivel, 2 rigid

5" x 1 ¼ " Semi-Steel Wheels Soft Rubber Wheels 5" x 1 1/4"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

L-1836

Model	W	L	Ship. Wt.	Medel	W	
L-1828	18"	28"	105	L-2436	24"	Ι.
L-1836	18~	36"	119	L-2448	24"	

#### FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS, CAPACITY-MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extracost. Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height......68° Shelf Clearance......12" Floor Clearance......9%" Finish......Gray Enamel Casters: 2 swivel, 2 rigid

Semi-Steel Wheels Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf – Available at Additional Charge.

Medel	W	Ļ	Ship, Wt.
H-2430	24"	30~	219
H-2436	24"	36~	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	. 24"	60-	355
H-3060	30~	60	_ 413



144 181

H-2436

#### **LUMBER SERVICING TRUCKS**

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

ient movement of bulky and other items for customer service, graintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Casters: 6" x 2" Soft Rubber Wheels # 2 swivel, 2 rigid.



W = 26": Depth = 24": H = 39" Floor Clearance = 7 1/2 Finish: Red Enamel Ship. Wt. = 72 Lbs.



YZ-100 for longer bulkier items.

Width =  $24^{\circ}$ : Base Length =  $42^{\circ}$ :

Overall Length = 65": Ht. = 44%

Floor Clearance = 8%

60" overall height.

Finish: Red Enamel

Sheet Holder adjustable to



#### PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION CAPACITY 1000 LBS.—SEMI-STEEL CASTERS CAPACITY 800 LBS.—SOFT RUBBER CASTERS Capacity based on evenly distributed load

Medel	Shelves	W	ı	Ship. Wi
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60~	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	.30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30~	60"	175
MT-3072-2	2	30"	72°	140
MT-3072-3	3	30"	.72*	184

MT-2460-2

STEEL DOLLIES

1000 LBS. CAPACITY -- HARD RUBBER CASTERS

WITH REMOVABLE HANDLE 1000 LBS. CAPACITY - SEMI-STEEL CASTERS

30

36

60

30

36

48

rad - 361/4" long, furnished with unit.

18

18

18

18

24

24

24

8-D-30

18-D-36

18-D-48

18-D-60

24-D-30

24-D-36 24-D-48

24-D-60

All models 30" O.A.H. Shelf Clearance: 2 shelf models — 21", 3 shelf models - 93/,". Shelves - 16 Ga. steel with 20 Ga. Channels. Legs - 11/2" x 11/2" x 1/2" x 1/2" Angle fron. Casters — 5" x 11/4, all swivels. Finish: Gray Enamel

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 11/3" casters. 2 swivel and 2 rigid. Removable Handle - 1/3

Ship. Wt.

44

52

60

45

50

60



Designed for rugged factory

use yet with appearance for of-

fice and store. Flat surface for

layouts, marking and sorting

use, arder filling, warehouse,

beside assembly operations. Top and bottom shelves are

reinforced with channels.

light duty truck for industrial

merchandise.

"MIJ" BOX CARTS

300 LBS, CAPACITY-

BC-213

a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, maving work parts in warehouses and stock rooms, callecting and moving items in tool cribs and shipping rooms. ALL CLEARANCE BETWEEN BOX AND SHELF-WELDED CONSTRUCTION. Easily turned in narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D. \_\_13"W\_\_23"L\_\_31"H, BOX\_

BOTTOM SHELF-8" from floor

. ¦	FINISH: Gray Enamel	Ship. Wi.
	B-213—With Floor Pads	28 lbs.
	BC-213-With 21/4" Pressed Steel	Costers29 lbs

#### HOPPER TABLES

#### 300 LBS, CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tate box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



14¼ "W--29¼ "L-O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPEN-ING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEAR-ANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Gray Ename!

TH-14	With Floor Pads		37 Ship. Wt.
TH-14C	With 21/2 " Pressed Steel Swivel Costers	,	40 Ship. Wt.



#### "MIJ" TABLES 300 LBS, CAPACITY—24".DIA. PRESSED STEEL OR SOFT RUBBER CASTERS FOR FASTER PRODUCTION UNE NEEDS

Rugged—Compact— High Quality at Low Cost

ALL MODELS.13" wide x 23" long. SHELVES...... 16 Gauge Steel LEGS.... Structural Angle

All welded construction, used as a durable service table for handling parts during

production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote baxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves.

Pressed Steel or Soft Rubber							
Overall Height Ship'Wt.							
TC-213	23 1/1"	22					
TEC-213	30%*	24					
TC-313	231/1"	28					
TEC-313	301/1"	30					



213 Series

Finish: Gray Enamel

lop and

313 Series op, Botton and Center

Models With Floor Pods Wolded to Logs							
	Height of Top Shelf	Shelf Clearance	Ship. Wt.				
T -213	24"	16"	21				
TE-213	31"	21"	23				
T -313	24"	71/1"	27				
TE-313	31"	10"	29				

#### **HEAVY DUTY TOOL STANDS** 2000 LBS. CAPÁCITY-

Top reversed on request at

Finish: Gray Enamel

no extra cost.

ALL WELDED CONSTRUCTION Floor dearance ó K

Pads on bottom of legs protect floors. Finish: Gray Enamel

ALL MODELS ...... 32-1/2" O.A.H. SHELVES ..... 12 Gauge Steel LEGS ..... 1-3/4" x 3/16" Angle Iron

2448-3 Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table. Bench drawer units can be added. (See page 18).



#### EXTRA HEAVY DUTY TOOL STANDS 3000 LBS, CAPACITY

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder beside table. Layout table for plates, large dies, molds. Bench drawer units can be added (See page 18).

FOR EXTREME HEAVY LOAD REQUIREMENTS ALL WELDED CONSTRUCTION . ALL SHELVES FLAT SURFACES

ALL MODELS.......36" High Finish: Gray Enamel SHELVES.....12 Gauge Steel

EGS	. 2	×2"×	3/16" Ar
Model	₩	L	Ship, Wt.
HS-2448-2	24"	4	135
HS-2460-2	24"	\$	155
HS-2472-2	24"	72~	175
HS-2848-2	28"	4	145
HS-2860-2	28"	60	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60-	190
H\$-3472-2	34"	72~	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28	48"	205
HS-2860-3	28"	60-	240
HS-2872-3	28"	72	275
HS-3448-3	34"	48"	230
HS-3460-3	34-	60	280




HS-2460-2

HS-2872-2 W/2 Shelves



HS-2872-3 W/3 Shelves





#### UTILITY TABLES

500 LBS. CAPACITY—5" SOFT RUBBER CASTERS 300 LBS. CAPACITY—2", DIA. PRESSED STEEL

CASTERS OR SOFT RUBBER CASTERS



#### **PORTABLE CABINET WORK BENCHES**

ALL WELDED CONSTRUCTION 1200 LBS. CAPACITY — SEMI-STEEL CASTER 1200 LBS. CAPACITY — SOFT RUBBER CAST

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen an assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.







SHELVES S Models: 16 Gauge--H-L-K Models: 14 Gauge ANGLE LEGS

5 Models: 11/4"x1/8"--H-L-K Models: 11/4" x 1/8"

DRAWER SIZE (D) 14"W --- 16"D --- 5"H

FINISH: Gray Enamel

.....

Cylinder Lock Available at Additional Charge

SAULE LA BUELLA


· · · · · · · · · · · · · · · · · · ·	Fle	31" or Pad	High Ov s Welde	rentil id to Legs	High Ove 4 S	raii With Casters wivels
	w	L	Medel	Ship. Wt.	Model	Ship. Wt.
	19	25"	51	32	sc	35
	23"	24"	нт	43	нс	46
Wasth Top and	20	28"	LŤ	44	ιc	47
Suction Shelves	24	36	KT	60	KC	63
	19"	25	ss	42 ,	SC3	45
	23"	24-	2	57	нсз	60
With Top, Bottom	20"	28"	13	59	IC3	62
Shelves	24"	36"	K3	83	KC3	86
	19'	25 <sup>.</sup>	503	57	SD3C	60
	23"	24"	HD3	69	HD3C	72
With Top, Bottom and Conter Shahves and	20"	28"	LD3	71	LD3C	74
Man. #416-1 Drower	24"	36"	KD3	95	KD3C	98
	19"	25	9	47	SOC	50
With Top and	23	24"	HD	58	HDC	61
Shelves and	20"	28"	ſD	59	ιοc	62
Drawer	24"	36	KĐ	75	KDC	78
	19"	25 <sup>-</sup>	\$2D	77	\$2DC	80
mith Top and	23	24"	H20	88	H2DC	91
Shelver and	20	28"	120	89	12DC	92
Drawer Unit	24.	36	K2D	105	K2DC	108
	:9:	25	\$30	98	\$3DC	101
	23	24"	нзо	109	нзос	112
Top and Bottom Shelves and	30.	28	130	110	130C	113
#1416-3 Frawer Unit	24	36	K30	126	K3DC	129

Size of Top: 211/2" Wide x 42" long x 361/4" Overall Height-Storage Cabinet and Shelves: 18" Wide x 183/4" Deep Clearance between Shelves: 81/4' Drawer Sizes: Inside Dimensions - All

Drawers, 18" Deep x 19" Wide Top Drawer - 3" High

Middle Drawers — 4" High Bottom Drawer — 6" High Finish: Gray Enamel Padlock Attachment Furnished with

Unit to Lock both Door and Drawers



PDC-425	6" x 2" Semi-Steel, 2 Swivel — 2 Rigid Casters	217 Ship Wr.
PDC-42R	6" x 2" Soft Rubber, 2 Swivel 2 Rigid Costers	220 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.

#### PORTABLE TOOL CABINET WORK BENCHES

3000 LBS, CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION, for machine operators, production and maintenance workers, repairmen, etc. Furnished with a nine Drawer Cabinet which provides much storage of tools, parts and other items. Sides and back stop prevent objects from rolling off top. Equipped with Keyed Handle on door and Cylinder Lock on Nine Drawer Cabinet.

CASTERS: 2 rigid and 2 swivel, 8" Dimensions: Size of top—26" x 48"; Height—37\/" to work surface; 3" back stop. Overall Height—40\/"; Total Overall Length—63"; Vise Shelf—12" x 25" (Vise Shelf standard an all models); Storage Cobinet Size: Top Comportment—21" w x 23\/"d x 10"h, Bottom Comportment—21" w x 23\/"d x

Finish: Nine Drawer Cabinet-Red Ename All other Metal Parts-Gray Enamel

Vise Available Upon Request.



PTC-48R w/optional machinist vise

PTC-48S	Semi-Steel Wheels 8"x2"	348 Ship Wt
PTC-48R	Maldon Rubber Wheels 8"x2"	345 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt
	With 3/16" Steel Plate Top	67 Ship Wt.

#### PORTABLE MAINTENANCE CENTER **WORK BENCHES**

4000 LBS. CAPACITY—SEMI-STEEL CASTERS 4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS ALL WELDED CONSTRUCTION


for maintenance workers, mill wrights, electricians, repairmen and other spot workers.


Bench furnished with 2 nine drawer tool cabinets to provide large storage place for tools and parts and especially eliminates otherwise necessary trips to another work bench and stock room CASTERS: 2 rigid and 2 swivel, 8" x 21/2"

CASTERS: 2 rigid and 2 server, b x z > 2.
Dimensions: Size of top—28" x 60"; Overall Height—38," (includes 1," steel plate top) Total Overall Length—64", Top Four Compartments—11" w x 14" d x 10" h, Botton Shelf (Open at both ends) 23" w x 28" d x 13" h.
Model furnished with Crimder Locks on Topl Cabinets and Model furnished with Crimder Locks on Topl Cabinets and

Keyed Handles on Compartment Doors. Finish: 2 Kine Drawer Cabinets—Red Enamel All Other Metal Parts—Gray Enamel

Vise is available upon request.





w/aptional machinist vise



# PORTABLE CABINET WORK BENCHES

2000 LBS, CAPACITY—SEMI-STEEL CASTERS
1500 LBS, CAPACITY—RUBBER CASTERS



TOP:


HEIGHT:

# PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY— SOFT RUBBER CASTERS

#### LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.





PC-48R w/#1424-4 Drawer Unit

#### **HEAVY DUTY**

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels — 5" for easy rolling — 2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total averall length, 63"; Vise shelf, 12" x 25" — vise shelf standard on all models. Shelf: 24½ x 47½". GRIZZLY — Bench Drawer Units installed in Work Benches for special requirements. See Page 18. Cylinder locks for drawers available at additional charge; must be factory installed. Finish: Gray Enamel.

PC-485	Semi-Steel Wheels ' 5" x 1% "	250 Ship, Wt.
PC-48R	Hord Rubber Wheels 5" x 1 ½ "	247 Ship, Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	·20 Ship, Wt.
	Keyed Handle at Additional Charge (2 keys)	
•	Additional Shelf at Additional Charge	26 Ship. W1.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Figeon Hole Unit 7" high x 48" long 4—4" x 12" Openings 9" deep	18 Ship, Wt.
P-88	Pigeon Hole Unit 11" high x 48" long	27 Ship. W1.



BP-SERIES 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—RUBBER CASTERS

All wolded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large comportment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top and side and back stops available on request.





BP-36R

BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34": Standard drawer unit in #BP-36 — (#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 18. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Gray Enamel.

8P-36S	Semi-Steel Wheels 5" x 1%"	220 Ship. Wt
8P-36R	Hord Rubber Wheels, 5" x 1 ½ "	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Keyed Handle (2 Keys) at Additional Charge	
	With 3/16" Steel Plate Top at Additional Charge	260 Ship. Wt.



21 ¼ " x 36".

34" to Work Surface.



SHELF SIZE: 19" x 35 1/4",

adjustable on

2" Centers.
FINISH: Gray Enamel

Side stops available on request.


PC-365	5" x 1 ¼ " Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	114 5hip. Wt.
	Floor Truck Lack at Additional Charge	5 Ship, Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
Cylinder I	ack which locks both Doors (2 Keys) at Additional Charge, must be	factory installed.

#### **PDC SERIES**

PDC-36R

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions — 20" wide x 18" deep x 4" high. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.







PDC-365	5" x 1 14 " Semi-Steel, 2 Swivel 2 Rigid Costers	168 Ship. W1.
PDC-36R	5" x 1 % " Soft Rubber, 2 Swivel — 2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
Cylinder Locks f	tted to all Drawers (Keyed Un-alike) at Additional Charge, mus	t be factory installed.)
	Keyed Handle at Additional Charge	

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES



#### **WORK BENCHES**

**ALL WELDED CONSTRUCTION** Standard Lengths 4' - 10' Specials Quoted on Request




#### **WORK BENCHES**

ALL WELDED CONSTRUCTION

	To	90	Ship	i I	
Model	W	1	Wi.	- 1	Mode
SD-2448	24"	48"	150		FSD-2
SD-2460	24"	8	167		FSD-2
50-2472	24"	72"	185	l	F5D-3
SD-2496	24"	96"	239		FSD-
SD-24120	24"	120	270	ı	FSD-3
SD-2848	28"	48"	157		FSD-3
FSD-2860	28"	8	175		FSD-:
FSD-2872	28"	72"	195	•	

		To	: Ship	
	Model	W	Ł	W
	FSD-2896	28~	96"	253
.	FSD-28120	28"	120"	290
	F5D-3448	34~	48"	176
	FSD-3460	34~	ż	196
	FSD-3472	¥	72"	211
	FSD-3496	34"	96"	275
	FSD-34120	34"	120"	315





Showing

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually

**FSD Series** FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

TOP WITH BACK, SIDE STOPS AND STRINGER

	Te	Ship.	
Model	W	L.	Wi.
B-2448	24"	48	108
8-2460	24"	60"	121
B-2472	24"	72"	135
B-2496	24~	96"	181
B-24120	24"	120"	196
B-2848	28"	49	119
B-2860	28"	ż	133
8-2872	28~	72"	149

Model	_w <sup>T</sup> •	ף נ	Ship. Wi
B-2896	26"	96"	199
8-28120	28"	120"	216
B-3448	34	48"	133
8-3460	34~	60	149
8-3472	34"	72"	166
B-3496	34"	96"	222
B-34120	34"	120"	251

#### COMPLETELY ASSEMBLED-READY FOR USE

..... 12 Gauge Steel BACK AND SIDE STOPS . 12 Gauge Steel LEGS ..... 12 Gauge Steel STRINGERS ..... 16 Gauge Steel SHELVES ..... 16 Gauge Steel LEGS SET IN 2" FROM END OF TOP

BACK STOPS—3" High—12 Ga. Steel SIDE STOPS—3" High at Back, Taper to 1 ½ " at Front

Bench Drawer Units and Accessories, See pages 18 and 19.

All 8 Ft. and Longer Models have 3 Bench Legs

FINISH: Gray Enamel 32 1/2 " HIGH TO WORK SURFACE

(34" Height Furnished at Additional Charge)

Cylinder Lock Available for Drawer at Additional Charge.



1514 " deep

	To	P	Ship.
Model	w	l .	Wi.
85-2448	24"	48	126
BS-2460	24"	ઢ	143
B\$-2472	24"	72	161
B5-2496	24"	96"	215
B5-24120	24~	120	236
85-2848	28"	48	133
85-2860	28~	8	151
B\$-2872	28"	72"	171

	l	Ţο	P	\$hip.
	Model	W	L	Wi.
	BS-2896	28"	96"	229
	BS-28120	28"	120"	256
	BS-3448	34"	48	151
	85-3460	34"	60"	171
•	85-3472	34"	72~	188
	BS-3496	34	96"	252
	BS-34120	34″	120"	261
	,			

Ship Wi

174

72"

48" 159

60~ 175


96" 224 120" 251

72" 191

96" 247

120" 276






FLAT TOP WITH STRINGER AND SHELF-15 1/4 " DEEP

	Te	P	Ship.			To	P	Ship
Model	W	L	Wt.	l	Model	w	ι	Wi
F-2448	24"	48	107		FS-2448	24"	48"	12
F-2460	24"	60	120		FS-2460	24"	60″	14
F-2472	24"	72"	134	Н	FS-2472	24"	72"	16
F-2496	24"	96	180	1	FS-2496	24"	96"	21
F-24120	24"	120"	195		FS-24120	24"	120"	23
F-2848	28~	48"	118		FS-2848	28"	48"	13
F-2860	28"	60"	132	i	FS-2860	28"	60"	15
F-2872	28"	72"	148	l	FS-2872	28"	72"	17
F-2896	28"	96"	198	1	FS-2896	28"	96"	22
F-28120	28 <sup>:.</sup>	120"	215	1	FS-28120	28"	120"	25
F-3448	34"	48"	132	1	FS-3448	34"	48"	15
F-3460	34"	60"	148	1	FS-3460	34"	60"	17
F-3472	34"	72"	164	1	FS-3472	34"	72"	18
F-3496	34"	96"	220	1	FS-3496	34"	96"	25
F-34120	34"	120"	250	1	FS-34120	34"	120"	28

F-3496	34	96"	220	]	F5-3496	34"	96	250	)
F-34120	34"	120"	250	]	FS-34120	34	120	280	,
		•		_					
	To	P	Ship.	lſ		To		Ship	
lodel .	W	L.	Wi.	<u>   </u> 2	Model	w	L.	Wi.	
2448	24"	48"	132	l li	FD-2896	28"	94"	223	
0-2460	24"	60"	145	]3	FD-28120	28~	120"	250	
D-2472	24"	72"	159		FD-3448	34"	48"	158	
D-2496	24"	96"	205		FD-3460	34	60"	174	
D-24120	24"	120"	230		FD-3472	34"	72"	189	l
D-2848	28"	48″	143	Įſ	FD-3496	34"	96"	245	



TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1

Drawer: 14"W x 231/2 "D x 5"H

	Te	·P	Ship.	l	Te	p
Model	W	ι	Wi	Model	w	
BD-2448	24"	48"	133	BD-2872	28"	Γ
BD-2460	24"	8	146	BD-2896	28	Γ
BD-2472	24"	72~	160	BD-2812	28″	Ī
BD-2496	24"	96"	206	BD-3448	34	Γ
BD-24120	24"	120"	231	BD-3460	34"	Γ
BD-2848	28"	48~	144	BD-3472	34~	Γ
BD-2860	28~	60″	158	8D-3496	34"	Γ
			•	8D-3412	0 34"	Ī



TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT -No. 1424-1 Drawer: 14"W x 23½ "D x 5"H


1	To	ρ	Ship.
Model	w	L	Wi.
BSD-2448	24"	48"	151
BSD-2460	24"	60`	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
BSD-2860	28"	60"	176
6SD-2872	28^	72"	196


Model	w To	۴,	Ship Wt.
BSD-2896	28~	96"	254
BSD-28120	28"	120~	292
BSD-3448	34	48"	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317




	10	Ship.	
Model	W	l.	Wi.
FD-2448	24"	48"	132
FD-2460	24"	8	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48″	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

ODC /I/	.// '	TUI	CV	· _
FD-2872	28"	72"	173	
FD-2860	28"	60~	157	FD
FD-2848	28"	48"	143	FD
FD-24120	24"	120	230	FD








tical work. Any Size To 48" x 94".

#### **WORK BENCH RISERS**

Model	L f	Ship, Wt.
R-36	36	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Gray Enamel



Top with back, side stops, stringer shelf and two drawer units - No. 1424-1 Drawers: 14"W & 231/2"D x 5"H

Work Bench-available with 14" hard tempered peg board or 12" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Gray Enamel .

Work Bench 'Riser Available at Additional Charge.

Model	w		Ship Wr.
		L	Stup ret.
85DD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
8SDD-2860	28*	ŝ	240
850D-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSD0-3460	34"	60"	250
B\$DD-3472	34"	72"	269
BSDD-3496	34"	96"	338





#### HARD MAPLE WORK BENCHES

**ELECTRONICALLY WELDED** 



#### **ADJUSTABLE BENCH LEGS ALL WELDED CONSTRUCTION**

No need to adjust to a Work Bench height any longer! now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32%" to 37%" on 1" centers. Holes pro vided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.

All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column below).

Finish: Gray Enamel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Helght	Ship Wt.
ABL-22	22"	32½" to 37½"	23
ABL-28	28"	321/3" to 371/3"	25
ABL-34	34"	321/3" to 371/3"	27
ABL-46	46"	321/4" to 371/4"	31
ABL-58	58"	321/4" to 371/4"	37

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

#### BASIC BENCH



Basic Bench, Hard Maple Top, 2 Bench Legs, and Stringer.

Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34 ¼ ". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 16, 17, and 18.

Finish Top—Natural-Clear Lacquer. Metal Parts -- Gray Enamel .


Tep						
Medel	W	Ĺ	Ship. Wt.			
W-2448	24"	48"	107			
W-2460	24"	60"	124			
W-2472	24"	72"	138			
W-3048	30"	48"	127			
W-3060	30″	60"	147			
W-3072	30	72"	166			
W-3096	30"	96"	726			
W-30120	30~	120~	264			

Top					
Model	W	L.	Ship. Wt.		
W-30144	30"	144"	296		
W-3648	36	48	143		
W-3660	36"	60	167		
W-3672	36-	72	188		
W-3696	36"	96	256		
W-36120	36"	120"	295		
W-36144	36"	144"	344		

#### **WORK BENCH ACCESSORIES**

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.




12 Gauge Steel

ABL-28

Finish: Gray Enamel

 	_
Back Stop	1
 Е	4

	-					Ship. Wr.
Model	A	8	C	D	E	of Sets
2448	51/4	24	31/2	51/4	48	16
2460	51/4	24	31/4	51/4	60	18
2472	51/4	24	31/2	51/4	72	20
3048	51/4	30	31/2	51/4	48	20
3060	51/4	30	31/2	57,	60	22
3072	51/2	30	31/2	57,	72	24
3096	51/2	30	31/4	51/4	96	29
30120	51/4	30	31/2	51/4	120	32
30144	574	30	31/2	51/4	144	36
3648	51/4	36	31/2	51/4	48	22
3660	51/4	36	31/2	51/4	60	24
3672	51/4	36	31/2	51/4	72	26
3696	51/2	36	31/2	51/4	96	31
36120	57,	36	31/2	51/4	120	35
36144	51/4	36	31/2	57,	144	39



#### HARD MAPLE TOPS



Finish Top—Natural-Clear Lacquer.


Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	. 72"	86
GW-3048	30"	48"	74
GW-3060	30"	60"	93
GW-3072	30	72-	112
GW-3096	30"	76"	150
GW-30120	30"	120"	187

Model	w		Ship, Wt.	
GW-30144	30	144"	218	
GW-3648	36"	48"	86	
GW-3660	36"	60	108	
GW-3672	36	72"	130	
GW-3696	36"	96"	174	
GW-36120	36"	120 '	216	
GW-36144	36-	144"	260	

**BENCH LEGS ALL WELDED CONSTRUCTION** 

Model	odel F G		Ship. WI.
51-36	4%	32	4
ST-48	4 1/4	44	6
ST-60	4 1/4	56	715
51-72	4 1/4	68	9
51-96	4 %	92	12
ST-120	414	116	15
ST-144	414	140	18







16 gauge one inch channel reinforced construction. Finish: Gray Enamel

STRINGERS





Medel	H	J	Ship. Wt.
SH-36	15 %	32	13
SH-48	15 ¥	44	18
SH-60	15 %	56	22
SH-72	15 ¼	68	26
SH-96	15 %	92	34
5H-120	1514	116	42
SH-144	1514"	140	50




16 gauge one inch channel reinforced construction. Finish: Gray Enamel

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

#### These sturdy all steel legs are designed to withstand severe usage and support weight for in excess of normal





conditions. Top and cross members permanently welded

to legs. Reinforced channel construction—gusset strengthened. Adequate hales provided for attachment

of bench top, shelf and stringer. Steel floor pads with

holes for attachments to floor.

Medel	A	3	C	D	£	Ship. Wt.
BL-22	22	32 %	15 %	18	9%	20
BL-28	28	32 1/1	19%	_22	9 %	22
BL-34	34	32 %	23,14	26	914	24
BL-46	46	32 %	35 H	38	916	28
BL-58	58	32 %	47 %	50	9%	34



#### **BENCH DRAWER UNITS**







These benches provide more efficient work stations for your institutional or industrial lat uses. All Work Stations equipped with bench riser shelf (10 %" wide x 18" high) with pegb back for hanging small tools or instruments and electrical outlet strip, wired with a cord. Models come standard with 12 gauge top, available with Hard Maple or black chemical resistant Formica Tops upon request. Grizzly Bench Drawer Units, additional Drawers or Ac cessories can be added. (See pages 17 & 18.) All models shipped set-up, ready for immediat)

#### **WORK STATIONS** EWB-SERIES

This series come standard with riser shelf, electrical outlet strip and pegboard back. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon re-

Grizzly Bench Drawer Units or Accessories can be added. (See pages 17 & 18),

All units shipped set-up, ready for immediate use.

Finish: Gray Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWB-3048	30"	48"	32%"	170
EWB-3060	30"	60"	32%"	. 190
EWB-3072	30"	72	32%	210



#### **WORK STATIONS**

#### **EWS-SERIES**

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 23%" deep x 5" high.


. Tool Tray in each Drawer, 8" wide x 13%" long x 1" high, holds small items within easy reach.

Units come standard with a full length riser shelf (10%" wide x 18" high) with peaboard back for hanging of small tools or instruments and electrical outlet strip with six foot card.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Gray Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	48"	3314"	253
EWS-3060	30"	60"	33%"	272
EW\$-3072	30"	72"	33¼"	291



EWS-3072 w/optional Hard Maple Top

1416-2



Drawer units can be fastened to either wood or steel benches, tables, desks or counters. All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13 1/2" x 8" x 1" in 1416 and 1424 Series; 19 1/2 " x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

#### OVERALL OUTSIDE DIMENSIONS

	OVERALLOO	I SIDE DÍWEUSIÓUS	
HEIGHT, ALL	UNITS (		
	Th	ree Drawer18 ½ "; F	our Drawer—24½"
WIDTH	1416 & 1424 SER	BES: 15%"	2024 SERIES: 22 ¼ "
DEPTH	1416 SERIES: 1 CENAMEL	6" 1424	& 2024 SERIES: 24"
,	34"Wx16"Dx5"H	14"Wx23 1/2"Dx5"H	20"W+21W "D+5"H

	34"Wx16"Dx5"H		14"Wx23½ "Dx5"H		20"Wx23 % "Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship.	Model	Ship. Wt.
1 Drower	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Cylinder Lock Available for Drawer at Additional Charge.

#### **HEAVY DUTY DRAWER UNIT**

USE WHERE SEVERE SERVICE IS NEEDED 14 GA. STEEL DRAWER 12 GA. STEEL HANGER **ALL STEEL BALL BEARING ROLLERS** 

Finish: Gray Enamel



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items. Drawers can be attached to work benches, tables, desks or counters.

Padlock sub on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Downer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19 ½ " x 8" x 1" 

Cylinder Lack Available for Drawer at Additional Charge. Ship. Wt. 40 Lbs.

#### **WORK BENCH CABINET UNITS** ALL WELDED CONSTRUCTION





Standard Whits furnished with open tops.

age can be more efficient than drawers for many items, which can be placed nearly and are not subject to being jarred or rolled around as in a drawer.

Heavy game steel used throughout with Hanged reinforcement.

Use with access wood top or all metal benches, Quickly fastened to wood top with bolts or lag same Finish: Gray Enamel.

	·*			Shelf		
Model	<u> </u>	Н	D	Clearance	Lock	Ship. Wt.
CUK-36	<b>∌ 36</b>	19	19	8	Yes	60
CU-36	.du 36	19	19	8		60
CUK-18	18	19	19	8	Yes	42
CILIO	18	19	19 .	8		- 42

on order if unit is for installation with steel or wood bench.





#### **ELECTRICAL OUTLET STRIPS**





For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six tool cord. Either of the below strips are available an Grizzly Work Benches. They are installed by welding an steel top work benches or screwed an wood top benches.

15 Amps—125 Volts—3 Wire

Finish: Gray Ename!

Model		Receptacle Spacing	Number of Receptacles	Ship. Wt.
EOS-3	3 Foot Length	9.,	4,	3
EO\$-6	6 Foot Length	12"	6	6

#### WORK STATIONS EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is  $24^{\prime\prime\prime}$  deep  $\times$   $18^{\prime\prime\prime}$  wide and contains four drawers, each  $14^{\prime\prime\prime}$  wide  $\times$  23% deep  $\times$   $5^{\prime\prime\prime}$  high inside. Each drawer can be turnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides. Release stop for removal of drawer. Cabinet sets on a  $6^{\prime\prime\prime}$  high base.

Tool tray in each drawer, 8" wide x 13"/" long x 1" high, holds small Items within easy reach.

Models furnished with bench riser shelf (10%" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 17 & 18). Units available with Hard Maple or block chemical resistant Formica Top upon request.

Finish: Gray Enamel

Cylinder Locks Available at Additional Charge.


Model	Wide	Length	Height to Work Surface	Ship. Wt.
EDB-3048	30"	48"	33%*	256
ED8-3060	30"	60"	33%"	276
EDB-3072	30"	72"	331/4"	296



EDB-3060 w/optional Hard Maple Top

#### **WORK STATIONS**

#### **FWS-SERIES**



All welded, rugged construction reinforced steel tops, channel stringers and shelves to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength. No bolts, rivets or other parts that have to be continually tightened. Completely assembled ready for immediate use.

Work Stations equipped with bottom shelf, fluorescent light fixture (w/lamps) with on-off switch and 1/2" thick pegboard back (w/30 hanging hooks).

Bench Drawer Units, Riser, Duplex Receptacle Outlet, and Pressed Wood Top Available at Additional Charge. See Pages 16 and 18.

Model	Wide	Length	Height to Work Surface	Ship. Wt,
FWS-3448	34"	48"	32 y <sub>2</sub> "	236
FWS-3496	34"	. 96"	32 y <sub>2</sub> **	390

# PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and occessories.

All welded, rugged construction equipped with  $5^{\circ} \times 1\%^{\circ}$  casters—2 rigid and 2 swivel. Easy to roll.

Top: 20"x24": Height Top Surface—Overall 34"; Top, back and side stops—'h" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H.

Finish: Gray Enamel

PUB-24RW

PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt.

Keyed Handle on Door or Cylinder Locks on Drawers Available at Additional Charge.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES





#### **DOOR CABINET**


ALL WELDED CONSTRUCTION CABINET SIZE: 18"W, 24"L, 26"H

Shelf adjustable in 2" centers. One shelf with unit.

Base Not Included

FINISH: Gray Enamel

Ship. Wt. 55 Lbs. Mod



Keyed Handle-Extra Shelf Available at Additional Charge.

#### DRAWER CABINET

ALL WELDED CONSTRUCTION CABINET SIZE: 18"W, 24"L, 26"H

Individual drawer size, 14" wide x 23 ½" deep x 5" high.

Model DC-1

Sliding tray in each Drawer holds small items within easy reach.

Tray size:

13 ½ " x 8"

Base Not Included

FINISH: Gray Enamel
Ship. Wt. 110 Lbs.

Cylinder Lock Available at Additional Charge

#### #6 BASE



(For madels BC-1 and DC-1) Base must be weided on cabinets.

6¼" High Ship. Wt. 10 Lbs. FINISH: Gray Enamel



ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Gray Ename!



		•		
Model	H Casters—All Swivel			
BC-1C3	30"	3" x 113/14" Soft Rubber Tread	60	
BC-1C5	65			
	Keyed Hond	le Available at additional charge.		
	Extra Shelf Available at additional charge.			

#### PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY---3" SOFT RUBBER CASTERS 800 LBS. CAPACITY---5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23 ½"D x 5"H
Tool Tray in each Drawer: 8" x 13 ½" x 1" deep.
Finish: Gray Enamel



DC-1C5

00-103	p. WI.	Shi	Casters—All Swivel	н	Medel
DC 1CS 22" 5" - 116." Saft Rubber Trend	118	1	3" x 113/14" Soft Rubber Tread	30"	DC-1C3
DC-1CS 32 3 X 1 X Soft Report Tiesd 1 . 1	124	٠. ١	5" x 1 ¼ " Soft Rubber Tread	32"	DC-1C5

Cylinder Lock. Available for Drawer at Additional Charge.

### TOOL CABINET BENCHES ALL WELDED—READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type mochines. Additional shelves must be welded in place, it installed at forty please specify spocing. Shelves can not be adjusted. Benches with Grizzly Drawers and Casters quoted on request.







C-1848-K

SIDE LEG PANELS	14 Gauge Steel
DOORS	18 Gauge Steel
SHELVES	16 Gauge Steel
FINISH:	Gray Enamel

ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.

Shelf		
W	1	Ship, Wt.
18"	23%	. 11
18"	35*	15
18"	47%"	20
24	35¾″	19
24"	47%"	25


Medel	н	w	D	Shelf W L	Ne. Shelves	No. Doors	Ship, Wt.
C-1824	34"	24"	19"	18" # 23% "	2	1	112
C-18244	Keyed Ho	ndle in Door	(2 Keys)				
C-1836	34"	36	19"	18" x 35% "	1	2	140
C-1836-K	Keyed Ho	ndle in Door	(2 Keys)				
C-1848	34".	48"	19-	18" x 47%"	1	2	166
C-1848-E -	Keyed Ho	måle in Door	(2 Keys)				
C-2436	34"	36"	25"	24" x 35%"	1 1	2	160
C-2436-K	Keyed Ho	ndle in Door	(2 Keys)				
C 2448	34"	48 "	25"	24" ± 47%"	1	2	190
C 2449 K	Keyed Ho	ndle in Door	(2 Keys)				

MODELS WAK NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

# MULTIPLE WORK BENCH DRAWER UNITS



Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1%" laminated hard maple or 12 gauge steel top.

34" overall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Gray Enamel
Cylinder Locks Available at Additional Charge.

Model	w_	_ L _	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	.72*	560

DBU-3072-W


# LOW PORTABLE ASSEMBLY STOOLS

300 LBS. CAPACITY
21/2" Dia. Soft Rubber Stem Casters

All welded construction for general maintenance, repair and assembly uses. Convenient 14" height, for assembly work requiring low level setting. 1" Tray Bottom Shelf has drop front for easy sliding, and carrying parts and tools. All swivel casters for easier movability.


Finish: Gray Enamel

Model	W	L	Η.	Ship, Wt.
LPAS-1616	16"	16"	14"	19
LPAS-1323	13"	23"	14"	22



#### STORAGE BIN CABINET

**ALL WELDED CONSTRUCTION** 



Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc.

Cabinet furnished with Plain Handle: Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: 36" L x 21" W x 74" H.

Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage.

Construction: Entire Unit 16 Gauge Finish: Gray Enamel Ship. Wt. 322lbs.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES



#### **CABINET BASE WORK BENCHES**

**ALL WELDED CONSTRUCTION** 



### (WITH SUDING DOORS)



With door and four drawer units form the overall base, in multiple or single bench runs, in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 16 and 17).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural Clear Lacquer, Metal Finish: Gray Enamel


Keyed Handle-Cylinder Lock Available at Additional Charge.

#### WITH STEEL TOPS-174" THICK

, .	Model	W To	P L	<del>Sases</del> 18"W 24"D	Ship. Wr.
STITE	CB-2860-\$	28"	٠٠°	Door Cabinets	205
A A	CB-2872-5	28"	72	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	D8-2872-S	28"	72"	Drawer Cabinets	320
FITT	CD8-2860-S	28	60	Drawer & Door Cabinets	240
	CD8-2872-\$	28	72"	Drawer & Door Cabinets	275

#### WITH HARD MAPLE BENCH TOPS-1% "THICK

	Model	To W	ip L	Bases 18"W 24"D	Ship. Wt.
FITT	CB-3060-W	30"	60"	Door Cabinets	210
A A	CB-3072-W	30"	72"	Door Cabinets	235
	D8-3060-W	30"	60''	Drawer Cabinets	305
	D8-3072-W	30"	72	Drawer Cobinets	325
	CD8-3060-W /	30"	80°	Drawer & Door Cabinets	245
	CD8-3072-W	30"	72"	Drawer & Door Cabinets	280



All welded heavy gauge steel construction, with steel or wood tops, with and without slidin doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and dopr are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready [c] immediate use.

Electronically glued laminated wood tops, Side and back stops, bench risers and drawer can be added. See pages 16, 17 and 18.

ALL MODELS: 34" O.A.H. Finish Top—Natural-Clear Locquer, Metal Finish> Gray Enamel

#### WITH STEEL TOPS-1%" Thick-12 Gauge

Тер			·	Ship.
 <u> </u>	w	L	Base, 25" Deep	Wt.
C\$-2860	28"	60"	Basic Unit	204
C5-2872	28"	72''	Basic Unit	234
CS-2860-S	28"	60"	Basic Unit with Shelf (	239
CS-2872-S	28"	72"	Basic Unit with Shelf	274
CS-2860-D	28"	60"	Basic Unit with Sliding Doors	248
CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
CS-2860-SD	28	60	Basic Unit with Shelf & Sliding Doors	283
CS-2872-50	28"	72"	Basic Unit with Shelf & Sliding Doors	326

#### WITH HARD MAPLE BENCH TOPS—1 ½ "Thick Overhang on Front, 5" NATURAL WOOD FINISH

		τ.	·P		Ship.
	<u> </u>	w	L	Base, 25 " Deep	Wi.
	CW-3060	30"	60"	Basic Unit	220
	CW-3072	30	72^	Basic Unit	254
	CW-3060-S	30	60	Basic Unit with Shelf	255
	CW-3072-S	30"	72"	Basic Unit with Shelf	295
1	CW-3060-D	30"	40	Basic Unit with Sliding Doors	264
	CW-3072-D	30	72"	Basic Unit with Sliding Doors	304
	CW-3060-\$D	30	60"	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-50	30	72"	Basic Unit with Shelf & Sliding Doors	344
Extra	5-60 ☆	60" long	22" wide		3
Shelves	5-72 ☆	72" long	22 wide		40

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES



# STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop astructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

#### Finish: Gray Enamel

WIDTH	: All Model	s —36"
DEPTH	All Model	s30"
OVERALL HEIGHTS		
Basic Unit		48"
With P-36 Unit		53"
With P-66 Unit		57"
SIDE AND BACK STOPS	3" high at Back	, tapers
1	to 1 ½ " c	t Front.
		•

SHELF...34" wide x 181/2" deep — 8" from floor DRAWERS .... Standard Grizzly Drawer Units, see page 18 for specifications

#### Cylinder Lock Available at Additional Charge.







1036 BASIC UNIT Ship. Wt. 85 lbs.



1236 BASIC UNIT With Two No. 1416-1 Drawer Units Ship, Wt. 115 lbs.



1436 BASIC UNIT With No. 2024-4 Drawer Unit Ship. Wt. 225 lbs.




1836 BASIC UNIT With Two No. 1424-4 Drawer Units Ship. Wt. 325 lbs.

Optional Pigeon Hole Units Available on Standing Shop Desks or Shop Cabinet Desks at Additional Charge.







P-66 PIGEON HOLE UNIT 6—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 24 lbs.



#### SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction — used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual lacks, Bigeon-hale top, or in special combinations on request

to meet particular needs. Completely assembled, ready for use.

Finish: Gray Enamel



No. 3036 (With No. P-36 Unit) Pigeon Hole Unit Available



Drowers

Ship. Wt.



			,
2136	2	. 1	202
2236	2 .	2	219
3036	3		205
3136	_3	1	222
3236	3	2	240
. 3	igeon Hole Unit ( —4" x 12" oper	Overall Length 36 sings x 9" deep	" 15
. `` &	—4" x 12" oper	Overall Length 36 vings x 9" deep	
Cylinde	Lock for Dray	vers at Additio	nal Charg
		at Additional	

WIDTH	··········	All Mod	els 36"
DEPTH	***************************************	All Mod	els 30"
OVERALL HEIG	HT\$	Front	Bock
	·		48"
	nit		53"
With P-66 U	nit	43″	57"
DRAWERS	GRIZZLY 1416-1tD14" wide	x 16" deep x 5	" high.
Any GRIZZLY	Standard Bench Drawer can be used with	this Unit. See I	age 18
SIDE AND BAC	K STOPS 3" high at back, tapers to 1 ½ " a	t Front.	
SHELF SIZE	K STOPS 3" high at back, tapers to 1 ½ " a	28 ¾ ″ >	35 % "
SHELF CLEARAI			
3 Shelf Unit	Floor to Bottom Shelf		7″
	Bottom Shelf to Center Shelf		
	Center Shelf to Top Shelf		
	Top Shelf to Desk Top		
2 Shelf Unit	Floor to Bottom Shelf		
	Bottom Shelf to Top Shelf		
	Top Shelf to Desk Top ,,		
	•		

#### SHOP DESK



All welded construction used by foremen, supervisors, shipping derks, superintendents and many others.

Desk equipped with single pedestal leg on right side and four spacious drawers on left. Top drawer comes with cylinder lock. Sliding tray in each drawer holds small items within easy reach. Drawers slide on ball bearing steel rollers.

Desk size: 30" Wide x 48" Long x 32½" High Drawer size: Inside Dimensions, 14" Wide x 23½" Deep x 5" High Tray size: 8" Wide x 13½" Long x 1" Deep Finish: Beige Enamel with Brown Enamel Drawers

Ship, Wt. 200 Lbs.

Padlock Attachments and Hard Maple Top Available Upon Request. Additional Cylinder
Locks Available at Additional Charge.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES





#### MACHINE FLOOR CABINETS

3000 LBS. CAPACITY WITH EVENLY DISTRIBUTED LOAD

Rugged, all welded cabinets with 1 1/6" Tray coolant tops with ½: pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessary to hold tate pans and other production items.

Drawer size and model — GRIZZLY 1416-1 (14" wide ID x 16" deep ID'x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page

Models, enclosed with back and door, are without shelves. FOR BASE CABINET USE WITH BENCH TYPE MACHINES


Keyed Handle-Cylinder Lock Available at Additional Charge.

CT-2830 20"W--28"L-30"H Ship, Wt. 90 lbs


CT-2835 20"W-28"L-35"H Ship. Wt. 96 lbs.

CT-3630 20"W-36"L-30"H Ship. Wr. 100 lbs.

CT-3635 20"W-36"L-35"H Ship. Wr. 106 Lbs.



#### CT SERIES



CF-2830 20"W-28"L-30"H Ship. Wt. 80 Lbs.

CF-2835 20"W-28"L-35"H Ship. Wt. 86 Lb's.

CF-3630 20"W-36"L-30"H Ship. Wt. 90 Lbs.

CF-3635 20"W-36"L-35"H Ship, Wt. 96 Lbs.




CM-2830 20"W-28"L-30"H Ship. Wt. 95 lbs.

CM-2835 20"W-28"L-35"H Ships, Wt. 105 lbs.

CM-3630 20~W-36"L-30"H Ship. Wt. 115 lbs.

CM-3635 36"L-35"H Wt. 125 Lbs.





Removable Side Shelf (Shelf Surface-10" x 15")

Available at Additional Charge, Ship. Wt. 10 Lbs.



#### MACHINE CABINET STANDS

3000 LBS. CAPACITY WITH **EVENLY DISTRIBUTED LOAD** ALL WELDED CONSTRUCTION


For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with 15" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, Convenient shelf 154," x 36". GRIZZLY 1416-1 Drawer units furnished on all stands - 14" wide ID x 16" long ID x 5|" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 18). See Page 18 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.


Keyed Handle—Cylinder Lock Available at Additional Charge.




DFT-60-C With Cabinet Ur No. CU-18 and one drawe 22" W, 60" L, 32" H. Ship, Wt. 238 lbs.




CT-60 Coolant Top, Tray 1 %" deep with ½" | 22" W, 60" L, 32" H. pipe k Ship. Wt. 198 Lbs.



DFT-60 Drop Front Top. B. and Side Stops — 1 1/2 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.





# EW ITEMS




#### **HEAVY DUTY SINGLE END PLATFORM TRUCKS**


1800 LBS. CAPACITY — Moldon Rubber Casters

#### DRUM & CA

1200 LBS. CAPACITY—S 1000 LBS. CAPACITY—HAR







#### KNOCK DOWN WORK BENCHES



Construction of heavy gauge steel to stand years of use in the home and in industry. Reinforced welded top designed with channels for drawer hanger attachment. Sturdy reinforced welded legs with floor pads that can be attached to floor when desired. 3/1" x 3/1" bolts, cross pull when tightened to give most rigid bolted construction. Bolts are furnished with flat washers, lock washers, and nuts. Elangated holes for fast assembly.

321/2" high to work surface (34" height furnished on request)

Finish: Gray enamel

Benches available with the following accessories: Pressed wood tops and risers, see page 16. Adjustable legs, side and back stops, shelves, see page 17. Drawer units and cabinet units, see page 18. Electrical outlet strips, see page 19. NOTE: Side and back stops must be installed at factory.

Assembled by purchaser in a matter of minutes!

	TO	OP	]
MODEL	w	L.	SHIP WT.
KD-2448	24"	48"	107
KD-2460	24"	60"	120
KD-2472	24"	72"	134
KD-2848	28*	48"	118
KD-2860	28*	60"	132
KD-2872	28"	72"	148
KD-3448	34"	48"	132
KD-3460	34"	60"	148_
KD-3472	34"	72"	164



All welded construction, rugged, durable, easy movability, and quiet operation. For general uses in stock rooms, shipping, receiving, warehouses, hospitals, supermarkeis, department stores, etc.

Reinforced 12 gauge steel platform, 2" x 2" x 1/4" angular push handle 36" from floor, and 2"x 1/4" band iron cross braces. Platform 12" from floor. Casters: 8" x 2", 2 Rigid; 6" x 2", 2 Swivel

Finish: Gray Enamel

Strip bumper and extra push handle available at additional charge.

MODEL	-W	L	SHIP WT.
PT-2442-SE	24"	42"	136
PT-2454-SE	24"	54"	147
PT-3048-SE	30"	48"	159
PT-3060-SE	30"	60"	172

#### **SEE-THRU BOX TRUCKS**

800 LBS, CAPACITY — Soft Rubber Casters **ALL WELDED CONSTRUCTION** 



For variety of uses such as handling packaged goods in department stores, warehouses, line operations, general purposes, etc.

See-Thru design for visual load inspection.

All Models: 30" overall height — 24" inside dimension

Body: ¾" Flattened expanded metal 13 gauge steel

Frame: 1½" x 1½" x ½" angle iron
Wheels: 5" x 1½", 2 Swivel, 2 Rigid — Tilt mounted caster pattern Finish: Gray enamel

Models 42" and 48" long furnished with 2" x  $\frac{1}{2}$ " band iron side braces. Corner mounted caster pattern available on request at no additional charge.

WODEL	W	L	SHIP WT.
STBT-2436	24"	36"	84
STBT-2442	24"	42"	92
STBT-2448	24"	48"	97
STBT-3036	30"	36"	93
STBT-3042	30"	42"	101
ST8T-3048	30"	48"	121




#### **EZY-DOWN DRUM CRADLES**

700 LBS, CAPACITY

Give maximum leverage with base, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength; Designed for rugged use. All edges round and smooth. Completely assembled.


Ready for immediate use. Finish: Orange Enamel



EBR-18 31"L--1814"W--18"H Ship. Wt. 31 Lbs.



WITH DRUM ROLLERS EBR-18R 31"L-18 4"W-18"H Śhip. Wt. 34 Lbs.



2 Swivel and 3" Semi-Steel Wheels.


Casters: Åll Models-3" Semi-Steel-

#### **INE CABINET STANDS**

3000 LBS, CAPACITY WITH **EVENLY DISTRIBUTED LOAD ALL WELDED CONSTRUCTION** 

Lathes, Grinders, Drill Presses, Tapping or Work Bench Uses. CT Models are with th ½" pipe connection, DFT Models are used for assembly and production work. venient shelf 15½" x 36". stands - 14" wide ID x 16" lang ID x 5" d tool tray 1" deep (See Page 18). See letails. Finish: Gray Enamel.

at Additional Charge.



**DFT-60-C** With Cabinet No. CU-18 and one dray 22" W, 60" L, 32" H. Ship. Wt. 238 Lbs.




WITH CASTERS & ROLLERS EBR-18CR 31"L---1814"W----18"H Ship. Wt. 36 Lbs.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.


#### DRUM CRADLES

#### 700 LBS. CAPACITY


All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.




BR-18 31"L-1814"W-18"H Ship. Wt. 26 Lbs.



WITH DRUM ROLLERS BR-18R 31"L-1814"W-18"H Ship. Wt. 29 Lbs.



WITH CASTERS BR-18C 31"L—1814"W-Ship, Wt. 29 Lbs.



WITH CASTERS & ROLLERS BR-18CR 31"L—18 ¼ "W—18"H Ship. Wt. 31 Lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for

Casters: All Models—3" Semi-Steel-2 Swivels and 3" Semi-Steel Wheels,





#### **DRUM & CAN DOLLIES**

1200 LBS. CAPACITY—SEMI-STEEL CASTERS 1000 LBS. CAPACITY—HARD RUBBER CASTERS





ALL ARC WELDED CONSTRUCTION

RUGGED



#### FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish far institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. If welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are tuipped with sanitary casters to give added protection against foodstuffs causing corroson.

Model	0.0.	I.D.	Wheels	Finish	Ship. Wt.
18	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3a 1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G .	24-1/2	19"	3x1-1/4	Golvanized	22
81-GS	24-7/16"	24"	3x1-1/4	GalSani.	32
82-G5	30-1/2	24~	3x1-1/4	GalSani.	25
83-GS	24-1/2"	19~	3x1-1/4	Gal.∙Soni.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3×1-1/4	Orange	15

#### **ADJUSTABLE DOLLY**

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 231/2"—OPENS TO 361/2". Can be used as a rectangle for tote boxes,



skids, pans. furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1½". Finish: Orange Enamel.

AD-23-S D-23-R SEMI-STEEL WHEELS
HARD RUBBER WHEELS

Ship. Wt. 30 lbs. Ship. Wt. 28 lbs.

#### **HI-DRUM & CAN DOLLIES**

900 LBS. CAPACITY—SEMI-STEEL CASTERS 700 LBS. CAPACITY—HARD RUBBER CASTERS



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-toflow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAYE TIME AND MONEY.
USE DOLLIES with GRIZZLY
No. 235 Drum lifter with
chain falls, hoist, or fork truck
to place drums in vertical position easily, quickly and safely.
See right side of page. Finish:
Orange Enamel—Wheel Size
... 3" x 1 k".




71 w/drum

Model	Bettem	Top	Height	Gallon Drum	Ship, Wt.
71	30	24"	19 5 "	55	44
73	21"	19"	1935	30	38

#### **LOW DRUM TRUCK**

800 LBS, CAPACITY HARD RUBBER WHEELS



25 ½" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" djameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.







# **#235 VERTICAL**

U.S. PATENT No. 2,764,447 2000 LBS. CAPACITY

#### **#80 DRUM UP-ENDER**


**ALL-WELDED CONSTRUCTION** Rugged and Compact

#### Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest

Will not twist in hands of operator. Drum stops where you want it with no slipping or


SHIP. WT. ..... 12 lbs. FINISH: ..... Orange Enamel



#### **#84 SLING TYPE DRUM LIFTER**

750 LBS, CAPACITY
ALL WELDED CONSTRUCTION

SHIP, WT. ..... 11 lbs. FINISH: ..... Orange Enamel






Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#### **DRUM STORAGE RACKS**

2500 LB. CAPACITY





with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs

per drums in readily accessible positions. Designed for loading ease with whatever you now have. If your hoist does not travel over rack, the wheel model can be your hoist. 30"W x 60"L x 54"H-FINISH: Orange Enamel.


85	85 teg	
85C	Casters	198 Ship. Wt.

#### FOR OPEN

CLOSED DRUMS USED WITH **Fork Trucks** Chain Falls Cranes and Hoists.

Ship. Wt. 32 Lbs.





- SAFE—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigit ven when swaying or when bumped.
- VERSATILE—Lifter moves 55 and 30 gallon, and even smaller steel drums with practic ly no manual labor—the lifter does the work.
- LIGHT—Weighs only 32 paunds. One man can handle with ease.
- ADJUSTABLE—Slide Lower Jaw on vertical bar to position below nearest chime of dru Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, battered or lopsided.
- QUICK—Lifter attached and removed in seconds. RUGGED—All welded construct
- STACKS—and tiers drums vertically in close quarters. FINISH: Orange Enamel

#### **#VH-100 DRUM LIFTER**


1000 LBS. CAPACITY LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE







Lifts from any angle. Load can be balanced. Easily ado to lift objects of all shapes or lengths. Automatic upsettic container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached Holds Rigidly—Even When Load Sways Positive Grip—Cannot Slide -Holds Load Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. 24 Lbs.—ADJUSTMENT BETWEEN JAWS: ... 16" minimum to 40" maximu OVERALL LENGTH: ... 43"—WIDTH: ... 4"

#### **DRUM STORAGE RAC**



Holds four or six drums in readily cessible positions. Designed for loa ease from front or back. All Welded struction. Completely Assembled for mediate Use.


Self-Standing units, do not require charing to floor. Can be moved with Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row-18
- Pads on bottom of legs protect floo
- Also Designed for special requirem

DS-4

FINISH: Orange Enamel

DS-4	4 Drums	60°W	36"D	. 48"H	120 Ship
DS-6	6 Drums	84"W	36 D	48"H	200 Ship



#### **DRUM DOLLY TRUCKS**

**CAPACITY 2000 LBS.-SEMI-STEEL CASTERS** CAPACITY 1500 LBS.-HARD RUBBER CASTERS




#### FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



25" wide x 25" deep
41" from floor
12" deep x 6" wide x 21" long
Orange Enamel
Orange Enamel 2 Swivel—2 Rigid

DT-25-S	5" x 1% " Semi-Steel Wheel	63 Ship. Wt.
T-25-R	5" x 1 % " Hard Rubber Wheel	60 Ship, Wt,

#### FORK SWIVEL HOIST HOOKS

With Safety Latch

(SINGLE) 3000 LBS. (DOUBLE) 4200 LBS. WORKING CAPACITY






#### No. 210 DOUBLE FORK SWIVEL HOIST HOOK (Attached to Fork Truck)

All welded construction, fit standard Fark Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20 %". Fork Swivel Hoist Hooks designed to meet particular needs.

Pescription	Model	Opening Size for Truck Fork	Ship. W1.
ingle Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50



#### CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN


#### **Method of Attachment**

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for farks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

#### **Method of Detachment**

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck. Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

#### CASTER CORNER SHOES **ALL WELDED CONSTRUCTION**



Ideal for making wood patiets or boxes portable at low cost. Shoes slide under corners. May be bolted, screwed or nailed on permanently. For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel.—Size is 8" x 8".—5-3/4" O.A.H.—Flange 2".—3-7/8" high to platform—7/16" holes for mounting.

FINISH: Gray Enamel

Model	Capacity per Set	]Ship. Wt,[	Casters
CS-3S	1200 Lbs.	17	3" x 1 % " Semi-steel Wheels
CS-3R	1000 Lbs.	15	3" x 1 ¼ " Hard Rubber Wheels


### VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

### SAVES TIME—SPACE—MONEY


- ALL Welded Construction.
- RUGGED—Completely Assembled—No Bolting— Ready For Immediate Use.
- STACKS Vertically—Each Unit Tiers 2 Drums Harizontally—Stacks to 4 High.
- 4-WAY Access by fork Lifts.
- UNIT Easily Handled-
- EASY Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- DRUM Inventory Simply Maintained.


DIMENSIONS: O.A.H. = 13"; W = 441/4"; Depth = 30", Floor Clearance = 31/2". Finish: Orange Enamel Ship. Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

**VDU-10** 





CAN BE EASILY
HAMDLED FROM FRONT,
BACK OR EITHER SIDE
WHITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING



### ROTO-TILTS

CAPACITY 1000 LBS. PATENTS U.S. No. 3,434,612 CANADIAN NO. 887501


All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Sofety Locking Brocket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.

Model	A	В	C. Max. Min.	D	Drym	Ship, Wi.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27 1/2"	15"	30 Gal.	64






WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION— REDUCTION 6 TO 1.

No. 350 & No. 351

160 Trolley with 160° Dumping Angle— Standard Trolley with 130° Dumping Angle FLOOR DUMPING MODELS

### OVERHEAD DUMPING MODEL NO. 500



No. 500

Width at widest point ...... 10"

CONTAINER CLAMPING RANGE ...... 30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE ...... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.



Finish: Orange Enamel Ship. Wt. 98 Lbs.





GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

Cylinder Lock Available at Additional Charge.

A sturdy Gos Welding Bench for extra strength and durability. The jop is constructed of 12 gauge steel, will hold 32 fire bricks (not turnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rad storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 18.

OVERALL DIMENSIONS	
FINISH:	Grav Fnamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.

### **ARC WELDING BENCH**


Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.

AW-3636-DR



## Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED, SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH: AW-3636 (Without Drawer Unit) AW-3636-DR (With Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

### ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange dawn. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1...... Furnished with unit Pods on bottom of legs protect floors. Shipped KD, ready for assembly.

OVERALL DIMENSIONS-

36"Wx36"Dx68"H

FINISH: Gray Enamel Cylinder Lock Available at Additional Charge

Ship. Wt. 180 Lbs. AW-3636-S With Solid Shields

Ship. Wt. 175 Lbs.

AW-3636-WS With 5"W x 18"L

See-Thru Shield Opening (3 Openings)



### 3000 LBS. CAPACITY


An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.




# HEAVY DUTY SHELF DIE RACKS



SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x 1/4" Angle Iron—"X" BRACES . . . 1" x 1/4" Band Iron—FINISH: Gray Enamel

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship, Wr.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Balts	230 Lbs. Ship. Wt.
\$-18	Single Shelf—18" x 42", including bolts	26 lbs. Ship, Wt.
S-24	Single Shelf—24" x 48"; including bolts	38 Ubs. Ship. Wr.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.



# EXTRA HEAVY DUTY DIE STORAGE RACKS

1000 LBS. CAPACITY PER SHELF ALL WELDED CONSTRUCTION

Uses for tools, dies and other heavy

material.

May be used as individual units or bolted in rows.

Page on bottom of legs protect floors. Shipped set-up.

65" overall height, six 12 gauge shelves — 10" dearance between shelves; posts 14" x 14" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.

Finish: Gray Enamel

Medel	w	ı	Ship Wr.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	16"	48"	250
PE-2430	24*	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

# VERTICAL BAR RACK

Provides most efficient storage in limited areas and near jabs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for shart pieces.

All arc-welded -11/2" x 11/2" x 1/6" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves—bottom 6", top 6 %", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Finish: Gray Enamel Ship. Wt. 110 Lbs.



15-500-



### **PORTABLE TWIN RACK-U-FRAME MODULES**

5000 LBS. CAPACITY, U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 



Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use. Can be stacked as much as 4 high.

### Finish: Orange Enamel

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48″ O.A.L.	76 Ship. Wt.

### SPECIALS DESIGNED FOR CUSTOMERS NEEDS

### DIMENSIONS FOR RUF-262, RUF-263, RUF-264

### **OUTSIDE DIMENSIONS**

(A) 25" Wide (B) 1712" High (C) 5" Wide Bottom Channel (G) 24"; 36"; 48" as Required

### **INSIDE DIMENSIONS**

(D) 17 Wide Bottom (E) 23 Wide Top

(F) 15½" High Úpright



**RUF-263** 

### **DIMENSIONS FOR RUF-244**

### **OUTSIDE DIMENSIONS**

(A) 32" Wide (B) 31" High


(C) 5" Wide Bottom Channel 3 ¼ " High

(G) 44" Long

### INSIDE DIMENSIONS

(D) 24" Wide Bottom (E) 29 ½" Wide Top

(F) 28" High Upright



**MOVING MODULES** 



HANDUNG MODULES ON WORK




STACKING MODULES





RUF-244 44" O.A.L. 105 Ship. Wt.

Finish: Orange Enamel




### STACKING RACK UNITS ALL WELDED CONSTRUCTION

### STACK 2 HIGH

Medel	W	<u> </u>	Ship Wt.
SRU-232	24"	32"	.58
SRU-242	24"	42"	- 64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 21/2" square tubing. Finish: Orange Enamel



### **OUTSIDE DIMENSIONS**

(A) 29" or 35" Wide

(8) 30" High (C) 37"; 47" or 53" long

### INSIDE DIMENSIONS

(D) 24" or 30" Wide (E) 32"; 42" or 48" Long







### PORTABLE RACK-U-FRAME

**RUF-251** 

U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 

**RUF-251 Portable Rack-U-Frame** Ship. Wt. 25 Lbs. Finish: Orange Enamel



**EXTRA HEAVY DUTY PORTABLE RACK-U-FRAME** 

**RUF-640** 

U.S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 


RUF-640 Extra Heavy Duty Portable Rack-U-Frame Finish: Orange Enamel Ship. Wt. 37 Lbs.

Arc Welded Construction--Completely Assembled Ready for Immediate Uses-One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes-Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations Easily disassembled—Stored in Little Space Until Next Use.


FOUR (4) RUF-251 RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 20,000 Pounds. See Center Photo.

### CARRY HEAVY LOADS EVENLY DISTRIBUTED

To be installed on solid, strong, floor construction, with smooth surface, to hold heavy rack loads.



FOUR (4) RUF-640 EXTRA HEAVY DUTY RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 60,000 Pounds. See Center Photo.



**OUTSIDE DIMENSIONS** 

(A) 25" Wide (B) 17 ½ " High

(C) 5" Wide Bottom Channel INSIDE DIMENSIONS

(D) 17" Wide Bottom (E) 23" Wide Top

(F) 15 ½ " High Upright

RUF-251 and RUF-640 Rack-U-Frames have the same Inside and Outside Dimensions.

RUF-251 is for heavy loads and RUF-640 is for extra heavy duty service and loads. Both Models are easily carried and assembled in rack units as a One Man Operation.

### REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT



UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS, LOW

CHIPTER PROGRAMME COUNTY				
SWIVEL	21/2" = 17/4"	Pressed Steel Wheel		
SWIVEL	21/5" x 19/4"	Sait Rubber Wheel		
SWIVEL	21/2" x 17/4"	Soft Rubber Wheel		
(Set consists of	4 costers)			

STOCK CARTS, FIVE SHELF STOCK CARTS, BOX TRUCKS, GARMENT SIOCK CARIS, PIVE SHELF STOCK CARIS, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCHES, FORCIOSED SHELF TRUCK, CAGESTOCK TRUCK, PORTABLE MARKING TABLES, PORT-ABLE DRAWER CABINETS, PORTABLE DOOR CABINETS, TRAY STOCK CARTS, TOTE-ALL PLATFORM TRUCKS, ROLL OVER BOX TRUCKS, PORT-ABLE PRODUCTION EXAMINATION TABLE, UTILITY TABLES, PORTABLE DRAWER AND CABINET TRUCK.

<b>CA</b>

SWIYEL	3" x 13,4"	Soft Rubber Wheel
RIGID	3" x 14"."	Soft Rubber Wheel
SWIVEL	3" x 11/2"	Saft Rubber Wheel
RIGID	3" x 1 1/2"	Soft Rubber Wheel
SWIVEL	5" " 14"."	Saft Rubber Wheel
RIGID	5" x 15"."	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 11/."	Soft Rubber Wheel B.B.
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	5" x 1"	Soft Rubber Wheel B.B.
SWIVEL	5" x 11/4"	Soft Rubber Wheel
RIGIO	5" - 17/ "	Soft Bubber Wheel


CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES, TOTE PAN HAND TRUCK, TOTE-ALL HAND TRUCK, LOW DRUM TRUCKS.

SWIVEL	3" x 11/4"	Semi-Steel, Plain Brg. Wheel
RIGID	3" × 1"."	Semi-Steel, Plain Brg. Wheel
SWIVEL	3" x 11//"	Hard Rubber, Self Lub. Brg.
RIGID	3" x 1%"	Hard Rubber, Self Lub. Brg.

ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES,

HAND DUMP TRUCKS, 3/SIDED STOCK CARTS.				
SWIVEL	4" x 11/5"	Semi-Steel, Plain Brg. Wheel		
RIGID	4" x 1%"	Semi-Steel, Plain Brg. Wheel		
SWIVEL	4" x 1%"	Hard Rubber Wheel, Self Lub. Brg		
RIGID	4" x 11/3"	Hard Rubber Wheel, Self Lub. Brg		

HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SLAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP TABLES, PORTABLE MARKING TABLES, BOX TRUCKS, TOTE-ALL HAND CART, TRAY STOCK CARTS, FIVE SHELF STOCK CARTS, PORTABLE DRAWER CABINETS, PORTABLE DOOR CABINETS.



STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING

TRUCKS, SI	HEET AND PANEL	RUCKS.
SWIVEL	6" × 2"	Semi-Steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-Steel, Plain Brg. Wheel
\$WIVEL	6" x 2"	Hard Rubber, Self Lub. Brg.
RIGID	φ" x 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Soft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" × 2"	Plastic Roller Brg.
RIGID	6" × 2"	Plastic Roller Brg.

5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, SEMI-LIVE PLATFORM TRUCKS, BAR AND ROD TRUCKS, HAND TRUCK, STEEL PLAT-FORM TRUCKS, ROLL OVER DUMP TRUCKS, HAND DUMP TRUCKS

SWIVEL RIGID SWIVEL RIGID	8" x 2"	Semi-Steel, Plain Brg. Wheel
RIGID	8" x 2"	Semi-Steel, Plain Brg. Wheel
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheel
RIGID	8" x 2"	Moldon Rubber, Roller Brg. Wheel

PORTABLE MAINTENANCE CENTER WORK BENCH, EXTRA HEAVY DUTY

SWIVEL RIGID SWIVEL	8 × 2 ½" 8 × 2 ½" 8" × 2 ½"	Sami-Steel, Roller Brg. Wheel Semi-Steel, Roller Brg. Wheel Hi-Cap Rubber, Roller Brg. Wheel				
RIGID	8" x 21/,"	Hi-Cap Rubber, Roller Brg. Wheel				
I WHEELS O	WHEELS ONLY FOR ALL PURPOSE HAND TRUCKS					

8" x 1.75 10" x 2.75 410 x 350-4-2 Ply 12" x 3" Semi-Pneumatic Wheel Semi-Pneumatic Wheel Full Pneumatic Wheel Semi-Pneumatic Wheel











# zizzlu SPECIALS

### **SERVING INDUSTRY SINCE 1949**

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this page. Send us your requirements so we may submit design and quotation for your approval.


Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.




**BOX TRUCK** W/UD

**VENTILATED STORAGE** LOCKER











**HEAVY DUTY WAREHOUSE TRUCK** 



STEEL TOP PANEL-END WORK BENCH



WHEN ORDERING SPECIAL



GENERAL DESCRIPTION: Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.

GENERAL DESIGN: Type of shelf; flat or

2 GENEKAL DESIGNAL TYPE

troy; Type of top. Handle, etc.

DIMENSIONS: Indicate inside or outside dimensions; width, length, height.

CAPACITY: Load-Pounds: Entire unit, per 4 caster, per shelf.


**QUANTITY:** Could substantially deter-

mine pricing.
SPECIAL DESIGN FEATURES: Your own 6 ideas of how unit should be constructed.

FINISH: Standard Colors: Gray, Vista Green, Dark Green, Beige, Dark Brown, Light Blue, Dark Blue, Red or Orange Enamel.



**BATTERY CHARGING & TESTING STATION** 



HAND **TRUCK** 



**WORK STATION** 

NTERPRISES, INC. 3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

) )
) OPPOSITION NO. 123,506 ) CANCELLATION NOS. 31,984; ) 32,024; 32,025
)
)
) ) )

VOLUME II, EXHIBITS 28-38 AND 40-43 TO THE PUCEL TRIAL DEPOSITIONS OR ROBERT MLAKAR AND ANTHONY MLAKAR

I, CARYN LOTT, DO HEREBY CERTIFY AND AUTHENTICATE THAT

VOLUME II PUCEL EXHIBITS 28-38 AND 40-43 WERE IDENTIFIED AND

INTRODUCED INTO EVIDENCE IN THE TRIAL DEPOSITIONS OF ROBERT

MLAKAR AND ANTHONY MLAKAR ON MAY 23 AND 24, 2006 IN THE ABOVE

CAPTIONED MATTER.


CARYN LOTT

COURT REPORTER 6-20-06

DATE:

SEAL: 16-18-15

# MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT SINCE 1948





ENTERPRISES, INC.

3746 KELLEY AVENUE

CLEVELAND, OHIO, U.S.A. 44114

AREA CODE (216) 881-4604

DESIGNING

Grizzly Industrial, Inc., Applicant/Respondent TTAB Consolidated Case No. 123,506; 31984;

**38** 

PUCEL'S Exhibit No.

32024; 32025

TOLL FREI

Pucel Enterprises, Inc., Opposer/Petitioner

·-.48

ENGINEERING

DEVELOPMENT

MANUFACTURING

RUGGED

USE



# **SERVING INDUSTRY SINCE 1949** MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

**Highest Quality at Low Cost** 

- The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.\*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- \* We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

\*A few catalog items are KD.

Grizzly. GUARANTEE All Grizzly Equipment is fully guaranteed to a commercial standards Equipment is according to be mail standards Equipment is and is commercial standards Equipment and is shown in our catalog our polar end before leaving our prokman How inspected agriculture of propossible guaranteed agriculture to the standard of the standard ever, we cannot beyond normal usage ever, by user guarantee of a product of this is your guarantee. abuse by user beyond normal usage.
This is your guarantee of a product of highest quality. GRIZZLY renders long term satisfactory service. You can have continued confidence in GRIZZLY.





### **ALPHABETICAL INDEX**

### **NUMERICAL INDEX**

EQUIPMENT Page		Page No.	Page No.	Pc
BENCHES		ELECTRICAL OUTLET STRIPS19	HO.	MTC-60S, MTC-60R
Arc Welding			ABL-22 TO ABL-58	OF8-60, OFB-84
Arc Welding, w/Shields31		HANDLE, JACK6	AD-23-S, AD-23-R27	OST-39
Gas Welding		HOOKS, FORK, SWIVEL HOIST29	AW-3636, AW-3636-S,	PC-36S, PC-36R, PC-48S, PC-48R
Tool Cabinet20		HOOK, FORK CRANE,	AW-3636-W531	PDC-36S, PDC-36R
BENCHES, WORK		ATTACHMENT	B-213, BC-21313	PE-1830 TO PE-2448
Accessories			B-2448 TO B-3412016	PPET-2636
Cabinet, Base22		LOCKERS, DOUBLE PERSONAL6	BC-1, BC-1C3, BC-1C520	PT-2448 TO PT-3496
Cabinet, w/Sliding Door		PIGEON HOLE BIN UNITS25	BD-2448 TO BD-34120	PTC-48S, PTC-48R
Cabinet Unit		RACKS	BL-22, BL-28, BL-34, BL-46, BL-58 17	PUB-24SW, PUB-24RW
Drawer Unit, Heavy		Die, Shelf, Heavy Duty31	BP-365, BP-36R	R-36, R-48, R-60, R-72, R-96 ROBT-36, ROBT-48
Drawer Unit, Multiple		Rack, Stacking Units32	BRT-48, BRT-60, BRT-72	RODT-42, RODT-60.
Hard Maple Tops		Rack-U-Frame, Portable Inside	BS-2448 TO BS-34120	RUF-244, RUF-262,
Heavy Duty, Reinforced Steel Top16		Back Cover	BSC-36757	RUF-263, RUF-264
legs17		Rack-U-Frame, Portable, Extra Heavy	BSD-2448 TO BSD-34120 16	RUF-251, RUF-640 Inside Back Cove
Legs, Adjustable17		Duty Inside Bock Cover	BSDD-2448 TO BSDD-349616	\$-30-DT-3 TO \$-48-DT-3
Portable, Cabinet15		Rack-U-Frame, Portable, Twin Modules	BT-2436, BT-3036, BT-2448,	SBT-36722
Portable Maintenance Center 14		Storage, Die,	BT-30488	SC-3182 TO SCF-5243
Portable, Tool Cabinet14		Extra Heavy Duty	C-1824 TO C-2448-K20	SDMP-3048
Risers16		Vertical Bar31	CB-2860-S TO CD8-3072-W	SER-101SW, SER-101RW
Tops, Hard Maple		SHOES, CASTER CORNER29	CF-2830, CF-2835, CF-3630,	SH-36 TO \$H-144
Tops, Pressed Wood16		-	CF-3635	SL-18, SL-24
CABINETS			CM-2830, CM-2835, CM-3630,	SPT-2842
Base		STANDS  Machine Cabinet	CM-363524 CRA-60, CRA-96	SRU-232, SRU-242, SRU-248,
Drawer	1	Tool, Extra Heavy Duty	CS-2860 TO CW-3072-SD	SRU-332, SRU-342, SRU-348
Locker, 3 Door Unit		Tool, Heavy Duty	CS-35, CS-3R29	SS-48, SS-60, SS-72
Machine Floor24		STOOLS, LOW PORTABLE ASSEMBLY 14	CST-248	ST TO K3DC
Portable Door20		TABLES	CT-2830, CT-2835, CT-3630,	' ST-36 TO ST-120
Portable Drawer20		Examination, Portable Production 10	CT-3635	T-213 TO TEC-3131
Storage, Bin		Hopper13	CT-60	TA-241
Storage, Book Shelf		Lift Top, Hydraulic 10	CU-18, CU-36, CUK-18, CUK-3618	TDC-30, TDC-60
Storage, Extra Heavy Duty		Marking, Portable	DBU-3072-W, DBU-2872-S 21	TH-14, TH-14C
Storage, Wardrobe7		Міј13	DC-1, DC-1C3, DC-1C520	TPH-24
Tool Drawer21		Utility14	DFT-60, DFT-60C24	TSC-1828-6 TO TSC-2436-12
Tool, Heavy Duty		TRUCKS	DECU-2424	TT-1830-6 TO TT-3048-12
CARTS		Bar and Rod6	DPL-1621	UT-2432, UT-2442, UT-24521
Hand, Tate-All		Beverage, Premium, 2 Wheel5	DS-4, DS-6	VB-3684
Mij Box		Box	DT-25-S, DT-25-R	VDU-10
Stock12		Box, Roll-Over	DV-22429	VH-100
Stock, Five Shelf		Double End Heavy Duty3	EBR-18, EBR-18C, EBR-18R,	W-2448 TO W-36144
Stock, Hi-Ladder		Drawer, Cabinet, Portable 19	EBR-18CR26	WPT-2448-\$W TO
Stock, Ladder		Drum Dolly29	EDB-3048 TO EDB-3072 19	WPT-RE-3460-RW
Stock, 3/Sided		Five Shelf, Heavy Duty	EOS-3, EOS-6	WSC-3672
Stock, Tray		Garment9	EST-449	YZ-75, YZ-100
Utility, Tote-All11		Hand Dump	ET-2448-2 TO ET-3472-34	3SC-30, 3SC-36, 3SC-48, 3SC-60
		Hand Dump, Roll-OverB	EWB-3048 TO EWB-3072 18	3ST-2448 TO 3ST-3472
CASTERS, GRIZZLY EQUIPMENT		Hand, Tote-All11	EWS-3048 TO EWS-3072 18	6
Inside Back Cover		Hand, Tota Pan11	F-2448 TO F-3412016	15
DESKS		Hand, 2 Wheel, All Purpose5	FD-2448 TO FD-34120	18-D-30 TO 24-D-60
Shop		Low Drum	FS-2448 TO FS-34120	18-TR-30 TO 30-TR-60
Shop Cabinet23		Lumber Servicing	FSD-2448 TO FSD-34120	18-TRE-30 TO 30-TRE-60
Standing Shop		Platform, Dolly	FWS-3448, FWS-349619	24, 25, 26, 210
DOLLIES		Platform, Laminated Maple	GT-72, GT-72-SD9	59
Steel, w/Removable Handle 13		Platform, Steel	GW-2448 TO GW-36144 17	71, 73
		Platform, 3/Sided	GW-363631	75 TO 83-G\$2
DRUMS		Platform, Tate-All	H-1830 TO H-3060	80
		Sheet & Panel	H-2024-118	84
Cradles		Shelf, Divided9	HDSC-3648-2, HDSC-3660-3,	85, 85C2
Dollies, Can27		Shelf, Enclosed	HDSC-3672-47	89, 90, 91, 92, 93, 96, 98,
Dollies, Hi-Drum & Can27		Shelf, Sliding8	HDT-42, HDT-60	225
Dolly, Adjustable		Shop, Extra Heavy Duty4	HDTC-2442	235
Lifter, Harizontal Sling Type 28		Shop, Heavy Duty4	HLTT-36-1, HLTT-36-2	350, 351, 500
Lifter, Vertical28		Shop, Slat-Top, Heavy Duty4	HS-2448-2 TO HS-3472-3	1036, 1236, 1436, 1836
Lifter, VH-Vertical-Horizontal 28		Shop, Step Lodder Attachment	LBR-909, LBR-909H27	14161-1 TO 2024-4
Lifters, Dumpers, Rato-Tilt30		Side, Open	LPAS-1616, LPAS-1323	1830-2 TO 2460-3
Storage Racks28		Single End, Heavy Duty	LT-20-R, LT-20-S, LT-20-78R,	1830-DT-2 TO 3060-DT-3
Up-Ender		Stock, Sheet-Bar4	LT-20-78S	2036, 2136, 2236, 3036, 3136, 3236
Unit, Vertical Stacking, Portable 30		Tray, Shop11	MFC-2510	2421, 4021, 4242, 7242
		WORK STATIONS 18, 19	MT-2448-2 TO MT-3072-313	2448 TO 3496

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL.
PLEASE SPECIFY WHEN ORDERING.





# **SERVING INDUSTRY SINCE 1949**

### SALES—TERMS AND CONDITIONS

- 1) ORDERING: All orders, including phone orders, must be confirmed in writing.
  Your written purchase order should specify each item by number, description, and finish color.
- 2) PRICES: All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
  We reserve the right to invoice at the prices prevailing at the time of shipment.
- 3) SPECIFICATIONS: Specifications are subject to change without notice.
- 4) ROUTING: Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.

  When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid

within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the

mvoice.

- 5) PACKAGING: All items are packaged for domestic shipment. Additional charge will be made for special packaging.
- 6) DAMAGED GOODS: When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.
- 7) RETURNED GOODS: All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.
- 8) CHANGES AND CANCELLATIONS: Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.
- 9) CORRECTIONS: Stenographic, clerical errors, and any other errors, are subject to correction.
- 10) DELAYS: All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.
- TERMS: All prices are NET—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: \$80.00 NET, plus shipping charges.

These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 7 and subsequent Price Lists as issued from time to time, which may be issued without notice.



### STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS 2200 LBS. CAPACITY—6" HARD RUBBER CASTERS



LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS 2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS



24

28

34

24

28

34

Mode! PT-2448

PT-2848

PT-3448

PT-2460

PT-2860

PT-3460

PT-2472

### ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 %" from floor.

Casters: 2 swivel and 2 rigid, 6" x 2" or 2 swivel and 2 rigid, 8" x 2" Soft Rubber Available on Request

Finish: Green Enamel

Model	w	t	Ship. Wr.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28	96"	170
PT-3496	34"	96"	191
Extra Handle	Bars Includ	es Sockets	10
Extro Handle	Sockets W	elded on Truck	4

# DOLLY PLATFORM TRUCKS

110

118

130

121

131

144

133


1500 LBS CAPACITY—SEMI-STEEL CASTERS
1500 LBS CAPACITY—HARD RUBBER CASTERS

48

60

90.

60



ALL WELDED CONSTRUCTION REMOVABLE TUBULAR HANDLE LOW DECK—5 % " FROM FLOOR Handle Overall Height—36"

Finish: Green Enamel

Casters: 2 swivel and 2 rigid,

Platform can be reversed at no charge, with 2" deep flanges up on all sides.

Medel	*	l,	Ship. Wt.
18-PTD-30	18"	30	50
18-PTO-36	18	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60''	80
24-PTD-30	24"	30"	56

24-PTD-60

Model	w		Ship.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle E	lars Includ	les Sockets	10
Extra Handle 3	Sockets W	eided on Truck	

### **HEAVY DUTY SINGLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS



All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Wheels: Semi-Steel 5" x 1 %" Hard Rubber 5" x 1 ½"

> Overall Height—36" Finish: Green Enamel

Truck Floor Lock —Flat Bottom Shelf — Available at Additional Charge.

Medel	w	ι	Ship Wt.
18-TR-30	18	30"	98
18-TR-36	18	36"	106
18-TR-48	16"	48	122
18-TR-60	18"	60"	140
24-TR-30	24"	30	110
24-TR-36	24"	36"	120

Medel	w		Ship Wr.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30	125
30-TR-36	30"	36	135
30-TR-48	30"	48"	160
30-TR-60	30	60	185

### Wheels:

6" x 2" Soft Rubber 6" x 2" Semi-Steel 2 Swivel and 2 Rigid Self lube bearing wheels

Self lube bearing wheels



WPT-RF-2448-QW

WPT-RE series have angle frame for side

protection.
Size angle—1½" x 1½" x ½"
WPT Series have no frame.

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle. Deck bottom reinforced with 2—6" x 1" Maple Battens for coster attachment.

Finish: Platform—Clear Locquered: Steel Work—Green Enamel

			Ship.	w/Steel Frame		w/o Ste	el frame
Medel	w	<u> </u>		Steel Wheel	Rubber Wheel	Steel Wheel	Rubber
WPT-2448-SW	24"	48"	117			х	T
WPT-2448-RW	24"	48"	113				<u> </u>
WPT-RE-2448-SW	24"	48	127	×			<del></del>
WPT-RE-2448-RW	24"	48"	123	1 -	x		<del>                                     </del>
WPT-2460-SW	24"	60″	126	1 -		х	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			<del></del>
WPT-RE-2460-RW	24"	60"	132	T	×		i
WPT-3448-SW	34"	48	137			X	<del> </del> -
WPT-3448-RW	34"	48	133	"			×
WPT-RE-3448-5W	34"	48	147	X			<del>- ^-</del>
WPT-RE-3448-RW	'34"	48	143	1			
WPT-3460-SW	34"	40	155	<del>                                     </del>	· · · <del>· · · · · · · · · · · · · · · · </del>	×	
WPT-3460-RW	34"	60"	151	1		<del></del>	×
WPT-RE-3460-SW	34"	60"	175	T X			^_
WPT-RE-3460-RW	34"	90	171	1	X		
Extra Handles & Soci	cets			1	-		

### **HEAVY DUTY DOUBLE END TRUCKS**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

All welded for widest variety of uses with  $1\text{-}3/4^{\prime\prime} \times 1\text{-}3/4^{\prime\prime} \times 3/16^{\prime\prime}$  angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with  $11\text{-}3/8^{\prime\prime}$  clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Finish: Green Enamel

Overall Height—36"

Wheels: Semi-Steel 5" x 1%" Hard Rubber 5" x 1 ½"

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

Medel	w	_ L	Ship. Wt.
18-TRE-30	18"	30-	107
18-TRE-36	18"	36	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130



24-TRE-36

Model	w	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30	36"	146
30-TRE-48	30	48"	171
30-TRE-60	30"	60"	196



### SHOP TRUCKS---HEAVY DUTY

ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shap operations with presses, screw ma chines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2 deen

All sizes 32 % " high. Clearance between shelves on 3-shelf model—10 1/6"; 2-shelf model—22 1/4". Floor Clearance-6 4 "

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled moneuverability. Finish: Green Enamel



Wheels: Semi-Steel 5" x 1%" Hard Rubber 5" x 1 1/2"

Truck Floor Lock—Flat Bottom Shelf - Available at Additional Charge.

GRIZZLY Drawer Units can be added.

See Page 18



Optional writing

shelf attachment.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 12). SHIPPING WT. 10 Lbs.

Medel	Shelves	W	1	Ship. Wr.
1830-DT-2	2	18"	30"	93.
2430-DT-2		24"	30"	105
3030-DT-2		30	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-01-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	_48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48″	154
1848-DT-3	3	18"	48″	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60″	177
1860-D1-3	3	18"	60"	180
2460-DT-3		24"	60	210
3060-DT-3		30"	60″	242

### **EXTRA HEAVY DUTY SHOP TRUCKS**

5000 LBS. CAPACITY—SEMI-STEEL CASTERS 4000 LBS. CAPACITY-HI-CAP RUBBER CASTERS ET-2460-2 **ALL WELDED CONSTRUCTION** 

For moving heavy parts or large tate boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large

structures can be fabricated on truck.

With tubular push handle. Finish: Green Emamel



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels Truck Floor Lock - Available at Additional Charge.

	All Models 34" High	Medel	w	ı	Ship. W1
	10" Reer Clearance	ET-2448-2	24"	48"	220
		ET-2460-2	24"	60	240
		ET-2472-2	24"	72"	260
	21"	ET-2848-2	28"	48"	230
	clearance between	ET-2860-2	28"	60"	255
	shelves	ET-2872-2	28"	72"	280
	Į	ET-3448-2	34"	48"	256
		ET-3460-2	34"	60~	286
70		ET-3472-2	34"	72~	316
	9% "	ET-2448-3	24"	48"	275
		ET-2460-3	24"	60~	305
		ET-2472-3	24"	72"	335
	dearance	ET-2848-3	28"	48**	290
	between	ET-2860-3	28"	60"	325
	shelves	ET-2872-3	28	72"	365
		ET-3448-3	34"	48"	325
		ET-3460-3	34"	60"	370
		ET-3472-3	34"	72"	415



ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Medel	Shelves	w	ı.	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30″	146
S-36-DT-2	2	24"	36"	132
5-36-DT-3	3	24"	36	167
5-48-D1-2	2	24"	48"	150
5-48-DT-3	. 3	24"	48 "	196

Casters: 2 swivel, 2 rigid Semi-Steel Wheels 5" x 1% Hard Rubber Wheels 5" x 1 1/2"

Truck Floor Lock—Flat Bottom Shelf - Available at Additional Charge.

Finish—Green Fnormal



Used in shop operations, with presses, screw machines, shipping, and other equipment items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4" x 1-3/4" x 3/16" angle iron posts—

### STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

SL-24

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS-ALL STEPS ADJUSTABLE-4" STEPS, 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

# CRADLE TRUCKS ALL WELDED CONSTRUCTION 10,000 LBS. CAPACITY—STEEL WHEELS 6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling. Length---CRA-60 = 60"; CRA-96 = 96"; CRA-120 = 120"

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120. Cradle Width 23½", Overall Width 33¾", Height 36 3/8", Depth 15'



Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3" **Ductile Iron Roller Bearing Casters** Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels Center Wheels: 16" x 3" Swivels, 10" x 21/4"

CRA-60 Ship. Wt. 350 Lbs. **CRA-96** 

Ship. Wt. 384 Lbs. CRA-120 Ship, Wt. 416 Lbs. Finish: Orange Enamel

### SHEET-BAR STOCK TRUCKS

10,000 LBS. CAPACITY-STEEL WHEELS 6,000 LBS. CAPACITY-HI-CAP RUBBER WHEELS


All Walded Construction; for sheet steel, plate, bar stock, pipe, tubing, canduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.
ID = 30" W; OD: 33" W x 60" L for OFB-60

ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).

Casters: Forged Steel, Roller Bearing Wheels Center Wheels: 10"x3" **Ductile Iron Roller Bearing Casters** Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels Center Wheels: 16" x 3" Swivels, 10" x 21/4"

> OFB-60 Ship. Wt. 270 Lbs. OFB-84 Ship. Wt. 294 Lbs. Finish: Orange Enamel








### **ALL PURPOSE HAND TRUCKS**

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.



Medel	Overall Height	Frame Width	Overall Width	Tee Plate	Capacity	Wheels	Ship. Wt.
89	45 % "	14"	20"	7"x14"	250	Bx1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2,75 Semi-Pneu	30
93	48"	14"	20~	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32 1/2 "	13"x25"	650	12"x3" Semi-Pneu	52
98	43"	18"	18"	8 1/2 "x 18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	B×2 Moldon	58









AU. WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOYING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ¾ " floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;


NARROW TUBULAR FRAME, only 9 ½ " wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Medel	Axie Lgth.	Ht. W/Case Hndl. Ext.	H1. W/O Case Hndl, Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14%"	53 14 "	46 % "	የክ"	15%"	8¼" x 10%"	650	10x2.75 Semi-Pneu	36
311	17"	53 % "	46 1/2 "	P % "	18"	8¼" x 10¼"	500	410x3.50—4—2 Ply Pneu	35


### BAR AND ROD TRUCKS

3400 LBS, CAPACITY - SEMI-STEEL CASTERS 3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS





Medel	- 1	W	1	Ship Wt.
\$RT-48		36"	48"	255
BRT-60		36"	60*	275
BRT-72		36"	72"	292



Semi-Steel Roller Bearing Wheels, x 2" 2 rigid & 2 swivel

Hi-Cap Rubber Roller Bearing 2 rigid & 2 swivel.

Finish: Green Enamel

Truck Floor Lock Available at Additional Charge.

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.



### SHEET AND **PANEL TRUCK**

2000 LBS. CAPACITY Casters: 2 Rigid and 2 Swivel 6" x 2" Hard Rubber Wheels

Ship. Wt.-- 105 Lbs.

Finish: Green Enamel

28"W-42"L-49"O.A.H.

Deck--%" plywood

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

### **SEMI-LIVE PLATFORM TRUCKS**

Ship, Wt

106

100

114

112

127

90

2500 LBS. CAPACITY 8" x 2" Hi-Cap Rubber Wheels Platform 12" from floor

> All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck-

For temporary storage of materials. parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

### JACK HAMDLE

24

60

4

60

4

40

SLPT-2448

SLPT-2460

SLPT-3048

SLPT-3060

SLPT-3648

SLPT-3660



### DOUBLE PERSONAL LOCKERS

All welded construction, for shop and warehouse uses, lockers stackable and equipped with three shelves, padlock loop eye and plain handle. Top locker comes with sloped top.

Top Locker Size: 161/4" Deep x 21 1/4" Wide x 34" High in back.

Bottom Locker Size: 161/4" Deep x 211/4" Wide x 30" High.

Shelf Clearances:


5" Top to First Shelf

5" First Shelf to Second Shelf

41/." Second Shelf to Third Shelf 10" Third Shelf to Bottom

Finish: Green Enamel

Ship. Wt. Top Locker 85 Lbs. Bottom Locker 89 Lbs.



DPL-1621

### 3 DOOR LOCKER CABINET UNIT

OVERALL CABINET SIZE: 24" W x 24" L x 74" H


All welded, rugged construction for storage of individual belongings and supplies in various areas and departments in plant. Doors equipped with pull handles and padlock loop eyes. Entire unit constructed of 14 gauge steel. Unit shipped completely assembled and ready for use.

Inside Dimension of Cabinets: 231/4" Wide x

22%" Deep x 24" High

Finish: Green Enamel Ship, Wt. 230 Lbs.

Specials Quoted Upon Request to Meet Customer's Requirements.



DLCU-2424





# EXTRA HEAVY DUTY STORAGE CABINETS

RUGGED—ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers, Shelf Size—18" W x 25%" !

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides—12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle. Units shipped completely assembled and ready for use.

Finish: Green Enamel

Keyed handle available at additional charge



HDSC-3672-4

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48~	2-1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HD5C-3672-4	19"	36~	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelve	s Available	8"D x 35%	"L		20

### **HEAVY DUTY TOOL CABINET**

Large variety of uses—In warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42" Clearance between shelves—12%"

Construction: Body and Shelves—14 Gauge Steel Top, Bottom and Door—12 Gauge Steel

Finish: Green Enamel



Ship, Wt. 128 Lbs.

# WARDROBE—STORAGE CABINET ALL WELDED CONSTRUCTION

Heavy Duty Cabinet has the double purpose of storage on one side and a fixed shelves on the other. There is a full length shelf on top for extra storage. Model furnished with Keyed Handle, Padlock Hosp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shelf Divider—16 Gauge Steel: Doors, Back and Half Shelves—18 Gauge Steel: Bottom—14 Gauge Steel.

CABINET SIZE: 21"D  $\times$  36"W  $\times$  72"H

Finish: Green Enamel

Ship. Wt. 248 Lbs.



WSC-3672

# BOOK SHELF—STORAGE CABINET

**ALL WELDED CONSTRUCTION** 


Used in office, factory and shop operations. Unit has 2 fixed shelves on top for storage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Plain Handle, Keyed Handle available at additional charge.

Entire unit constructed of 16 Gauge BOOK SHELF DEPTH—12" Finish: Green Enamel Ship. Wt. 235 Lbs.

### OVERALL DIMENSION of CABINET

19"Dx36"Wx75" OAH
48" High from floor to top of storage cabinet.



### SLIDING SHELF TRUCKS

2400 LBS. CAPACITY-SEMI-STEEL CASTERS 2000 LBS. CAPACITY—HARD RUBBER CASTERS LARGE VOLUME CAPACITY TRUCK **2 REMOVABLE SHELVES** 



### 3/SIDED PLATFORM TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS 2000 LBS. CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. Ready for use. ggedly built of all steel welded construction. All corners and edges are round for safe All corners and all edges are round for safe handling without damage to other equipment. handling without damage to other equipment. See Thru design for visual load inspection, In-See Thru design for visual load inspection. creases load capacity over platform trucks. Used in shipping and receiving rooms.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials. Standard unit consists of 2 shelves and bottom

18" Clearance Between Shelves

Prices include Two (2) Shelves. Extra Shelves Priced on Request

Casters: 6"x2" -2 rigid and 2 swivel.

Finish: Green Engmel



	_				
Model	L I	w	H )	Shelf Size	Ship. W1.
\$\$-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
\$5-72	80'	37	66"	36" x 72"	330 lbs.

### **CAGE STOCK TRUCK**

CST-24

SS-72

### **800 LBS. CAPACITY** ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations. See-thru design for visual load inspection. Used for drying purposes, poper stock, etc.

Overail	Dimensions	.241/2	'Wx42	"Lx62"H
Shelves		'x36"-	~14 G	a. steel
Wheels.		5"x1%	" Sof	Rubber
		2 :	swivel	, 2 rigid
Finish		0	Green	Enamel

★ Shelves are furnished with welded clips that rest on Band Iron strips CST-24-Ship. Wt. 135 Lbs.


Additional Shelves Available at Additional Charge — Ship. Wt. 24 lbs.

### **BOX TRUCKS ROLL-OVER BOX TRUCKS**

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS





ROBT-36

GRIZZLY Box Truck and Moll-Over Box Truck are used for handling packaged goods, in department stores and warmhouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—compains upright, material easily removed—one man operation.

**BOX TRUCKS** 

Medel	Ship. Wit.	w	D	ί	O.A.H.
87-2436	95	24"	24"	36"	30"
BT-3036	110	30"	24"	36	30"
87-2448	115	24"	24"	48"	30"
87-3048	136	30	24"	48	30"

Finish: Green Ename

Wheels Semi-Steel, 5"x11/4" Soft Rubber, 5"x1%"

Top

Bottom Box Depth

Ship, Wt.

ROU-OVER BO	X TRUCES				
Madel	w	D	L	O.A.H.	Ship. W1.
ROST-36	24"	24"	. 36"	30"	120 lbs.
ROST-48	24"	24"	48"	30"	140 Lbs.

60" O.A.H. ALL MODELS: FLOOR TO DECK: DECK TO TOP FRAME: 48" Reinforced 12 Gauge Steel platform FRAME: 1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened Expanded Metal 13 Gauge Steel

TUBULAR PUSH HANDLE

FINISH: Green Ename

at Additional Charge

WHEELS: 8 Drop Fro			rigid. on all Models
Model	w	L.	Ship. WI.
35T-2448	24"	48"	185
35T-2460	24"	60"	200
35T-2472	24"	72"	220
351-2848	28"	48"	200
2CT 0040	20:	407	212



W	ι,	Ship. Wt.
28~	72"	235
34"	48"	215
34"	40"	235
34"	72."	258
	28" 34" 34"	28" 72" 34" 48" 34" 60"

### 3/SIDED STOCK CARTS

### MEDIUM DUTY 1500 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS, CAPACITY—HARD RUBBER CASTERS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

### ALL WELDED CONSTRUCTION

ALL MODELS: 60" O.A.H. 12 Gauge Steel
1½" x ½" Angle Iron
½" Diameter BOTTOM DECK: POSTS: VERTICAL RODS: DECK HEIGHT: 7" from floor TUBULAR PUSH BAR FINISH: WHEELS:

Green Enamel 4"x11/2", 2 Swivel,

2 Riaid. Madel w Ship. Wt. 3SC-30 24" 105 30 24 35C-36 36 115 3SC-48 24" 135

### HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS

35C-60



3SC-30

1500 LBS, CAPACITY 4" SEMI-STEEL CASTERS 2000 LBS. CAPACITY 8" SEMI-STEEL CASTERS

RODT-42



155

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1 ½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).


Handy in machine shops, screw machine operations, production and assembly lines. RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN **OPERATION** 

RODT-42—Roll-Over Dump Truck Ship, Wt. (RODT-42 has the same dimensions as HDT-42 with exception of rall-over feature.)

RODT-60—Roll-Over Dump Truck 178 Lbs. Ship. Wt. (RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Green Enamel Hand Dump Trucks = HDT-42 HDT-60 24"W x 60"L 24"W x 42"1 24"W x 47"L 24"W x 29"L Floor to Top of Box 23 23







### DIVIDED SHELF TRUCK

1400 LBS. CAPACITY-HARD RUBBER CASTERS ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

### DV-2242

42"L-22"W-55% "O.A.H.

Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.

Casters: 2 Swivel, 2 Rigid, 5"x11/2"

Finish: Green Enamel Ship. Wt -- 200 Lbs.



### **OPEN SIDE TRUCK**

800 LBS. CAPACITY—SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION



For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

### O5T-39

Overall Dimensions: 181/2 "W x 45"t x 50"H

Shelves: 18" x 39", 18 gauge steel, flat surface

Optional: Tray Shelves 1 ¼ " deep, same price Clearance Between Shelves: 15"

Casters: 4 swivels, 5" x 1 14"

Push Handles: Tubular, one at each end

Finish: Green Enamel Ship. Wt. 110 Lbs.


### **ENCLOSED SHELF TRUCK**

800 LBS. CAPACITY-SOFT RUBBER CASTERS ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices-- For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.


Casters: 2 swivel, 2 rigid 5" x 1 1/4" Finish: Green Enamel Ship. Wt.-110 Lbs.



Overall Dimensions: 16"W x 45"L x 62"H Shelves: 16" x 44"—20 Ga. steel 10" Clearance between Shelves

### GARMENT TRUCKS


500 LBS. CAPACITY-**SOFT RUBBER CASTERS** ALL WELDED CONSTRUCTION




Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

> Dimensions the same for both GT-72 and G1-72-5D

> > 74"L—20-1/2"W—66"H Frame: 1-1/16" Tubular Steel Casters: 4 swivels, 5" x 1-1/4" Finish: Green Enamel





GT-72-SD Garment Truck-Ship. Wt. 70 Lbs.





### MOPPING FLOOR AND CLEANING CART 800 LBS. CAPACITY



All welded construction, handles all your general cleaning needs such as maps, brooms, brushes, pails, etc. For use in supermarkets, hotels, hospitals, restaurants, etc.

Overall Dimensions: 25" W x 33" L x 41" H Accessory Box Seze: 10½" W x 22½" L x 8" H Bottom Deck Seze: 25" W x 25" L x 2" D Casters: 5" x 1½", Non-marking Polyolefin,

2 rigid and 2 swivel Finish: Green Enamel

Ship. Wt. 68 Lbs.

Accessories Not Included

# PORTABLE PRODUCTION EXAMINATION TABLE

500 LBS. CAPACITY 5" Soft Rubber Stem Casters




All welded construction used by inspectors, checkers, inventory use, etc. Table equipped with removable ½" pressed wood top and ½" lip above pressed wood in front to prevent parts and other items from rolling off. Unit has 8" high steel clipboard holder with 70° slope to the back. All swivel casters for easy movability. Shipped completely assembled ready for immediate use.

Width	 <i></i>
Depth	 
Overall Height	 Front 38½" — Back 46¾"
Finish: Green Enamel	
Ship. Wt. 63 Lbs.	

### HYDRAULIC LIFT TOP TABLES

- All Arc Welded—Rugged—Portable
- Foot Operated-
- Easily adjusted to and from working height.
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.

HLTT-36-1 CAPACITY 1000 LBS.



Model HLTT-36-1 Top.......20"W—36"L

 For moving dies, tools and parts to and from working station—production & main-

 Swivel
 Casters..5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.

 Raised Top Height.
 .43" from Floor Top Height.

 10p travel.
 .12"

 FINISH, Orange Enamel—Ship. Wt.
 .260 Lbs.


 Model HLTT-36-2
 Top.
 30"W—48"L

 Swivel casters
 .5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.


 Raised Top Height
 .43" from Floor Top Height

 10 pt fravel
 .12"

 FINISH: Orange Enomel—Ship. Wt
 .360 lbs



HLTT-36-2 CAPACITY 2000 LBS.



tenance.



### TOTE-ALL UTILITY CARTS TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION 800 LBS. CAPACITY - SOFT RUBBER CASTERS




TOTE-ALL HAND CART

CAPACITY: 1000 LBS.—SEMI-STEEL CASTERS 800 LBS.—SOFT RUBBER CASTERS

Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle, Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x11/4" Soft Rubber self lube, 2 rigid and 2 swivel.

Truck Floor Lock Available at Additional Charge Finish: Green Ename!




TOTE-ALL UTILITY CARTS All Models: 36" O.A.H. Deck Height: 30" Shelf Clearance: 21%" Floor Clearance: 644

Model	W	1	Ship Wt.
UC-2432	24"	32"	34
UC-2442	24"	42"	42
UC-2452	24"	52"	53

TOTE-ALL PLATFORM TRUCKS
All Models: 37" O.A.H.
Deck Height: 15"
Deck Height. 13

Medel	W		Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

### TOTE-ALL HAND TRUCK



### **IDEAL FOR:**

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING **TANKS**
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 231/2"D, front to back. 30"W, 41/2"H,— Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1 ¼" Hard rubber swivels. —Finish: Green Enamel.

Model TA-24 Ship, Wt. 52 Lbs.

### **TOTE PAN HAND TRUCK**

ALL WELDED CONSTRUCTION 375 LBS. CAPACITY

FOR: TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.



TRAY: 12"D-24"L.-CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 314" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1½" Hard Rubber Swivels.—FINISH: Green Enamel. Model TPH-24 Ship. Wt. 55 Lbs.

Top-15"W-28"L, Cart height-201/2 "O.A.H.

SER-101-RW

Handle: 32" Long Top and Bottom tray—1" deep. legs: 1 ½ " x 1 ½ " x ½ " Angle Iron Drawer: 14%" D x 20%" W x 5" H Drawer Slides on Ball Bearing Steel Rollers

Finish: Green Enamel

All welded, rugged construction for general maintenance uses—carrying parts and tools with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1 ¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship. W1
SER-101-RW	w/Saft Rubber Wheels	56 Ship. Wt

### SHOP TRAY TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

### **HEAVY DUTY ALL WELDED CONSTRUCTION**

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

6" or 12" Deep—12 Gauge steel with 1" hemmed edges. Clearance between Top and Bottom Trays—17-3/4"

BOTTOM TRAY: 2" Deep--12 Gouge steel.

1-3/4" x 1-3/4" x 3/16" Angle Iron ALL MODELS: 36" O. A. H. LEGS:

TUBULAR PUSH BAR:

Floor Clearace: 6-1/4"


2 swivel 2 rigid Semi-Steel Wheels

CASTERS:

5" x 1-5/8" Hard Rubber Wheels 5" x 1-1/2"

### Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge

		Top Box		Top Bex	
W	L	Depth = 6	Ship, Wt.	Depth = 12	Ship. WI.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	11-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	11-3048-6	180	TT-3048-12	208



### TRAY STOCK CARTS

### MEDIUM DUTY **ALL WELDED CONSTRUCTION** 1100 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY-SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cort, etc.

Finish: Green Enamel

ALL MODELS:

36" O.A.H.

CASTERS: 2 swivel 2 rigid Semi-Steel Wheels Soft Rubber Wheels

LEGS: 11/2 " x 1 1/2 " x 1/6" Angle Iron

Clearance between top and bottom trays—18" TSC-2436-12 TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY. **BOTTOM TRAY:** 

6" or 12" deep—16 Gauge steel with ½" hemmed edges. 21/2" deep-16 Gauge steel with 1/2" hemmed edges.

### Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

w		Top Box Depth = 6"	Ship, Wt.	Tep Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
16	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

STOCK CARTS MEDIUM DUTY 500 LBS. CAPACITY-5" SOFT RUBBER CASTERS 360 LBS. CAPACITY-3" SOFT RUBBER CASTERS



### **FIVE SHELF STOCK CARTS**

1000 LBS, CAPACITY-SEMI-STEEL CASTERS 800 LBS, CAPACITY-SOFT RUBBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of mony other operations.

**Built for Years of Easy Rolling** Service.

SCF-5363 FINISH: Green Enamel CASTERS: 2 swivel 2 rigid

Soft Rubber Plain Bearing Wheels—5" x 1" Soft Rubber Ball Bearing Wheels—5" x 1" Soft Rubber Plain Bearing Wheels—3" x 13/16"

SC-5362 w/#1416-1 Drawer Unit

Flat Bottom Shelf and Bench Drawer Units (See Page 16) — Available at Additional Charge. — SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Shelves- Angle All Trays-:	Legs	Medel	w	J.	D.A.H	Shelf Clearance	Wheels	Ship. Wt.
		SC -3182	18,"	28	34"		3	47
	All Tray . Shelves	SC -5182 SC -3362	18"	36"	36"	25 1/4 "	3"	50
		SC -5362	18	36	36"		3	56
		SC -5242	24"	36"	36"	1	5"	66
	All Tray Shelves	SC -3183	18	28	34"		3"	62
		SC -5183		28"	36″	11%"	5"	65
		SC -3363		36"	34"		3"	70
		SC -5363	_	36"	36"		5"	73
	_ <del>.</del>	SC -5243	24	36"	36"		5	88
	Flat Surface	SCF-3182	18"	28"	34"		3"	47
	Tep Shelf	SCF-5182	18"	28"	36"		5	50
	Tray Bettern	SCF-3362	18"	36"	34"	25 14 "	3"	53
	Shelf	SCF-5362	18"	36"	36"	l	5"	56
		SCF-5242	24	36"	36"	<u> </u>	5"	66
	Elet Confere	SCF-3183	18	28	34"	1	3	62
	Flat Surface Top Shelf	5CF-3363	18"	36"	36"	1144"	3	70
	Tray Center and Battem Shelves	SCF-5363	18"	36"	36"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5"	73
	parram Shelves	SCF-5243	<del> </del>	36"		<u> </u>	5	88

### HI-LADDER STOCK CARTS-LADDER STOCK CARTS



ALL WELDED CONSTRUCTION 2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

SHELVES.....14-Gauge steel, Tray Type—2" deep CLEARANCE BETWEEN SHELVES.... 



CASTERS: 2 Swivel, 2 Rigid S= Semi-Steel Wheels

R= Hard Rubber Wheels 5" x 1 1/2

SIZE OF SHELVES —Top--20"x32" Center---20"×36" ---Bottom---20"×41"

HI-LADDER LT-20-78R

Permits work up to 10 feet high. This truck can be used for working high stackroom shelves and bins.

LADDER LT-20-R

LADDER ..... Spring loaded and adjustable STEPS: 6" wide

With adjustable leather to give quick, higher standing step for stock clerks and others to place items into and stake from inventory and storage areas, and for moving such items to and from job and shippping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and trucksfirmly to the floor, when weight is removed the ladder retracts allowing truck to be easily mapved. Finish...... Green Enamel

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H. Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge. Top and center steelves reversed at no charge

OA-920"W x 44"L x 78"H HI-LADDER STOCK CARTS

169 Ship. Wt. LT-20-78R LT-20-785

QA-20 "W x 44"L x 62"H LADDER STOCK CARTS

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

Large valume capacity stock cart for filling orders and other purposes. All welded construction with 11/2" x 11/2" x 1/9" angle pasts, and push handle located 39 1/2" high for balanced handling, adds 3" to overall length

Top trays, with 21/2" sides, can be reversed at no extra cost.

Floor Clearance	6%"
O.A.H. with Semi-Steel Casters	58%"
O.A.H. with Soft Rubber Casters	
Shelf Clearance	10"
FinishGreen Er	ramel

Casters: 2 swivel, 2 rigid

5" x 1 ¼ " Semi-Steel Wheels 5" x 1 ¼ " Soft Rubber Wheels

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
1-1828	18"	28"	105
1-1836	18"	36"	119

_				
Į.	Model	W	L	Ship. W1.
Ū	L-2436	24"	36"	144
	L-2448	24"	48"	181

L-1836

### FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS, CAPACITY—SEMI-STEEL CASTERS 2000 LBS, CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Tray	/ Shel	V <b>es</b> .	 			٠.	 	٠.	٠		٠.	. 2	qeeb
Ove	eroll t	leight.	 		,		 					 	68"
She	If Cle	arance	 				 					 	12"
Flor	or Cle	arance	 ٠.,				 					 	9%"
Fini	sh		 				 			G	re	n E	namel
_		_		_									

Casters: 2 swivel 2 riaid Semi-Steel Wheels

Moldon Rubber Wheels 8" x 2

Truck Floor Lock-Flat Bottom Shelf Available at Additional Charge.

Model	w	ι	Ship. Wt.
H-2430	24"	30"	219
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48″	299
H-3048	30"	48"	349
H-2460	24"	60	355
H-3060	30"	60	413




H-2436

### LUMBER SERVICING TRUCKS

### 1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Castersi 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-75 for shorter items. W = 26": Depth = 24": H = 39" Floor Clearance = 71/2 Finish: Green Enamel Ship. Wt. = 72 Lbs.

Z-100 for longer bulkier items. Width = 24": Base Length = 42": Overall Length = 65": Ht. = 44%" Floor Clearance = 84' Sheet Holder adjustable to 60" overall height. Finish: Green Enamel Ship. Wt. = 145 Lbs.





### PORTABLE MARKING TABLES

**ALL WELDED CONSTRUCTION** CAPACITY 1000 LBS.—SEMI-STEEL CASTERS CAPACITY 800 LBS.—SOFT RUBBER CASTERS

Medel	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48″	100
MT-2448-3	3	24"	48''	132
MT-2460-2	2	24"	60	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60.	175
MT-3072-2	. 2	30″	72"	140
MT-3072-3	3	30"	72*	184



300 LBS. CAPACITY-

BC-213

Combines a Tate Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. All WELDED CONSTRUCTION. Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.~13"W-23"L CLEARANCE BETWEEN BOX AND SHELF-17 BOTTOM SHELF -- 8" from floor

		<u> </u>
	FINISH: Green Enamel	Shipi Wt.
İ	8-213—With Floor Pads	28 lbs.
Ì	BC-213-With 21/4" Pressed Steel	Costers29 lbs
		,

### HOPPER TABLES

### 300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



14 ¼ "W-29 ¼ "L-O.A.H. Back-36"-Front-30" with 1" Stop, CHUTE OPEN-ING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 61/2", CLEAR-ANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Engmel.

ŤH-14	With Floor Pads	37 Ship. W1.
TH-14C	With 21/2" Pressed Steel Swivel Casters	40 Ship, Wt.



### "MIJ" TABLES 300 LBS. CAPACITY—2½" DIA. PRESSED STEEL OR SOFT RUBBER CASTERS FOR FASTER PRODUCTION LINE NEEDS

Rugged—Compact— High Quality at Low Cost

ALL MODELS.13" wide x 23" long. SHELVES..... 16 Gauge Steel LEGS..... Structural Angle

Caster Models - 2%"

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds

tote baxes at the right height for rapid handling, less fatigure for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves.

Finish: Green Ename

	Pressed Steel or Ru	bber
	Overall Height	Ship Wt.
TC-213	23 1/2"	22
TEC-213	30 1/2"	24
TC-313	231/2"	28
TEC-313	30%*	30



213 Series lap and Bottom Shelves

313 Series Top, Botton and Center

Models With Floor Pads Welded to Legs						
	Height of Top Shelf	Shelf Clearance	Ship. Wt.			
T -213	24"	16"	21			
TE-213	31"	21"	23			
T -313	24"	71/2"	27			
TE-313	31*	10"	29			

# **HEAVY DUTY**

2000 LBS, CAPACITY-

Pads on bottom of legs protect floors. Finish: Green Enamel

LEGS ....., 1-3/4" x 3/16" Angle Iron



For handling long lengths of sheet metal. Placed be side shears, brakes, presses. Used as a feeder table Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS ALL WELDED CONSTRUCTION . ALL SHELVES FLAT SURFACES Finish: Green Enome!

ALL MODELS......36" High SHELVES.....12 Gauge Steel LEGS.....2"x2"x3/16" Angle

LEGS	z	X	CJ/IO A	n;
Model	*		Ship. Wt.	I
HS-2448-2	24"	* 48	135	]
HS-2460-2	24"	8	155	]
H\$-2472-2	24"	72"	175	]
HS-2848-2	28"	48"	145	1
HS-2860-2	26"	60"	170	I
HS-2872-2	28"	72"	195	I
HS-3448-2	34"	48"	165	I
HS-3460-2	34"	60"	190	]
HS-3472-2	34"	72"	240	1
H5-2448-3	24"	48"	185	1
HS-2460-3	24"	80"	215	1
HS-2472-3	24"	72	245	]
HS-2848-3	28	3	205	]
H\$-2860-3	28**	<b>6</b> 0″	240	]
H5-2872-3	28"	72"	275	]
H5-3448-3	34"	48"	230	]
HS-3460-3	34"	60"	280	]




Clearance from floar to bottom shelf ... 8" Clearance between

HS-2460-2

HS-2872-2 W/2 Shelves




Clearance from floa to bottom shelf ... 8 Clearacne between



Top and bottom shelves are

reinforced with channels.



30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS—1½" x ½" x ½" Angle Iron, CASTERS—5" x 1½" ..........All Swivels, FINISH: Green Enamel.

### STEEL DOLLIES

WITH REMOVABLE HANDLE 1500 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—HARD RUBBER CASTERS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1 ½" casters. 2 swivel and 2 rigid. Removable Handle— ½ rod—36 ½ " long.

Model	w	LL	Ship. Wt.
/18-D-30	18"	30"	40
18-D-36	18"	36	44
18-D-48	18"	48"	52
18-D-60	18″	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72
Removable Ho	indle Furnished w	rith unit	3

Top reversed on request at no extra cost. Finish: Green Enamel







# TOOL STANDS

ALL WELDED CONSTRUCTION Floor degrance 6 %

ALL MODELS ...... 32-1/2" O.A.H. SHELVES ...... 12 Gauge Steel

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.





### **UTILITY TABLES**

500 LBS. CAPACITY—5" SOFT RUBBER CASTERS 300 LBS. CAPACITY—2%" DIA. PRESSED STEEL CASTERS OR SOFT RUBBER CASTERS



### **LOW PORTABLE ASSEMBLY STOOLS**

300 LBS. CAPACITY 21/2" Dia. Soft Rubber Stem Casters

All welded construction, handle heavy loads of tools, parts and other items for production rarkers, machine operators, and repairmen on assembly lines beside machinos, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.







SHELVES S Models: 16 Gauge—H-L-K Models: 14 Gauge

ANGLE LEGS

5 Models: 11/4"x1/8"---H-L-K Models: 11/4" x 1/8"

DRAWER SIZE (D) 14"W-16"L-5"D

FINISH: Green Ename!

31 High Overall

Cylinder Lock Available at Additional Charge

34 High Overall With Casters

	31 High Overall Fleer Pads Welded to Logs			34 High Overall With Caste 4 Swivels		
	w	ι	Medel	Ship, WI.	Medel	Ship, WI.
	19	25	\$1	32	sc	35
	23	24	нт	43	нс	46
	20	28	ιτ	44	ι¢	47
With Top and Bottom Shalves	24	36	Κī	60	KC	63
	19	25	53	42	\$C3	45
>-4	23	24	нз	57	нсз	60
With Top, Sortem and Conner	20	28	13	50	ıcı	62
Shelves	24	36	К3	83	ксз	86
	5	25	\$D3	\$7	\$03C	e0
$\searrow$	23	24	ноз	69	HD3C	72
With Top, Barriern and Center Shelves and	20	28	เอง	71	1D3C	74
No. 1416-1 Drower	24	36	KD3	95	KD3C	98
	19	25	SD	47	SDC	50
With Tag and	23	24	нр	58	HDC	61
Betrom Shelves and \$141a-1	20	28	LD	59	LDC	62
Drewer	24	36	KD	75	KDC	78
	19	25	S2D	77	52DC	80
With Top and	23	24	H2D	88	H2DC	91
Shelves and g1416-2	20	28	120	89	L2DC	92
Drawer Unit	24	36	K2D	105	K2DC	108
	:9	25	530	98	\$30C	101
	23	24	нзо	109	нзос	112
With Top and Bottom Shakes and \$1416-3	20	28	L3D	110	13DC	113
Bruwer Wait	74	36	KJD	126	K30C	129

All welded construction for general maintenance, repair and assembly uses. Convenient 14" height, for assembly work requiring low level setting. 1" Tray Bottom Shelf has drop front for easy sliding, and carrying parts and tools. All swivel casters for easier movability. Finish: Green Enamel

Model	W	L	н	Ship. Wt.
LPAS-1616	16"	16"	14"	19
LPAS-1323	13"	23"	14"	22





### PORTABLE TOOL CABINET WORK BENCHES


3000 LBS. CAPACITY-SEMI-STEEL CASTERS 2000 LBS. CAPACITY-MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION, for machine operators, production and maintenance workers, repoirmen, etc. Furnished with a nine Drawer Cobinet which provides much storage at tools, parts and other items. Sides and back stop prevent objects from rolling off top. Equipped with Keyed Handle on door and Cylinder Lock on Nine Drawer Cabinet

CASTERS: 2 rigid and 2 swivel, 8" Dimensions Size of 100—26" x 48", Height—37\/" to work surface, 3" back stop, Overall Height—40\/"; Total Overall Length—63"; Vise Shelf—12" x 25" (Vise Shelf standard on all models); Storage Cabinet Size: Top Compartment—21" w x 23\%" d x 10" h, Battom Compartment—21" w x 23\%" d x 10" h, Compartment—21" w x 23\%" d x 10" h, Compartment—21" by x 23\%" d x 10" h, Compartm

Finish Nine Orawer Cabinet—Red Enamel All other Metal Parts—Gray Enamel

Vise Available Upon Request.



PTC-485	Semi-Steel Wheels 8"x2"	348 Ship W1
PTC-48R	Moldan Rubber Wheels 8"x2"	345 Ship Wr.
	Floor Truck Lock at Additional Charge	5 Ship W1
	With 3/16" Steel Plate Top	67 \$hip Wt

### PORTABLE MAINTENANCE CENTER **WORK BENCHES**

4000 LBS. CAPACITY-SEMI-STEEL CASTERS 4000 LBS. CAPACITY-HI-CAP RUBBER CASTERS ALL WELDED CONSTRUCTION

For maintenance workers, mill wrights, electricians,

repairment and other spot workers, mill wrights, electricions, repairmen and other spot workers.


Bench furnished with 2 nine drawer tool cobinets to provide large storage place for tools and parts and especially eliminates otherwise necessary trips to another work.

bench and stack room CASTERS: 2 rigid and 2 swivel. 8" x 2½".


Dimensions: Size of top—28" x 60", Overall Height—38", (ancludes till steel plate top) fotal Overall Length—64", Top Four Compartments—11" xx 14"d x 10" h. Bottom Shelf (Open at both ends): 23" xx 28"d x 13"h.

Model furnished with Cylinder Locks on Tool Cabinets and Keyed Handles on Compartment Doors. Vise is available upon re-

Finish 2 Nine Drawer Cabinets-Red Fnamel All Other Metal Parts-Gray Enamel



MTC-60S Semi-Steel Wheels 8"x21/s"	696 Ship W1.
MTC-60R Hi-Cap Rubber Wheels 8"x2"/4"	688 Ship Wt.
Floor Truck Lock at Additional Charge	5 \$hip Wt.





### **PORTABLE CABINET WORK BENCHES**

2000 LBS. CAPACITY—SEMI-STEEL CASTERS 1500 LBS. CAPACITY—RUBBER CASTERS




### **PORTABLE CABINET WORK BENCHES**

1000 LBS. CAPACITY-SEMI-STEEL CASTERS 800 LBS. CAPACITY- SOFT RUBBER CASTERS

### LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.






PC-48R w/#1424-4 Drawer Unit

### TOP: HEIGHT:

21¼" x 36". 34" to Work Surface,







SHELF SIZE: 19" x 35 % ",

adjustable on 2" Centers.

FINISH:


Green Enamel

### **HEAVY DUTY**

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—oil to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top,  $26" \times 48"$ , Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24%" x 47%", GRIZZLY— Bench Drawer Units installed in Work Benches for special requirements. See Page 16, Finish: Green Enamel.

PC-48S	Semi-Steel Wheels 5" x 1%"	250 Ship. WI.
PC-48R	Hard Rubber Wheels 5" x 1 ½ "	247 Ship, Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship, Wt.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 44" x 12" Openings 9" deep	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings 9" deep	27 Ship, Wt.



2000 LBS. CAPACITY—SEMI-STEEL CASTERS **BP-SERIES** 1500 LBS. CAPACITY-RUBBER CASTERS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top available on request.





BP-36R

BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

8P-36S	Semi-Steel Wheels 5" x 1%	220 Ship, WI
BP-36R	Hard Rubber Wheels 5" x 1 1/5"	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship, W1,
	Keyed Handle (2 Keys) at Additional Charge	
	With 3/16" Steel Plate Top at Additional Charge	260 Ship, W1

PC-365	5" x 1 ¼ " Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wr.
PC-36R	5" x 1 ¼ " Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
	Additional Shelf at Additional Charge	16 Ship, Wt.
	Cylinder Lock which locks both Doors (2 Keys) at Addition	nal Charge

### **PDC SERIES**

**ALL WELDED CONSTRUCTION** 1000 LBS. CAPACITY—SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP:.....21 1/4 "x36" HEIGHT:....34" to Work Surface, 3" Back Stop FINISH:.....Green Enamel

PDC-36R





PDC-365	5" x 1 % " Semi-Steet, 2 Swivel—2 Rigid Casters	168 Ship, Wt.
PDC-36R	5" x 1 ¼ ' Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. W1.
	Floor Truck Lock at Additional Charge	5 Ship, Wt.
	Cylinder Locks fitted to all Drawers (Keyed Un-alike) -at A	dditional Charge
	Keyed Handle at Additional Charge	

### **WORK BENCHES**

Specials Quoted on Request

ALL WELDED CONSTRUCTION Standard Lengths 4' - 10'

### **WORK BENCHES**

### **ALL WELDED CONSTRUCTION**

	Te	Pρ	Ship	
Model	W	<u> </u>	Wi.	
FSD-2448	24"	48	150	
FSD-2460	24"	8	167	
FSD-2472	24"	72"	185	
FSD-2496	24"	96"	239	
FSD-24120	24"	120"	270	
FSD-2848	28~	48 "	157	İ

B-244 B-246 8-247 B-249

B-241

8-284


B-286


B-287

	Τe	P	Ship	11
Model	w	`L_	Wi.	i,
FSD-2896	28	96	253	1
FSD-28120	28 -	120	290	
FSD-3448	34"	48	176	
FSD-3460	34"	60	196	
FSO-3472	34	72"	211	ŀ
FSD-3496	34"	96"	275	
FSD-34120	34"	120	315	ŀ

# FSD-2860 28" 60" 175 FSD-2872 28" 72" 195

**FSD Series** FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1





Showing

Reinforced

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

TOP WITH BACK, SIDE STOPS AND STRINGER

	iob .		Ship.		
ı	W	t	Wt.	Mode	1
8	24"	48	106	8-289	م
0	24"	8.	121	B-281	20
2	24"	72"	135	B-344	ā
٥	24"	96"	181	B-346	ō
20	24"	120″	196	8-347	2
8	28"	48"	119	B-349	6
٥	28	60	133	B-341	20
2	28"	72"	149	*	

	To	Ρ	Ship.
<u>Aodel</u>	w	<u>ــــــــــــــــــــــــــــــــــــ</u>	Wi.
3-2896	28"	96"	199
-28120	28"	120"	216
3-3448	34"	48"	133
3460	34"	ŝ	149
B-34 <u>72</u>	34"	72"	166
B-3496	34"	96"	222
8-34120	34"	120"	251

### COMPLETELY ASSEMBLED-READY FOR USE

TOPS ...... 12 Gauge Steel BACK AND SIDE STOPS . 12 Gauge Steel LEGS ..... 12 Gauge Steel STRINGERS ..... 16 Gauge Steel SHELVES ...... 16 Gauge Steel LEGS SET IN 2" FROM END OF TOP

BACK STOPS-3" High-12 Ga. Steel SIDE STOPS—3" High at Back, Taper to 1 1/2

Bench Drawer Units and Accessories,

See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

FINISH: Green Enamel

32 1/3 " HIGH TO WORK SURFACE (34" Height Furnished at Additional Charge)

Cylinder Lock Available for Drawer at Additional Charge.



لمل	B\$ \$4	eries	
			E STOPS,
STR	INGER	AND S	HELF
1	15¼″	deep	

	Te	9	Ship.	
Model	W	L	Wi.	
BS-2448	24"	48	126	
85-2460	24 '	8	143	
85-2472	24"	72"	161	
15-2496	24"	96"	215	[
85-24120	24"	120	236	
85-2848	28	48	133	
85-2860	28"	ġ	151	1
BS-2872	28	72"	171	]

8D-2448 24" 48" 133 BD-2460 24" 60" BD-2472 24" 72"

24" 96" BD-24120 24" 120" 231

BD-2496

		,	annp.
Model	W	ι	Wt.
BS-2896	28"	96"	229
85-28120	· 28"	120"	256
BS-3448	34"	48"	151
85-3460	34"	ŝ	171
6S-3472	34"	72"	188
BS-3496	34"	96"	252
85-34120	34"	120"	281





FLAT TOP WITH STRINGER

AND SHELF—13 % DEET
III
FD Series
FLAT TOP WITH STRINGER AND DRAWER SHIT 1424-1
DRAWER SMET 1424-1

Model	w	i.	Wi.	1	Model	W	L	Wi.
F-2448	24"	48"	107		F5-2448	24"	48"	125
F-2460	24	60"	120		F\$-2460	24"	60"	142
F-2472	24"	72"	134		F5-2472	24"	72"	160
F-2496	24"	96"	180		FS-2496	24"	96"	214
F-24120	24"	120"	195		FS-24120	24"	120"	235
F-2845	28"	48	116		FS-7848	28″	48 1	132
F-2860	28″	60″	132	l	FS-2860	28″	60"	150
F-2872	28"	72"	148		FS-2872	28	72"	170
F-2896	28"	96"	198		FS-2896	28	96"	229
F-28120	28"	120"	215	1	FS-28120	28"	120"	255
F-3448	34"	48"	132		FS-3448	34	48"	150
f-3460	34"	60"	148	1	FS-3460	34"	60"	170
F-3472	34"	72"	164	]	FS-3472	34"	72"	186
F-3496	34"	96"	220	]	FS-3496	34"	96	250
F-34120	34"	120"	250	]	F5-34120	34"	120	280

	Ţ.	Ship.	
Model	w_	ı	Wi.
FD-2448	24	48"	132
FD-2460	24"	8	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Model	₩ To	P L	Ship Wi.
FD-2896	28	96"	223
FD-28120	28"	120″	250
FD-3448	34"	48"	158
FD-3460	34"	8	174
FD-3472	34	72"	189
FD-3496	34	96"	245
FD-34120	34"	120~	275

BD-2848 28" 48" TOP WITH BACK, SIDE STOPS AND DRAWER UNIT -- No. 1424-1 BD-2860 28" 60"

Drawer: 14"W x 231/2"D x 5"H

Model	To W	PL	Ship W1.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
6D-26120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	Š	175
8D-3472	34"	72"	191
BD-3496	34	96"	247
BD-34120	34"	120"	276




TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT -No. 1424-1 Drawer: 14"W x 23½ "D x 5"H


l		Ship.	
Model	w_	£	Wi.
85D-2448	24"	48"	151
B5D-2460	24"	60	168
BSO-2472	24"	72~	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
B\$D-2848	28"	48"	158
BSD-2860	28"	60"	176
BSD-2872	28"	72"	196
	•		

	Te	Ship	
Model	W		Wi.
BSD-2896	28"	96"	254
BSO-28120	28"	120"	292
B5D-3448	34	48	177
85D-3460	34"	60"	197
BSD-3472	34"	72	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317

### PRESSED WOOD TOPS (¼" THICK)

Pressed wood top-- ¼" thick-is attached directly over heavy steel top. Used for working with finished parts, die layout, instrument and electrical weak. Any Size To 48" x 96".





The Storage corpacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attended Riser. Slides easily between standard Grizzly Side and Bock Stops.

### **WORK BENCH** RISERS

Medel	ı.	Ship. Wt.
R-36	36	15
R-48	48"_	19
R-60	60	23
R-72	72~	27
R-96	96"	34



Top with back, side stops, stringer shelf and two drawer units - No. 1424-1 Drawers: 14"W x 231/3"D x 5"H

Work Bench available with ¼" hard tempered peg board or ½" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

Model	W	L	Ship Wt
8SDD-2448	24"	48"	202
BSDD-2460	24"	8	221
B5DD-2472	24"	72*	242
BSDD-2496	24"	96"	301
BSDD-2848	26"	48"	209
850D-2860	28"	8	240
85DD-2872	28"	72"	263
BSDD-2896	28"	96"	326
850D-3448	34"	48*	228
BSDD-3460	34"	60*	250_
BSDD-3472	34"	72*	269
BSDD-3496	34"	96*	338





### **ADJUSTABLE BENCH LEGS**

### ALL WELDED CONSTRUCTION

No need to adjust to a Work Bench height any longer, now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32½" to 37½" on 1" centers. Holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.


All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column below)

Finish: Green Enamel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Height	Ship Wt.
ABL-22	22	321/4" to 371/4"	23
ABL-28	28"	321/4" to 371/4"	25
ABL-34	34"	321/4" to 371/4"	27
ABL-46	46"	321/4" to 371/4"	31
ABL-58	58"	321/4" to 371/4"	37

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.



Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer. Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1%" Thick; Overall Height including Bench Top is 34%". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 16, 17, and 18.

Finish Top—Natural-Clear Lacquer. Metal Parts—Green Enamel.

**BASIC BENCH** 

Top							
Model	w	ι	Ship. W1				
W-2448	24"	48"	107				
W-2460	24"	60"	124				
W-2472	24"	72"	138				
W-3048	30"	48"	127				
W-3060	30"	60"	147				
W-3072	30	72"	166				
W-3096	30	96"	226				
W-30120	30"	120"	264				

Төр							
Medel	w	L.	Ship, Wt.				
W-30144	30"	144"	296				
W-3648	36"	48	143				
W-3660	36	60"	167				
W-3672	36"_	72	168				
W-3696	36"	96	256				
W-36120	36"	120	295				
W-36144	36	144"	344				

### 264\_\_\_\_

HARD MAPLE TOPS



Finish Top—Natural-Clear Lacquer.

1% "Thick

Model	W	ı	Ship. W1.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72	Bó
GW-3048	30	48	74
GW-3060	30"	60"	. 93
GW-3072	30	72"	112
GW-3096	30	96"	150
GW-30120	30"	120"	187

Model	W	L	Ship. Wt.
GW-30144	30	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60	108
GW-3672	36"	72"	130
GW-3696	36	96	174
GW-36120	36"	120	216
GW-36144	36"	144	260

### BENCH LEGS

### ALL WELDED CONSTRUCTION

These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided far attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel. Bench Legs for special requirements on request.

Finish: Green Enamel

Medel	A	В	_ C	D	ŧ	Ship. Wt.
BL-22	22	32 %	15%	18	915	20
BL-28	28	32 %	19%	22	935	22
81-34	34	3214	23 %	26	933	24
BL-46	46	32 1/1.	35 14	38	914	28
6L-58	58	32 %	47 %	50	913	34

### **WORK BENCH ACCESSORIES**


ABL-28

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.




Model	A		С	D	E	Ship. Wt. of Sets
2448	514	24	3 ⅓	51/4	48	16
2460	5 ¼	24	3 1/3	514	60	18
2472	514	24	3 1/2	514	72	20
2496	5 ¼	24	3 %	514	96	23
2848	5 ¼	28	3 %	5 1/4	48	18
2860	5 1/4	28	3 %	5 14	60	20
2872	5 %	28	315	5 1/4	72	22
2896	5 ¼	28	314	5 1/4	96	27
3448	5 %	34	315	514	48	19
3460	514	34	3 1/2	514	60	21
3472	514	34	3 15	514	72	24
3496	5 14	34	31/2	51/4	96	29




### STRINGERS

Model	F	G	Ship, Wt.
51-36	4 1/4	32	4
ST-48	4 1/4	44	6
\$1-60	4 1/4	56	71%
ST-72	ST-72 4¼		9
ST-96	4 %	92	12
ST-120	4 1/4	116	15
ST-144	4 %	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel





### **BENCH DRAWER UNITS**







1416-2

Drawer units can be fastened to either wood or steel benches, tables, desks or counters. All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer, Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13 ½  $^{\prime\prime}$  x 8  $^{\prime\prime}$  x "I" in 1416 and 1424 Series; 1912" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

### OVERALL OUTSIDE DIMENSIONS

~	OOI SIDE DIMENSIONS
HEIGHT, ALL UNITS	One Drawer-54"; Two Drawer-121/2",
	Three Drawer—18½ "; Four Drawer—24½ "
	SERIES: 151/4"2024 SERIES: 221/4"
DEPTH1416 SERIES: FINISH: GREEN ENAMEL	16" 1424 & 2024 SERIES: 24"

	14~Wz16	"Dx5"H	k5"H14"Wx23½ "Dx5"H		20"Wx23	½ "Dx5"H
Unit Description	Model	Ship. Wt.	Model	Ship. Wr.	Model	Ship. Wt.
1 Drower	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1414-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Cylinder Lock Available for Drawer at Additional Charge.

### **HEAVY DUTY DRAWER UNIT**

USE WHERE SEVERE SERVICE IS NEEDED 14 GA. STEEL DRAWER 12 GA. STEEL HANGER ALL STEEL BALL BEARING ROLLERS

Finish: Green Enomel



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides, Fingers fit easily into pull. Drawer slides affortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size:  $19 \frac{12}{3}$  x 8 x 1 " Inside dimensions of drower ...... 19 ½ "W x 23 ½ "D x 5"H 

Cylinder Lock Available for Drawer at Additional Charge. Ship, Wt. 40 Lbs.

### **WORK BENCH CABINET UNITS ALL WELDED CONSTRUCTION**





Cabinet storage can the more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer. Heavy gauge steel essell throughout with flanged reinforcement.

Use with either wood stop or all metal benches. Quickly fastened to wood top with bolts or log screws, Finish: Green Enamal.

Model	w	н	0	Shelf Clearance	Lock	Ship, Wt.
CUK-36	36	19	19	8	Yes	60
CU-36	36	19	19	. 8		60
CUK-18	18	19	19	8	Yes	42
CU-18	18	19	19	8		42

Please indicate on mader if unit is for installation with steel or wood bench.

### WORK STATIONS

### HEAVY DUTY ALL WELDED CONSTRUCTION

These benches provide more efficient work stations for your institutional or industrial lab uses. All Work Stations equipped with bench riser shelf (10%" wide x 18" high) with pegboard back for honging small tools or instruments and electrical outlet strip, wired with a six foot cord. Models come standard with 12 gauge top, available with Hard Maple or black chemicalresistant Formica Tops upon request, Grizzly Bench Drawer Units, additional Drawers or Accessories can be added. (See pages 17 & 18.) All models shipped set-up, ready for immediate

### **WORK STATIONS** EWB-SERIES

This series come standard with riser shelf, electrical outlet strip and pegboard back. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon request.

Grizzly Bench Drawer Units or Accessories can be added. (See pages 17 & 18).

All units shipped set-up, ready for immediate use.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWB-3048	30"	48"	321/4"	170
EWB-3060	30"	60"	321/3"	190
EWB-3072	30"	72"	321/4"	210



### WORK STATIONS

### **EWS-SERIES**

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 231/4" deep x 5" high.


Tool Tray in each Drawer, 8" wide x 13%" long x 1" high, holds small items within easy

Units come standard with a full length riser shelf (10%" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	48"	33%"	253
EWS-3060	30"	60"	331/4"	272
EWS-3072	30.,	72"	33%"	291



EWS-3072 w/optional Hard Maple Top



### **ELECTRICAL OUTLET STRIPS**





For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six foot cord. Either of the below strips are available on Grizzly Work Benches. They are installed by welding on steel top work benches or screwed on wood top benches.

15 Amps-125 Volts-3 Wire

Finish: Gray Enomel

Model		Receptacle Spacing	Number of Receptacies	\$hlp. Wt.
EOS-3	3 Foot Length	9"	4	2
EQ\$-6	6 Foot Length	12"	6	4

### **WORK STATIONS** EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is 24" deep  $\times$  18" wide and confains four drawers, each 14" wide x 23%" deep x 5" high inside. Each drawer can be turnished with padlock loop eyes, cylinder locks or plain face. Drawers sildes effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides, Release stop for removal of drawer. Cabinet sets on a 6" high base.

Tool tray in each drawer, 8" wide  $\times$  13%" long  $\times$  1" high, holds small items within easy reach. Models furnished with bench riser shelf (10%" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 17 8(18). Units available with Hard Maple or black chemical resistant Formica Top upon request.

Finish: Green Enamel

Cylinder Locks Available at Additional Charge.

Model	Wide	Length Height to Work Surface		Ship. Wt.
ED8-3048	30,	48"	33%"	256
EDB-3060	30"	60"	331/4"	276
EDB-3072	30"	72"	331/4"	296



EDB-3060 w/optional Hard Maple Top

### WORK STATIONS

### **FWS-SERIES**



All welded, rugged construction reinforced steel tops. channel stringers and shelves to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength. No bolts, rivets or other parts that have to be continually tightened. Completely assembled ready for immediate use.

Work Stations equipped with bottom shelf, florescent light fixture (w/lamps) with on-off switch and 1/4" thick pegboard back (w/30 hanging hooks).

Bench Drawer Units, Riser, Duplex Receptacle Outlet, and Pressed Wood Top Available at Additional Charge. See Pages 14 and 16.

Finish: Green Enamel 34" Height to Work Surface Furnished Upon Request.

Tools Not Included

Model	Wide	Length	Height to Work Surface	Ship. Wt.
FWS-3448	34"	48"	32 %	236
FWS-3496	34"	96"	32 /2"	390

### PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY-SEMI-STEEL CASTERS 800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accossories.

All welded, rugged construction equipped with  $5^{\prime\prime}$  x  $1\%^{\prime\prime}$  casters—2 rigid and 2 swivel. Easy to

Top: 20"x24"; Height Top Surface—Overall 34"; Top, back and side stops-1/4" high: Space inside cabinet 13"H, 22"W, 20"D, Drawers: 20"W, 19"D, 5"H,

PUB-24RW

### Finish: Green Enamel

PUB-24SW	w/Semi-Steel Wheels	138 Ship, Wt.
PUB-24RW	w/Satt Rubber Wheels	134 Ship. Wf.

Keyed Handle Available at Additional Charge.





### **DOOR CABINET**


ALL WELDED CONSTRUCTION CABINET SIZE: 18"W, 24"L, 26"H

# TOOL CABINET BENCHES ALL WELDED—READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines. Additional shelves must be welded in place. If installed at factory please specify spacing, Shelves can not be adjusted. Benches with Grizzly Drowers and Casters quoted on request.







C-1848-K

TOP ...... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1 ½" front O.A.H. 37"

### ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.

SIDE LEG PAMELS	14 Gauge Steel
DOORS	18 Gauge Steel
SHELVES	16 Gauge Steel
FINISH:	Green Engmel

5	ihelf	1
W	L	Ship, W1.
18	23%	11
18"	35%	15
181	47%	20
24	35%	19
24"	47%	25

Medel	м	w	D	w.	Shelf L	No. Shelves	Ne. Deers	Ship. Wt.
C-1824	34	24	19	18	ı 23%	2	1	112
C-1824-K	Keyed Mi	andle in Door	(2 Keys)					
C-1836	34"	36	19"	16	″ x 35 ¥	1	2	140
C-1836-K	Keyad Mi	malle in Door	(2 Keys)			T		
C-1848	34	48	19"	18	x 47%	1	2	166
C-1848-K	Keyed His	malle in Door	(2 Keys)					
C-2436	34"	36	25	24	x 35%	1	2	160
C-2436-K	Caynel 196	andle in Door	(2 Keys)					
C-244	34"	48	25 "	24	x 47%	1	2	190
C-2448-K	Keyed Ph	media in Door	(2 Keys)	T				

MODELS W/K NOTABLEON HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

Shelf adjustable in 2" centers. One shelf with unit.

Base Not Included Finish: Green Enamel

Ship. Wt. 55 Lbs.



Keyed Handle—Extra Shelf Available at Additional Charge.

### **DRAWER CABINET**


ALL WELDED CONSTRUCTION CABINET SIZE: 18"W, 24"L, 26"H

Individual drawer size, 14" wide x 23 ½" deep x 5" high. Sliding tray in each

Drawer holds small items within easy

reach. Tray size: 13 ½ " x 8" Base Not included

Finish: Green Enamel
Ship. Wt. 110 Lbs.



Cylinder Lock Available at Additional Charge



(For models BC-1 and DC-1) Base must be welded on to cabinets.

6¼" High Ship. Wt. 10 Lbs.

### **PORTABLE DOOR CABINETS**

ALL WELDED CONSTRUCTION
500 LBS, CAPACITY—3" SOFT RUBBER CASTERS
800 LBS, CAPACITY—5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.



Medel	н	Casters—All Swivel	Ship, Wt.
BC-IC3	30"	3" x 11/2" Soft Rubber Tread	60
BC-1C5	32	5" x 1 % " Soft Rubber Tread	65
	Keyed Hondik	Available at additional charge.	
	Extra Shelf A	vailable at additional charge.	

### PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION
Padiock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER CASTERS 800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23 ½ "D x 5"H
Tool Tray in each Drawer: 8" x 13 ½ " x 1" deep.

Finish: Green Enamel



DC-1C5

	_		
Medel	H	Cesters—All Swivel	Ship. Wt.
DC-1C3	30	3" x 1 ½" Soft Rubber Tread	118
DC-1CS	32	5' x 1 % Soft Rubber Tread	124


Cylinder Lock Available for Drawer at Additional Charge.



### MULTIPLE WORK BENCH DRAWER UNITS



Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 144" laminated hard maple or 12 gauge

34" overall height with wood or steel top individual drawer size, 14" wide x 231/2" deep x 5" high

Finish: Green Enamel Cylinder Locks Available at Additional Charge.

Model	W	L L	Ship Wt.
D8U-3072-W	30"	72*	565
DBU-2872-S	28"	.72"	560


DBU-3072-W

TIME SAVER-**COMPACT STORAGE** LOCAL AREA **TOOL STORAGE** 

### **TOOL DRAWER CABINETS** FOR EXTRA HEAVY USE


SAVES MANY STEPS TO AND FROM **MACHINE OPERATION OR JOB SITE** 

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc. For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot v orkers, providing large storage drawers for tools and parts, etc. ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.



Model TDC-30 3 Drawer Unit Ship. Wt. 285 Lbs.

> Model TDC-60 6 Drawer Unit Ship. Wt. 430 Lbs.



ALL WELDED CONSTRUCTION. 211/2 " W x 271/4 " D x 451/4 " H 

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer. Drawer slides on ball bearing steel rollers.

Finish: ......Green Enamel

ALL WELDED CONSTRUCTION. 40" W x 27¾" D x 45¾" H 

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.


Padlock attachments for each drawer. Drawer slides on ball bearing steel rollers.



### . CABINET BASE WORK BENCHES **ALL WELDED CONSTRUCTION**



### **CABINET WORK BENCHES** (WITH SLIDING DOORS)



With door and four drawer units form the averall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.


Keyed Handle-Cylinder Lock Available at Additional Charge.

### WITH STEEL TOPS-14," THICK

	_	Model	To W	P L	Bases 16"W 24"D	Ship. Wt.
		C8-2860-\$	28"	60.	Door Cabinets	205
		CB-2872-\$	28"	72"	Door Cabinets	230
		DB-2860-S	28"	60	Drawer Cabinets	300
	月田	DB-2872-\$	28"	72"	Drawer Cabinets	320
ĺ		CDB-2860-S	28"	₩"	Drawer & Door Cabinets	240
		CD8-2872-S	28"	72	Drawer & Doar Cabinets	275

### WITH HARD MAPLE BENCH TOPS-1% "THICK

	Madel	To W	P L	Bases 18"W 24"D	Ship. Wt.
	C8-3060-W	30 "	60 <sup></sup>	Door Cabinets	210
	C8-3072-W	30"	72"	Door Cobinets	235
	DB-3060-W	30"	60	Drawer Cabinets	305
	D8-3072-W	30"	72"	Drawer Cobinets	325
	CDB-3060-W	30	60"	Drawer & Door Cabinets	245
1 TH	CDB-3072-W	30	72"	Drawer & Door Cabinets	280



All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lack and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15 & 16.

ALL MODELS: 34" O.A.H.

Finish Top—Natural-Clear Lacquer, Metal Finish: Green Enamel.

### WITH STEEL TOPS-1%" Thick-12 Gauge

		Ship.		
 ļ	W	L	Base, 25 Deep	WI.
C\$-2860	28"	60	Basic Unis	204
CS-2872	28	72	Basic Unit	234
C5-2860-S	28 -	60	Basic Unit with Shelf	239
C\$-2872-S	28"	72"	Basic Unit with Shelf	274
C\$-2860-D	28"	60	Basic Unit with Sliding Doors	248
CS-2872-D	28-	72	Basic Unit with Sliding Doors	286
C5-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
CS-2872-\$D	28″	72"	Basic Unit with Shelf & Sliding Doors	326

### WITH HARD MAPLE BENCH TOPS—1%" Thick Overhang on Front, 5 NATURAL WOOD FINISH

		w T	P L	Base, 25 Deep	Ship. Wt.
	CW-3060	30"	60"	Basic Unit	220
	CW-3072	30"	72"	Basic Unit	254
	CW-3060-S	30	60"	Basic Unit with Shelf	255
	CW-3072-5	30"	72"	Basic Unit with Shelf	295
	CW-3060-D	30"	60''	Basic Unit with Sliding Doors	264
	CW-3072-D	30"	72	Basic Unit with Sliding Doors	306
	CW-3060-SD	30"	60	Basic Unit with Shelf & Stiding Doors	300
	CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extro	5-60 ☆	60" long	22" wide		35
Shelves	5.72 ☆	72" long	22' wide		40



### **STANDING** SHOP DESKS

Open, all welded, heavy gauge steel constructionused by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hale top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.


Completely assembled, ready for immediate use.

### Finish: Green Enamel

WIDTH			
OVERALL HEIGHTS		Back	
Basic Unit	43"	48″	
With P-36 Unit	43 <sup></sup>	53"	
With P-66 Unit	43"	57 "	
SIDE AND BACK STOPS 3	" high at Ba	ck, tapers	
	to 1 ½ "	at Front.	

SHELF....34" wide x 181/2" deep-8" from floor DRAWERS...... Standard Grizzly Drawer Units, see page 16 for specifications.

### Cylinder Lock Available at Additional Charge.







1036 BASIC UNIT Ship. Wt. 85 lbs.



1436 BASIC UNIT With No. 2024-4 Drawer Unit Ship. Wt. 225 lbs.



1236 BASIC UNIT With Two No. 1416-1 **Drawer Units** Ship. Wt. 115 lbs.




**1836 BASIC UNIT** With Two No. 1424-4 **Drawer Units** Ship. Wt. 325 lbs.

Optional Pigeon Hole Units Available on Standing Shop Desks or Shop Cabinet Desks at Additional Charge.



P-36 PIGEON HOLE UNIT 3—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT 6—4" x 12" openings x 9" deep Overall Length 36" Ship. Wt. 24 lbs.

### SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction -used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hale top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.

Finish: Green Enamel



No. 3036 (With No. P-36 Unit) Pigeon Hole Unit Available





Model	Shelves	Drawers	Ship. W
2036	2		184
2136	2	1	202
2236	2	7	219
3036	3		205
3136	3	_ 1	222
3236	3	2	240
	igeon Hole Unit ( —4 x 12 oper	Overall Length 36 nings x 9 deep	15
6	-4 x 12 oper	Overall Length 36 hings x 9 deep	
Cylinder	Lock for Drav	vers at Additio	nal Charge
		at Additional (	

WIDTH	***************************************	All Mod	dels 36"
DEPTH		All Mod	dels 30"
OVERALL HEIG	HTS	. Front	Back
Basic Unit	- ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	43"	48
With P-36 U	nit	., 43"	53"
With P-66 U	nit	. 43"	57"
DRAWERS	GRIZZLY 1416-1-ID-14" wide x 16	" deep x .	5" hiah.
Any GRIZZLY	Standard Bench Drawer can be used with this	Unit. See	Page 18
SIDE AND BAC	K STOPS 3" high at back, tapers to 1 ½ " at Fro	nt.	
SHELF SIZE		28 ¼ "	x 35 1/8"
SHELF CLEARAI	NCES		
3 Shelf Unit	Floor to Bottom Shelf		7 1
	Bottom Shelf to Center Shelf		
	Center Shelf to Top Shelf		
	Top Shelf to Desk Top		
2 Shelf Unit	Floor to Battom Shelf		7
	Bottom Shelf to Top Shelf		
	Top Shelf to Desk Top		

### SHOP DESK



All welded construction used by foremen, supervisors, shipping clerks, superintendents and many

Desk equipped with single pedestal leg on right side and four spacious drawers on left. Top drawer comes with cylinder lock. Sliding tray in each drawer holds small items within easy reach. Drawers slide on ball bearing steel rollers.

Desk size: 30" Wide x 48" Long x 321/2" High Drawer size: Inside Dimensions, 14" Wide x 231/3" Deep x 5" High Tray size: 8" Wide x 131/2" Long x 1" Deep Finish: Beige Enamel with Brown Enamel Drawers Ship, Wt. 200 Lbs.

Padlock Attachments and Hard Maple Top Available Upon Request. Additional Cylinder Locks Available at Additional Charge.



### MACHINE FLOOR CABINETS

Rugged, all welded cabinets with 1 ½  $^{\prime\prime}$  Tray coolant tops with 15  $^{\prime\prime}$  pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

### FOR BASE CABINET USE WITH BENCH TYPE MACHINES


Keyed Handle—Cylinder Lock Available at Additional Charge.

CT-2830 20"W-28"L-30"H Ship. Wt. 90 Lbs


CT-2835 20"W-28"L-35"H Ship, Wt. 96 Lbs.

CT-3630 20"W-36"L-30"H Ship. Wt. 100 Lbs.

CT-3635 20"W--36"L--35"H Ship. Wt. 106 Lbs.



### CT SERIES



CF-2830 20"W--28"L--30"H Ship. Wt. 80 Lbs.

CF-2835 20"W--28"L--35"H Ship, Wt. 86 Lbs.

CF-3630 20"W—36"L—30"H Ship, Wt. 90 Lbs.


CF-3635 20"W-36"L-35"H Ship. Wt. 96 Lbs.

CM-2830 20 W-28"L-30 H Ship, Wr. 95 Lbs.

CM-2835 20 W-28"L-35 H Ship, Wt, 105 Lbs.

**CM-3630** 20 'W--36''L--3D' H Ship. Wt. 115 Lbs.

CM-3635 20"W-36"L-35 H Ship. Wt. 125 Lbs.



OPTIONAL: No. 1015

Removable Side Shelf (Shelf Surface—10" x 15")

Available at Additional Charge.
Ship. Wt. 10 Lbs.




# MACHINE CABINET STANDS ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses, CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.


Designed for strength and appearance, Convenient shelf—15%" x 36".

GRIZZLY 1416-1 Drawer units furnished an all stands.—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 16 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.


Keyed Handie—Cylinder Lock Available at Additional Charge.




DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H, Ship. Wt. 238 Lbs.




CT-60 Coolant Top, Tray—11/11" deep with 1/12" pipe tee. 22" W, 60" L, 32" H. Ship, Wt. 198 Lbs.



DFT-60 Drop Front Top. Back and Side Stops — 1 1/6 " H, 22" W, 60" L, 32" H, Ship. Wt. 198 Lbs.













### PIGEON HOLE BIN UNITS

All Welded, Rigid Units, Completely Assembled Ready For Use.





4021



7242

Used for parts inventory and control in factories, stares and warehouses.

Firmly attached label holders also used as stops, holding loase parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted tagether for firmer attachment.

Finish: Green Ename!

Model	No. of Bins	Н	W	D	Compartment	Lobel Holder	Ship WI
7242	72	42"	35 14	11 1/4	4 ½ " wide 4 ½ high	1.	97
4242	42	42"	35 14	11%	5% wide 6 high	2	95
2421	24	21	35 h	11%	51% wide 51% high	2	40
4021	40	21	35%	11%	4¼ wide 4¼ hìgh	1	55

### STORAGE BIN CABINET

### **ALL WELDED CONSTRUCTION**

Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc.

Truck furnished with Plain Handle; Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: 36°L x 21°W x 72°H


Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage.

Construction: Entire Unit 16 Gauge

Finish: Green Enamel

Ship. Wt. 3221bs.

SBT-3672








### EZY-DOWN DRUM CRADLES 700 LBS, CAPACITY

Give maximum teverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled.

Ready for immediate use. Finish: Orange Enamel





EBR-18 31"L—18 ¼ "W—18"H Ship, Wt. 31 Lbs.



WITH CASTERS EBR-18C 31"L—1814"W—18"H Ship Wt. 34 Lbs.



WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship, Wt. 34 lbs.



WITH CASTERS & ROLLERS EBR-18CR 31"L--18 1/4 "W--18"H Ship, Wt, 36 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.


Casters: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

### **DRUM CRADLES**

### 700 LBS. CAPACITY


All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.




BR-18 31"L-18 ¼ "W-18"H Ship. Wt. 26 Lbs.



WITH DRUM ROLLERS BR-18R 31"L—18 ¼ "W—18"H Ship, Wt, 29 Lbs.



WITH CASTERS
BR-18C 31"L—18 ¼ "W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS BR-18CR 31"L—18¼"W—18"H Ship. Wt. 31 Lbs.

Four 2" Semi-steel rollers for positionling drum and manually rotating for mixture. Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.







### **DRUM & CAN DOLLIES**

1200 LBS. CAPACITY—SEMI-STEEL CASTERS 1000 LBS. CAPACITY—HARD RUBBER CASTERS





### ALL ARC WELDED CONSTRUCTION

RUGGED



### FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cons or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor chearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-G5, 82-G5, & 83-G5 are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	0.0.	I.D.	Wheels	Finish	Ship, WI.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19~	Jx1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1·1/4	Galvanized	25
83-G	24-1/2	19"	3x1-1/4	Galvanized	22
81-G\$	24-7/16"	24"	3x1-1/4	GalSani.	32
82-GS	30-1/2	24"	3x1-1/4	Gal. Sani.	25
83-G5	24-1/2"	19"	3x1-1/4	GalŞani,	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Oronge	15

### **ADJUSTABLE DOLLY**

1200 LBS. CAPACITY—SEMI-STEEL CASTERS 1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 23%"—OPENS TO 36%". Can be used as a rectangle for tote boxes,



skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1½", Finish: Orange Enamel.

AD-23-S AD-23-R

SEMI-STEEL WHEELS HARD RUBBER WHEELS

Ship. Wt. 30 lbs. Ship. Wt. 28 lbs.

### **HI-DRUM & CAN DOLLIES**

900 LBS. CAPACITY—SEMI-STEEL CASTERS 700 LBS. CAPACITY—HARD RUBBER CASTERS



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-toflow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for

SAVE SPACE—take less area than drums in horizontal position.

### SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size ... 3" x 1 %".




71 w/drum

Model	Bettem	Төр	Height	Gallon Drum	Ship. Wt.
71	30" .	24"	1915 "	55	44
73	21"	19"	19%"	· 30	38

### **LOW DRUM TRUCK**

800 IBS, CAPACITY HARD RUBBER WHEELS



25 ½" wide opening, 31" wide overall, 33" high, 1 ½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finishr Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" raller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES, INC. (216) PUCEL ENTERPRISES





FOR OPEN CLOSED DRUMS

USED WITH Fork Trucks

Chain Falls

Cranes and Hoists. Ship. Wt. 32 Lbs.

**#235 VERTICAL** 

2000 LBS, CAPACITY




ALL-WELDED CONSTRUCTION **Rugged and Compact** 

#### Safel Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs. FINISH: ..... Orange Ename!



• SAFE—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.

 VERSATILE—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.


• LIGHT—Weighs only 32 pounds. One man can handle with ease.

- ADJUSTABLE—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, bottered or lopsided.
- QUICK-Lifter attached and removed in seconds. RUGGED-All welded construction.
- STACKS—and tiers drums vertically in close quarters. FINISH: Orange Enamel

### **#84 SLING TYPE DRUM LIFTER**

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION


SHIP, WT. ..... 11 lbs. FINISH: ..... Orange Enamel





Lifts drum harizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY reack. See Below.

#### **DRUM STORAGE RACKS** 2500 LB. CAPACITY



All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums as recadily accessible positions. Designed for loading ease with whatever equipment you naw havet. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 39"W x 60"L x 54"H—FINISH: Orange Enamel.

85	Leg	180 Ship, WI.
85C	Casters	198 Ship, Wt.

#### **#VH-100 DRUM LIFTER** 1000 LBS. CAPACITY


LIFTS VERTICAL . HORIZONTAL . AT ANY ANGLE







Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached Holds Rigidly---Even When Load Sways Positive Grip—Cannot Slide -Holds Load Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: ... 16" minimum to 40" maximum— OVERALL LENGTH: ... 43"—WIDTH: ... 4"

#### **DRUM STORAGE RACKS**



Holds four or six drums in readily accessible positions. Designed for loading ease from front or back, All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require ancharing to floor. Can be moved with Fork Trucks fully loaded.

DRAIN HEIGHTS: Bottom row-18"

Pads on bottom of legs protect floors.

Also Designed for special requirements.

DS-4

FINISH: Orange Enamel

		_			
DS-4	4 Drums	60"W	36"D	46"H	120 Ship, Wt.
D\$-6	6 Drums	84"W	36"D	48"H	200 Ship. Wt.

#### **DRUM DOLLY TRUCKS**

**CAPACITY 2000 LBS.-SEMI-STEEL CASTERS** CAPACITY 1500 LBS.-




## FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Brocket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



OVERALL DIMENSIONS	
PLATFORM	5 1/2" from floor
	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-R

DT-25-S	5" x 1% " Semi-Steel Wheel	63 Ship, Wt.
DT-25-R	5" x 1 ½ " Hard Rubber Wheel	60 Ship, Wt.

#### **FORK SWIVEL HOIST HOOKS**

With Safety Latch

(SINGLE) 3000 LBS. (DOUBLE) 4200 LBS. WORKING CAPACITY





## No. 210 DOUBLE FORK SWIVEL HOIST HOOK


(Attoched to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20 % ". Fork Swivel Holst Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50



#### CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

#### **Method of Attachment**


Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

#### **Method of Detachment**

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck. Ship. Wt. 250 Lbs. FINISH: . . . Orange Enomel

## **CASTER CORNER SHOES**

**ALL WELDED CONSTRUCTION** 



Ideal for making wood pallets or boxes portable at low cost. Shoes slide under corners. May be bolted, screwed or nailed on permanently, For moving heavy wood crates, baxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel-Size is 8" x 8"-5-3/4" O.A.H.-Flange 2"-3-7/8" high to platform-7/16" holes for mounting.

FINISH: Green Enamel.


Medel	Capacity per Set	Ship, Wr,	Casters
CS-35	1200 lbs.	17	3" x 1 ¼ " Semi-steel Wheels
CS-3R	1000 lbs.	15	3" x 1 ¼ " Hard Rubber Wheels

## **VDU-10 EXTRA HEAVY** PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT. SAVES TIME—SPACE—MONEY


- ALL Welded Construction.
- RUGGED—Completely Assembled—No Bolting— Ready For Immediate Use.
- STACKS Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- 4-WAY Access by Fork Lifts.
- UNIT Easily Handled-
- EASY Drum Draw Off-Drums and Storage Area Easily Kept Clean.
- DRUM Inventory Simply Maintained.

DIMENSIONS:, O.A.H. = 13"; W = 441/2"; Depth = 30". Floor Clearance = 31/2". Finish: Orange Enamel Ship, Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

**VDU-10** 





CAN BE EASILY HANDLED FROM FRONT, BACK OR ENTHER SIDE WITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING



#### **ROTO-TILTS**

CAPACITY 1000 LBS.

**PATENTS** U.S. No. 3,434 612 **CANADIAN NO. 887501** 


All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—aperator maintains easy and positive control.

Model	A	В	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27 % "	15"	30 Gal.	. 64






No. 350 & No. 351

160 Trolley with 160° Dumping Angle— Standard Trolley with 130° Dumping Angle FLOOR DUMPING MODELS

#### **OVERHEAD DUMPING MODEL NO. 500**



OVERALL DIMENSIONS

From Lifting Loop to Toe Plate ..... 62"H From Front to Back ...... 35"D Width at widest point ...... 10"

CONTAINER CLAMPING RANGE ...... 30" min. to 36" max, for 55 Gal. Drums

DUMPING ANGLE ...... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.



**WORM GEAR DRIVE** 

Finish: Orange Enamel Ship. Wt. 98 Lbs.



#### **GAS WELDING BENCH**





#### GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

#### Cylinder Lock Available at Additional Charge.

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rad storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED, SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Engmel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs. Ship. Wt. 110 Lbs.

#### ARC WELDING BENCH

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.

AW-3636-DR



#### Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED, SEE PAGE 18.

OVERALL DIMENSIONS	Carra Carral
AW-3636 (Without Drawer Unit) AW-3636-DR (With Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drower Unit)	Ship, Wt.140 Lbs.

#### ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required. With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1..... Furnished with unit Pads on bottom of legs protect floors. Shipped KD, ready for assembly.

OVERALL DIMENSIONS-

36"Wx36"Dx68"H

FINISH: Green Enamel Cylinder Lock Available at Additional Charge

Ship. Wt. 180 Lbs. AW-3636-S With Solid Shields

Ship, Wt. 175 Lbs. AW-3636-WS With 5"W x 18"L See-Thru Shield Opening (3 Openings)



#### 3000 LBS, CAPACITY

loads of Jigs, Fixtures, Dies, and other heavy

rows.

Shipped KD, complete with assembly hardware Construction of double channel reinforced shelf.



An extremely rugged Rack to hold heavy

May be erected as individual units or in

Extra shelves may be added. Pads on battam of legs protect floors. Bolted construction.



**HEAVY DUTY** SHELF DIE RACKS

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x 1/2" Angle Iron—"X" BRACES . . . 1" x 1/2" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Balts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs, Ship, Wt.
5-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 lbs, Ship, Wt.

# PE-1830

#### EXTRA HEAVY DUTY DIE STORAGE RACKS

#### 1000 LBS. CAPACITY PER SHELF ALL WELDED CONSTRUCTION

Uses for tools, dies and other heavy material.

May be used as individual units or bolted in rows.

Pads on bottom of legs protect floors. Shipped set-up.

65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 1¾" x 144" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.

Finish: Green Enamel

Model	W	L	Ship Wt.
PE-1830	18*	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

## VERTICAL BAR RACK 3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded -- 11/2" x 11/2" x 1/8" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves -bottom 6", top 6 %", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock

Finish: Green Enamel Ship. Wt. 110 Lbs.





#### **PORTABLE TWIN RACK-U-FRAME MODULES**

**5000 LBS. CAPACITY** U. S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 



Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities, provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48" O.A.L.	76 Ship. Wt.

#### SPECIALS DESIGNED FOR CUSTOMERS NEEDS


#### DIMENSIONS FOR RUF-262, RUF-263, RUF-264

#### **OUTSIDE DIMENSIONS**

- (A) 25" Wide (B) 17½ " High
- (C) 5" Wide Bottom Channel (G) 24"; 36"; 48" as Required

#### INSIDE DIMENSIONS

- (D) 17" Wide Bottom (E) 23" Wide Top
- (F) 151/2 "High Upright



**RUF-263** 


#### **DIMENSIONS FOR RUF-244**


#### **OUTSIDE DIMENSIONS**

- (A) 32" Wide (B) 31" High
- (C) 5" Wide Bottom Channel 3 ¼ " High
- (G) 44" Long


#### INSIDE DIMENSIONS


- (D) 24" Wide Bottom (E) 29½" Wide Top
- (F) 28" High Upright





**RUF-264** 






#### STACKING RACK UNITS ALL WELDED CONSTRUCTION

#### **STACKING RACK UNITS**

Medel	I	ī	Ship Wr.
SRU-232	24"	32*	58
SRU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	707	42"	66
\$RU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 21/2" square tubing. Finish: Orange Enamel



#### **OUTSIDE DIMENSIONS**

- (A) 29" or 35" Wide
- (B) 30" High
- (C) 37"; 47" or 53" long



(E) 32"; 42" or 48" long (F) 231/2" High





#### PORTABLE RACK-U-FRAME

U. S. PATENT NO. 3,581,907 CANADIAN PATENT NO. 930334

RUF-251 Partable Rack-U-Frame Ship. Wt. 25 Lbs. Finish: Orange Enamel



#### **EXTRA HEAVY DUTY PORTABLE RACK-U-FRAME**

**RUF-640** 

U.S. PATENT NO. 3,581,907 **CANADIAN PATENT NO. 930334** 


RUF-640 Extra Heavy Duty Portable Rack-U-Frame Ship. Wt. 37 Lbs. Finish: Orange Enamel

Arc Welded Construction—Completely Assembled Ready for Immediate Uses-One Man Operation-Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes— Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations Easily disassembled—Stored in Little Space Until Next Use.


FOUR (4) RUF-251 RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 20,000 Pounds. See Center Photo.

#### **CARRY HEAVY LOADS EVENLY DISTRIBUTED**

To be installed on solid, strong, floor construction, with smooth surface, to hold heavy rack loads.



SWIVEL



- Formed for Strength and Stacking Tiers
- •Carrying Handle for Strength and Convenience
- Stops Prevent **Upright Spread**
- \*Streamlined Design-Smooth Finish
- Rugged Steel Construction
- \*Durable—Built for Heavy Uses


RUF-251 is for heavy loads and RUF-640 is for extra heavy duty service and loads. Both Models are easily carried and assembled in rack units as a One Man Operation.

UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS

Pressed Steel Wheel

2-1/2" x 13/16"

FOUR (4) RUF-640 EXTRA HEAVY DUTY RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 60,000 Pounds. See Center Photo.



RUF-251 and RUF-640 Rack-U-Frames have the same Inside and Outside Dimensions. See above

(F) 15 ½ " High Upright

## REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT

NO. 175 NO. 275

8" x 1.75 10" x 2.75







SWIVEL	2-1/2" x 13/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Saft Rubber Wheel
Set consists o	of 4 casters)	
STOCK CA	RTS, FIVE SHELF STOC	K CARTS, BOX TRUCKS, GARMENT ABINET WORK BENCHES, ENCLOSED
SHELF TRUC	K, CAGE STOCK TRUCI	C. PORTABLE MARKING TABLES POR-
CARTS, TO	WER CABINETS, PORTA 'E-ALL HAND CART, OPI	ABLE DOOR CABINETS, TRAY STOCK EN SIDE TRUCK,
SWIVEL	3" x 13/16"	Soft Rubber Wheel
RIGID	3" x 13/16"	Soft Rubber Wheel
SWIVEL	3" x 1-1/4"	Soft Rubber Wheel
RIGID	3" x 1-1/4"	Soft Rubber Wheel
SWIVEL	5" x 15/16"	Soft Rubber Wheel
RIGID	5" x 15/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 1-1/4"	Soft Rubber Wheel 8.6.
SWIVEL		Soft Rubber Wheel 8.8.
RIGID	5" x 1"	Saft Rubber Wheel B.B.
SWIVEL	5" x 1-1/4"	Soft Rubber Wheel
RIGID	5" x 1-1/4"	Soft Rubber Wheel
CASTER CO	RNER SHOES DRUM	& CAN DOLLIES, ADJUSTABLE DOL-
LIES. HI-DR	UM & CAN DOLLIES	TOTE PAN HAND TRUCK, TOTE ALL
	K, LOW DRUM TRUCKS	
SWIVEL	3" x 1-1/4" 3" x 1-1/4"	Semi-steel, Plain Brg. Wheel
RIGID	3" x 1-1/4"	
SWIVEL	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.
RIGID	3′ x 1-1/4	Hard Rubber, Self Lub. Bra.
ROLL OVER PORTABLE CARTS.	DUMP TRUCKS, DOLLY WORK BENCHES, HAN	PLATFORM TRUCKS, STEEL DOLLIES, ID DUMP TRUCKS, 3/SIDED STOCK
SWIVEL	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
RIGID	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
SWIVEL	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.
RIGID	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.

PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTA-BLE CABINET WORK BENCHES. DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SLAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP

TABLES,	TOTE ALL UTILITY CARTS,	TOTE ALL PLATFORM TRUCKS.
SWIVEL	5" x 1-1/4"	Semi-steel, Pln. Brg.
RIGID	5" x 1-1/4"	Semi-steel, Pln. Brg.
SWIVEL	5" x 1-5/8	Semi-steel, Plain Brg. Wheels
RIGID	5" x 1-5/8	Semi-steel, Plain Brg. Wheels
SWIVEL	5" x 1-1/2	Hard Rubber, Self Lub. Brg.
RIGID	5 x 1-1/2	Hard Rubber, Self Lub. Brg.

WOOD & STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING TRUCKS, HEAVY DUTY WAREHOUSE TRUCKS. SHEFT AND

SWIVEL	6" x 2"	Semi-steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-steel, Plain Brg. Wheel
SWIVEL	6" × 2"	Hard Rubber, Self Lub. Brg.
RIGID	6" # 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Saft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" × 2"	Plastic Roller Bra.
RIGID	6" x 2"	Plastic Roller Brg.

5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, SEMI-LIVE PLATFORM TRUCKS, BAR AND ROD TRUCKS.

SWIVEL	8" x 2"	Semi-steel, Plain Brg. Wheels			
RIGID	8" = 2"	Semi-steel, Plain Brg. Wheels			
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheels			
RIGID	_8" x 2"	Moldon Rubber, Roller Brg. Wheels			
CRADLE TRUCKS		DUTY SHOP TRUCKS, SHEET-BAR			
SWIVEL	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel			
RIGID	8 × 2-1/2	Semi-steel, Roller Brg. Wheel			
WHEELS ONLY F	OR ALL PURPOSE H	IAND TRUCKS.			

Semi-Pneumatic Wheel Semi-Pneumatic Wheel









# **SERVING INDUSTRY SINCE 1949**

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



**BOX TRUCK** W/LID







**TRUCK** 



VENTILATED STORAGE LOCKER






**HEAVY DUTY WAREHOUSE TRUCK** 





**BATTERY CHARGING &** TESTING STATION



HAND TRUCK



**PORTABLE WORK STATION** 



HARD MAPLE TOP PANEL-END WORK BENCH

## WHEN ORDERING SPECIAL **GRIZZLY EQUIPMENT USE** THIS SUGGESTED OUTLINE

- GENERAL DESCRIPTION: Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
- GENERAL DESIGN: Type of shelf; flat or 2 GENERAL DESIGN: Type of tray, Type of top. Handle, etc. DIMENSIONS: Indicate inside or outside
- dimensions; width, length, height. CAPACITY: Load-Pounds: Entire unit, per
- caster, per shelf.
- QUANTITY: Could substantially determine pricing.
- SPECIAL DESIGN FEATURES: Your own 6 ideas of how unit should be constructed.
- FINISH: Standard Colors: Green, Vista Green, Gray, Beige or Orange Enamel.


ENTERPRISES, INC. 3746 KELLEY AVENUE . CLEVELAND, OHIO, U.S.A. 44114 . AREA CODE 216 881-4604

Pucel Enterprises, Inc., Opposer/Petitioner vs.
Grizzly Industrial, Inc., Applicant/Respondent TTAB Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 31

CL 5-23-06







Pucel Enterprises, Inc., Opposer/Petitioner vs.

Grizzly Industrial, Inc., Applicant/Respondent TTAB Consolidated Case No. 123,506; 31984; 32024; 32025

Opposer's/Petitioner's Exhibit No.

CL 5-23-06



ENTERPRISES, INC.
1440 E. 36th St., Cleveland, Ohio 44114 • 216-881-4604

/

Pucel Enterprises, Inc., Opposer/Petitioner

Grizzly Industrial, Inc., Applicant/Respondent TTAB Consolidated Case No. 123,50; 31984; 32024; 32025 6 Opposer's/Petitioner's Exhibit No. 33




# ENTERPRISES, IN


46 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

52746



OUR ORDER NO.



DECEMBI	R 4, 1975	21058	29405-43	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS	
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	NAVAJO FREIGHT LI	NEC PRIPARA COLL	ECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO		UNIT PRICE TOTAL EXTENSION	
2 EA	#FSD 2496	GRIZZLY WORK BENCH			
		PAINTED; GRAY			
•					
	i				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

Pucel Enterprises, Inc., Opposer/Petitioner

VS.

DATE

Grizzly Industrial, Inc., Applicant/Respondent TTAB Consolidated Case No. 123,506; 31984;

32024; 32025

32024; 32025 PUCEL'S Exhibit No. 34



**DESIGNING ENGINEERING** 

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 52745

AIR MAC 3838 4TH AVE. SOUTH SEATTLE, WASHINGTON 98134

LOCKHEED SHIPBUILDING 2929 16TH AVE. S.W. M/F WHSE \$7 SEATTLE, WA. 98134

<u> </u>	yn		L	ORDER	NO. M/F	ATTN; MI	KE WOJSZK
SALESMAN	ER 4, 1975	OUR ORDER NO.  21059  F.O.B. OUR PLANT CLEVELAND, OHIO	29406-43 VIA NAVAJO FREI		OF INV	TEN DAYS -	30 DAYS
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	X COLLECT EXTENSION
2 EA	#FSD 2496	GRIZZLY WORK BENCH PAINTED; GRAY	32 1/2" OAH	2 EA	211.70 ESS 30%	423.40	\$296.38
	s/w	52739,40,41,42,	43,44,4¢			y ~ 	
			<u> </u>				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

_		6%	7	= 10 %	W THIS KAGES POP
		38	0 4		DE ZVE
				11/4	S CONTROL OF STREET, S
1 1 1				***************************************	NA SALE

# ENTERPRISES, INC.

DESIGNING ENGINEERING MANUFACTURING ORIGINAL

CHASE ORDER

Phone (313) 583-1323

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

50666

ABLE EQUIPMENT CO. 32030 EDWARD ST. MADISON HEIGHTS, MICH. 48070

NEWTON MANUFACTURING CO. 4249 DELEMERE BLVD. ROYAL OAK, MICH. 48073\*

ORDER NO. 12676

<u>ŁUAI</u>	UARY 7, 1975 19678  N F.O.B.		CUSTOMER'S ORDER NO.		TERMS  1 % TEN DAYS - DATE  OF INVOICE - NET 30 DAYS		
<del></del>		OUR PLANT CLEVELAND, OHIO	MOHAWK I	MATAR		,	
ED	MODEL NO.	DESCRIPTIO	N	QUAN. SHIPPED		XXXXX	COLLECT
A	#VDU-10	GRIZZLY DRUM STACK		3 LESS	55.25 30%	165.75	EXTENSION
	· .	ORANGE	PLUS 30€	}		49.73 116.02 34.81 150.83	\$150.83
			_				

reby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, rulations and orders of the United States Department of Labor, issued under Section 14 thereof.

TURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

RESALE
3

OTAL PRICE

014.65

150.84

2-3-75 898

Ņ



**DESIGNING** 

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 527 ...

AIR MAC 3838 4TH AVE. SOUTH SEATTLE, WASH. 98134

S BOWING CO. PLT. II, BLDG. 210, DR. 17 SEATTLE, WASH. 98108

ORDER NO.

DATE		<u> </u>			N6-9	02471-07	405
DECEMBE	R 5, 1975	OUR ORDER NO. 20983	29353-43		TERMS 1% OF INV	TEN DAYS -	DATE 30 DAYS
SALESMAN	·	F.O.B. OUR PLANT CLEVELAND. OHIO	TERNINAL FRE	T GHT		XXXXX	COLLEC
ORDERED ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA	#GW-4206	GRIZZLY LAMINATED  1 3/4" THICK	HARD MAPLE TOP	1 EA		235.40	EXTENSION
				LESS	30%	70.62 164.78	\$164.78
	-	· · · · · · · · · · · · · · · · · · ·		:	-		
118 713.	t the g						
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			ĺ	,		
	1 01 mag.		<u> </u>		·_	-	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

			•• -		, repacking, etc.
12 <del>12</del> <del>12</del> <del>12</del> <del>12</del> <del>12</del> <del>12</del> <del>12</del> <del>1</del>		46	<del>                                     </del>	tos tos	10 De 17

RECEIVED,	subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Ladin	ng.			
	NAVAJO FREIGHT LINESCa	rrierM/F	MIKE V	/0JS 7k	Shipper's No.
short be sub-	CLAND, OHIO 44114 DECEMBER 4, 19 75 from the strength of the second of t	m PUCEL	ENTER	PRIS	ES, INC.
Consign	ed to		The state of the s	wh governs the	transportations of their shumant and the said lase
Destinati	on		Moil or street o	ddress of con	signes-For purposes of natification only
Route	Address * [*To be filled in only when shipper desires and governing tarilfs provide for delivers.]	ery thereat.	,	County	<u> </u>
Deliverir No.	ng Carrier Car or Vehic	la Initiale			
Packages	Kind of Package, Description of Articles, Special Marks, and Exceptions	*Weight	Closs	No. Check	
	TRUCKS-NOLHAND W/FIXED BODIES-ITEM 188560 SU8 1	(Sub. to Car.)	or Rate	Column	Subject to Section 7 of Conditions of Control  5 of loding it this shipment is to the delicence the consigner without recourse on the records in consigner without recourse on the records.
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 2		100		The correr shall not make delivers of this is ment without payment of freight nintial, either favorables.  As
3	STEEL BENCH PARTS . KDF I TEM 79920 SUB 2	90 LBS	70		
4	BENCHES-WORK NOI STEEL OR STEEL & WOOD COMBINED SU TEM 79920	956 LBS	150		Superture of Consequer
	BAR, PIPE OR ROD STORAGE RACKS, IN PKGSKD		771/2		He Charges are to be prepared write or storing here. To be Prepared.
6	BENCHES, MANUAL TRNG. ITEM 79880 SUB 2	690 LBS	85		
		1736 LBS	TOTAL		

Permanent post-office address of shipper:

3746 KELLEY AVENUE, CLEVELAND, OHIO 44114

29405-43 29406-43;29409-43;29410-33;29412-43;29411-43;

THE FOLLOWING

The little times used far this stupment conform to the specifications set forth in the borments of Uniform Freight Classification."

'Shipper's imprint in lieu of stamp, not a part of bill of lading approved by the Interefnie Co




## ENTERPRISES, INC


DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

50666





FEBRUAL	RY 7, 1975	OUR ORDER NO. 19678	CUSTOMER'S ORDER NO	CUSTOMER'S ORDER NO.			1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	MOHAWK	MOTORS	,	JOJE K SKOK	COLLECT			
ORDERED	MODEL NO.	DESCRIPT		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION			
3 EA	#VDU-10	GRIZZLY DRUM STAC	KING UNIT							
		ORANGE								
	į									

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of Issue of this Original Bill of Lading,


 $_{\text{Shipper's No.}}0688\,\underline{7}$ 

	MOHAWK	MOTORS		_Carrie	CUST. NO	126	76		Carrier'	s No
<u> </u>		FEBRUARY 7	10 75					PRIS	ES.	INC.
the property der this contract as tion. It is mutue shall be subject the applicable of	AND, OHIO 44114  cribed below, in apparent good order, except as meaning any person or corporation in possession by ogesed, as to according to the result of all for any of the result of the tribular in the confliction of the Uniform to carrier consultation for traffit in this is a me obly conflict with all the term are hearby greated to by the shipper and accepts.	nated (contents and condition or come is at the property under the contract) of hid property over all or any partion of Domestic Straight Bill of Lading set for ar carrier shipment.	grees to carry to its us said route to destinati th (1) in Official, South	upliplace of a on, and as to ern, Western	lelivery at said a sach party at an and Illinois Freigl	destinatio ly time in ht Classifi	n, if an its route, of terested in all or ar cations in effect on	herwise to deli ny of said prop the date herec	erly, that ev of, if this is c	ery service to be performed hereunder a roil or a roil-water shipment, ar (2) in
Consigned	to						Mail and pal o			For purposes of notification only.
Destinatio	on			<del></del>	_State			_ County	' <del></del>	
_	·	hen shipper desires and governi	ng tariffs provide f	or delivery	thereat.)					
Route		<del></del>	Caror	Vehicle	lnitials			N.	0.	
Deliverin		tion of Articles, Special Marks, a		Venicie	*Weigh {Sub. to C	hi Cor.l	Class or Rate	Check Column	Pili 61	ject to Section 7 of Conditions of applicable ading, if this shipment is to be delivered to signer without recourse on the consignor, the
Packages	TRUCKS-NOLHAND W/FIXED BODIES		<u> </u>		<u> </u>		100		censign	or shall sign the following statement.  carrier shall not make delivery of this ship ithout payment of freight and all other law to
	TRUCKS-NOLHAND W/PLATFORMS, 188560-5UB 2		ES, STAKES OR ST	DSITEM			70	ļ		
	STEEL BENCH PARTS - KDF						70	ļ		(Signature el Consignor.)
	BENCHES-WORK-NOI-STEEL OR STEE	L & WOOD COMBINED-SU				_	150	ļ_ <i>-</i>	H c	harges are to be prepaid, write or stam To be Prepaid
	BAR, PIPE OR ROD STORAGE RACKS	, IN PKGSKD					771/2	ļ		
_3	DRUM CRADLES -	STEEL BBLS.	K/D IN	PKGS	252 L	BS.	70_	<del> </del>		
					<del></del>			<del></del>	Bucosy prepay	ed \$ to opply ment of the charges on the property describ-
	SHIPPED FOR:				<u> </u>			<del>                                     </del>		
	nent moves between two parts by a carrier by	water, the law requires that the bi	11 of lading shall state	whether d is	"corrier's or					Agent or Cashier
NOTE-Whe	re the rate is dependent on value, shippers	ore required to state specifically in wr	lling the agreed or ded	ared value of	the properly					
	or declared value of the property is hereby	per							Per . (The s prepor	anothic here acknowledges only the amou d }
	boxes used for this shipment conform to the statem Freight Classification."  morint in lieu of stamp; not a part of bill of 6			reon, and all i	other require-	7	1 8	711	Charg S	es Advanced
PUCEL EN	TERPRISES, INC., Shipper, Per post-office address of shipper: LEY AVENUE, CLEVELAND, OHIO 44	Yong ta	ilo		M	lei	tent 1	W_A	gent, <b>é</b>	Ilsodi



**DESIGNING ENGINEERING** 

KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604



ATE			<del> </del>	- <del></del>				(3
			OUR ORDER NO.	CUSTOMER'S ORDER	NO.	TERMS		
OCTOBE	R 6,	1975	20741	R-930-2BT		1 % OF INV	TEN DAYS - OICE - NET :	DATE 30 DAYS
LESMAN			F.O.B. OUR PLANT CLEVELAND. OHIO	NAVAJO FRE	7CUT I		-	
QUANTITY ORDERED	MODE	L NO.	DESCRI		I QUAN.		<b>******</b>	COLLECT
		=	BESCRI	PIION	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
124 EA	<b>∦</b> RUI	F-251	GRIZZLY RACK-U-F	RAMES				
			PAINTED: SAFE	ETY ORANGE				
				٠				
ł		i						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING - SHORT FORM-Original-Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,

t"The libre boxes used for this shipment conform to the specifications set forth in the box moker's certificate thereon, and all other requirements of Unilarm Freight Classification."

PUCEL ENTERPRISES, INC., Shipper, Per Permanent post-office address of shipper: 3746 KELLEY AVENUE, CLEVELAND, OHIO 44114

approved by the Interprate Co.

Shipper's No. 07850

NAVAJO FREIGHT LINES OCTOBER 6. EVELAND, OHIO 44114 from 19 <u>7 5</u> aperty described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consists contract as meaning any person or corporation in passession of the property under the contract) agrees to corry to its would place of delivers. It is mutually agreed, not to each certific of all or any of said property over all or oney portion of all order to destinations and as to each shall be subject to all the terms and conditions of the Uniform Damestic Straight Bill of Lading set forth (1) in Official, Southern, Western and if the opplicable motor carrier to statistication or fourill fith is a or mater carrier inhoment.

Shapper hereby certifies that he is tarration with all the terms and conditions of the sold bill of lading, including those on the back thereof, and conditions are hereby agreed to by the shapper and acceptable for himself and his assigns. Consigned to Destination\_ Delivery Address \* (\*To be filled in only when shipper desires and governing tariffs provide for delivery thereat.) Route **Delivering Carrier** Car or Vehicle Initials No No. Packages Subject to Section 7 of Conditions of opplicable bill of lading, if this shipment is to be delivered to the consigner without recovers on the consigner shall sign the following instement. The carrier shall not make delivery of this shipment without payment of freight and all other lowful means without payment of freight and all other lowful. \*Weight (Sub. to Cor.) Class or Rate Check Column Kind of Package, Description of Articles, Special Marks, and Exceptions TRUCKS-NOLHAND W/FIXED BODIES-ITEM 188560 SUB 1 100 TRUCKS-NOLHAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS.-ITEM 188560-SUB 2 70 STEEL BENCH PARTS - KDF 70 (Signature of Consignor.) BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 150 If charges are to be prepaid, write as stomp SKID SAR PIPE OR ROD STORAGE RACKS, IN PIKES, KD POSTS ITEM 150390 3100 LBS 7111/ Received 5 \_\_\_\_\_\_ to apply in propayment of the charges on the property described SHIPPED FOR 10/6/75 5056/10 If the shipment moves between two parts by a carrier by water, the law requires that the bill of loding shall state whether it is "carrier's pi Agent or Cashiri Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or dedored The agreed or declared valve of the property is hereby specifically stated by the shipper to be not exceeding

The signature here acknowledges only the amount prepaid.)

Charges Advanced



# ENTERPRISES, INC

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEYELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 51679

FEREBEE-JOHNSON COMPANY, INC.
CONCORD ROAD - LOWER BASIN
LYNCHBURG, VIRGINIA 24505

| SH-P TO |

ORDER NO.

ATE		OUR ORDER NO.	CUSTOMER'S ORDER	NO.	TERMS .		<del>- · · · · · · · · · · · · · · · · · · ·</del>
	0. 1975	20360	014253		1 %	TEN DAYS - OICE - NET :	DATE 30 DAYS
ALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	INTERSTATE	MOTOR			COLLEG
ORDERED	MODEL NO.	DESCRIPTI		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA	#SCF-5243	GRIZZLY STOCK CART		1 EA	89.64 SS 30%	26.89	
		SHOP GREEN	1			62.75	\$62.75
			. '			· ·	
	· .	• • •	e mercene de de des estados de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición de la composición de la composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composició			'	
•	•						
			· · · · · · · · · · · · · · · · · · ·				÷,
•	'	The state of the s	- · · · · · · · · · · · · · · · · · · ·			_	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

_	==
his (	Ве
Order.	Made

IY. Inc.

ss 30%

4253



# UCCL ENTERPRISES, INC

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 51679



SH-P FO.

ORDER NO.

DATE		OUR ORDER NO.	CUSTOMER'S ORDER N	TERMS 1% TEN DAYS - DATE			
SALESMAN	10, 1975	20360	014253	OF INV	DICE - NET 3	O DAYS	
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	INTERSTATE	FREIGHT CO			
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA	#SCF-5243	GRIZZLY STOCK CART					L
		ALCO CETCU					
		SHOP GREEN					! 
_							i I

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

 $STRAIGHI\ BILL\ OF\ LADING-SHORT\ FORM-Original-Not\ Negotiable$  RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,

 $_{\text{Shipper's No.}} 0749\underline{6}$ 

	INTERSTATE MOTOR FREIGHT	_Carrie	r	014253		Carrier's No.
CLEVEL	AND, OHIO 44114 JULY 10 19 75	from	PUCEL	ENTER	PRIS	ES, INC.
property de ties contract as tion, it is mutu- shall be subjec- the applicable of Shinner her	escribed below, in apparent good order, except as noted (contents and condition of contents of packages unknowns magning any person or corporation in passession of the property under the contract) agrees to curry to its usually agreed, as to each carrier of all or any of said property over all or any portion of said route for destination to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, South motor carrier (stastification or tariff if this is a motor carrier (stastification or tariff if this is a motor carrier stripment.  ready certifies that he is fereilize with off the terms and conditions of this said bill of lading, including those on ora bearing yeared to by the shapper and excepted for brandle and this satisfant.	wn), marked, swot place of ian, and as lo sern, Western	consigned, and destir delivery at said destir each party at any tim and illinois Freight Cla	ned as indicated below, nation, if on its route, or ne interested in all or an assifications in effect on	which said cast herwise to deliv- y of said proper the date hereat,	iar (the word corrier being understood throughout er to another carrier on the routle to said destina- by, that every service to be performed hereunder if this is a rail or a rail-water shipment, or [2] in
Consigned	d to			<del>                                      </del>		ignee—For purposes of notification only.)
Destinatio	on	)	_State	a linear a		iightea—701 porpotest of nonnection only ()
Delivery A	Address *					
Route	(*To be filled in only when shipper desires and governing tariffs provide for	or delivery	thereat.}			
Deliverin	g Carrier Car or	Vehicle	Initials		No.	
No. Packages	Kind of Package, Description of Articles, Special Marks, and Exceptions		*Weight (Sub. to Cor.)	Class or Rate	Check Calumn	Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consigner without recourse on the consigner, the
1	TRUCKS-NOLHAND W/FIXED BODIES-ITEM 188560 SUB 2		88 LBS	1.95 0		consignor shall sign the following statement:  The carrier shall not make delivery of this ship ment without payment of freight and all other lawfor charges:
	TRUCKS-NOLHAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STE 188560-SUB 2	DSITEM		70		cnorges
	STEEL BENCH PARTS - KOF			70		j
,	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU			150		(Signature of Consignor.)  If charges are to be prepoid, write ar stamp
	BAR, PIPE OR ROD STORAGE RACKS, IN PKGSKD	-		77%		here, "To be Prepord "
						Becaused S
						Received 5 to apply in prepayment of the charges on the properly describes hereon
oper's wei	nent moves between two parts by a corrier by water, the law requires that the bift of loding shall state vight." Ight." Te the rate is dependent on value, shippers are required to state specifically in writing the agreed or dedan					Agent or Cashier
The ogreed o	or declared value of the property is hereby specifically stated by the shipper to be not exceeding					Per (The signature here acknowledges only the amoun prepaid.)
ments of Unit	boxes used for this shipment conform to the specifications set forth in the box maker's certificate there form Freight Classification."  Applied in lieu of stamp, not a part of bill of laying approved by the Interslate Commerce Commission.	ion, and all o	her require			Charges Advonced
PUCEL ENT	TERPRISES, INC., Shipper, Per Jory Caulingstoffice address of shipper: LEY AVENUE, CLEVELAND, OHIO 44114		history.	· to	Age	end, Per Tin Tin




# enter¦prises, inc.

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

51074



| 01 -b -0 -

ORDER NO.

APDII	7, 1975	OUR ORDER NO.	CUSTOMER'S ORDER NO.		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN	<u> </u>	F.O.B. OUR PLANT CLEVELAND, OHIO	10255   VIA   MOHAWK M	OTORS		KHKKK	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPT		QUAN. BHIPPED	UNIT PRICE	TOTAL	EXTENSION	
2 <b>EA</b>	SPECIAL	GRIZZLY HEAVY DUT W/FOUR SHELVES 42"W X 60"L X 51	3/4" OAH					
		WHEELS, ROLLER BI	EARING ALL SWIVE	L				
		SHOP GR	EEN		-			
			,					
	1							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

SIKAIGHI BILL OF LADING - SHORTFORM-Original-Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of Issue of this Original Bill of Lading,

Shipper's No. 07131

	MOHAWK MOTO	Carı	CUST. N	°102	55	<u> </u>	Carrier's No.		
CLEVEL	AND, OHIO 44114	APRIL 7,	19 75 from	PUCE	EL E	NTER	PRIS	ES, INC.	derstood throughout
shall be subject the applicable Shipper her	meaning any person or corporation in possession of tally agreed, as to each carrier of all or any of said pet to all the terms and conditions of the Uniform Dommotor carrier classification or hariff if this is a motor acrety certifies that he is harmillar with all the terms and are leavy certifies that he is familiar with all the terms and are hereby agreed to by the shipper and accepted for	opany over all of Loding set forth rrier shipment.    conditions of the said bill of loding	(1) in Official Southern, West	ern and Illinois Freig	hl Classifica	itions in effect an	the date hereof,	if this is a rail or a rail-water	shipment, or (2) in
Consigne	d to	<del></del>				Mail or street o	ddress of con-	signes—For purposes of r	atification anly.
Destinatio	on			State					
Delivery A	Address *	hipper desires and governing							
Route	(+10 be lined in only when	mipper desires and governing	idim's provide for delive	ry merear.)					
Deliverin	g Carrier		Car or Vehicl	e Initials			No.		
No. Pockages	Kind of Package, Description	of Articles, Special Marks, and	Exceptions	*Weigh (Sub. to C		Class or Rate	Check Column	Subject to Section 7 of C bill of loding, if this shipmer the consigner without recours	ul is to be delivered to a on the consignor, the
2	TRUCKS-NOLHAND W/FIXED BODIES-ITE	M 188560 SUB <b>2</b>		1000 L	<b>B</b> \$	160		consigner shall sign the following the carrier shall not make ment without payment of fire	e delivery of this ship
	TRUCKS-NOLHAND W/PLATFORMS, W/ 188560-SUB 2	O STANDING ENDS, SIDES	STAKES OR STDSITEM			70		charges	
<del></del>	STEEL BENCH PARTS - KDF					70			
	BENCHES-WORK-NOI-STEEL OR STEEL & 1	NOOD COMBINED-SU				150		(Signature of Co	
	BAR, PIPE OR ROD STORAGE RACKS, IN	PKGSKD				77%		here, "To be Prepaid"	
			<del></del>					<u> </u>	
								Received S	lo coply in
								prepayment of the tharges on herean	the property described
thipper's welc	•		-					Agent or Cas	hiệt
	a the rate is dependent on value, shippers are re- or declared value of the property is hereby specil	•	•	of the property				Per  The signature here altriquite	does note the amount
†"The fibre b	oxes used for this shipment conform to the specific	per Dians sel forth in the bax make	r's certificate thereon, and al	l other require-				prepaid I Charges Advanced	
	orm Freight Classilication." print in lieu of stamp; not a part of bill af loding.	ppraved by the inigratate Comme	rce Cymmissian.				<u> </u>	15	
Permanent p	ERPRISES, INC., Shipper, Per ost-office address of shipper:	mystan	<u> </u>		MO	HAW	Age	ent, Per	
3746 KELL	EY AVENUE, CLEVELAND, OHIO 44114	U	11						





# ENTERPRISES, INC.

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 58671





OCT. 2	5, 1977	SOK OKBER NO.					1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
BALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	KUNTZMAN, R.	INC.		XXXXXX	COLLEC			
QUANTITY ORDERED	MODEL NO.	DESCRIP	rion	QUAN- BHIPPED	UNIT PRICE	TOTAL	EXTENSION			
3 EA.	SPECIAL	#81 DRUM DOLLIES W RUBBER WHEELS	ITH 6" HARD							
	FINISH; ORANGE									
_										

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

SIRAIGHI BILL OF LADING — SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC., Shipper, Permanent post-office address of shipper:

3746 KELLEY AVENUE, CLEVELAND, OHIO 44114

t"The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Uniform Freight Classification."

1 Shipper's imprint in lieu of stamp; not a part of bill of Ighting approved by the Investore Commerce Commission.

					Carrie	CUST. N	10.	77MD-3	548	Shipper's No. 11872
property de contract as on, it is mutus shall be subject the applicable Shipper has and conditions of	ally direed, as to each carrier of a is all the terms and conditions of nator carrier classification or tariff why cartifies that he is families will are hereby agreed to by the shippe	It or any of said property of the Uniform Domestic Stro if this is a motor corrier shi half the terms and condition	nts and condition of c erty under the contro over all or any partio light Bill of Loding sel pment. ons of the said bill of	n ol said route to des Florth (1) in Official, :	nknown), marked, its usual place of d tination, and as to jouthern, Western o	consigned, and Jelivery at said each party at a and Illinois Frei	d destined d destinat any time ight Class	d as indicated belo ion, if on its route, interested in all or ifications in effect o	w, which said to otherwise to de any of said pro n the date her	SES, INC.  Tarrier the word carrier being understood throughout the another carrier on the route to said destine perty, that every service to be performed hareundered, if this is a rail or a rail-water shipment, or (2) is an transportation of this shipment and the said term
Consigned Destination Delivery A Route	Address * (+To be fille	d In only when shipper	desires and gove	rning tariffs provi	de for delivery t	_ Stat			_	onsignee—Far purposes of natification only
Delivering				Car	or Vehicle I	nitials			2	o.
No. Packages	<del></del>	ge, Description of Artic	les, Special Marks			*Weig (Sub. to		Class or Rate	Check Column	Subject to Section 7 of Conditions of applicab
	TRUCKS-NOLHAND W/FIX	ED BODIES-ITEM 1885	60 SUB 1	<del></del>				100		The carrier shall not make delivery of this sh ment without payment of freight and all other low charges
-	TRUCKS-NOLHAND W/PL	ATFORMS, W/O STAI	NDING ENDS, S	IDES, STAKES OR	STDSITEM			70	<u> </u>	
	STEEL BENCH PARTS - KD	·						70	ļ	In Peterson
	BENCHES-WORK-NOI-STEE	EL OR STEEL & WOOD	COMBINED-SU_			_		150		(Signature of Consignor )  If charges are to be prepaid, write of standard here, "To be Prepaid."
	BAR, PIPE OR ROD STORA	GE RACKS, IN PKGSI	KD	<b></b>				771/3	<u> </u>	COLLECT
<i>5</i> 1	DOLLIES, MAT	TERIALS H	ANDLING	-ITEM 1	89035	174	LBS	70		COLLECT
										Received 3 to apply prepayment of the charges on the property describing the p
40.4	nt moves between two ports by o						<u></u>		1	


Agent, Per




# ENTERPRISES, INC.

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604





NOV. 16	,1977	OUR ORDER NO. 25126 & S-10875	P09152	o.	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	CENTRAL TRANSF	PORT, I	NC.	XX96XX	X COLLEC	
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	N N	SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
2 EA.	#F-2472	GRIZZLY HEAVY DUTY	WORK BENCHES					
1 EA.	SPECIAL	#3236 SHOP CABINET 36"W X 30"L X 47" W/#P-66 PIGEON HOL & KEYED HANDLE	0.A.H.,				-	
		QUOTE 18597						
		FINISH; SHO	P GREEN					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE and tartifs in effect on the date of Issue of this Original Bill of Lading, t good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said uphout this contract as meaning any person or corrioration (in no beasons of the property under the contract) agrees to carry to its usual place of delivery deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion ty at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the tarms and conditions of the Unit (1) in Official, Southerr, Western and littinois 'Freight Classifications in effect on the date hereo, if this is a rail or a rail-water shipment, or (2) in the app is a motor carrier shipment. as metandic any person or computation. It is mutually agreed, and reference the route to said destination. It is mutually agreed, and reference the route to said destination. It is mutually agreed, and reference the route to said destination. It is mutually agreed, and reference the route to said property, that every service to be performed hereunder snaules and artillivater shipment, or there, western and littles Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or hitherment. It is a rail or a rail-water shipment, or hitherment, and conditions of the said bill of lading, including those on the back hereof, set forth in the classification or tarilly also terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

DESIGNATE WITH AN (X)

From Prom	NOV 16 1077	DESIGNATE WITH AN (X)				
At .	NOV.16 1977 BY	RUCK 🔼 FREIGH		• •	No. 12069	
-Carrier		{Mail or str	A reet address of c	igent's l' onsignee – Fo	No pr purposes of notification only.)	
Consigned to						
Destination	Sto	ate of		_ County	of	
Route	·	·	***	15, 7° .	\$10 TO THE RESERVE TO THE RESERVE TO THE RESERVE TO THE RESERVE TO THE RESERVE TO THE RESERVE TO THE RESERVE T	
Delivering Carrie	erVehicle or	Car Initiol	10 May 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		No.	
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT SUBJECT TO CORR.	CLASS OR RATE	CHECK	Subject to Section 7 of conditions of applicable bill of lading 74.	
2	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920, SUB 1	268 LBS	150		ed to the consignee without re- course on the consignor, the con- signor shall sign the following statement:  The carrier shall not make de- livery of this shipment without payment of freight and all other lawful charges	
1	CABINETS, GARAGE OR SHOP ITEM 39340	246 LBS	70		(Signature of Consignor.)  (Signature of Consignor.)  (Icharges are to be prepaid, write or stamphers, To be Prepaid."  COLLECT	
	TOTAL WEIGHT:	514 LBS			Received \$	
	( ORDER NO.: DM70154 REQ.147519)				Agent or Cashler.	
					The signature here acknowledges only the amount prepsid.)  Charges Advanced,	
This is to certify that to coording to regulations if the shipment moves in Shipper's imprints in it NOTE—Where the rate in the agreed or declared.	he above articles are properly described by name and are packed and marked and age in proper condition by the interstate Commerce Commission by the interstate Commerce Commission between two ports by a carrier by water, the law requires that the bill of lading shall state whether it less of stamp, not a part of Bill of Lading approved by the interstate Commerce Commission, is dependent on value, shippers are required to state specifically in writing the agreed or declared value of walue of the property is hereby specificatly stated by the shipper to be not exceeding	for transportation is "carrier's or shipper's we the property	lghs."		C. O. D. SHIPMENT	
	S CORRECTLY DESCRIBED. † The fibre boxes used for this shipmen conform to the specifications set forth in the box maker's certification, and all other requirements of Rule 41,	Per	780	Shipper	Callection Fee	
PUCEL ENT	ERPRISES, INC. Shipper, Per Jan Voterson		$T \bigcirc$	Coe.	Are bold	
Permanent post office of	oddress of shipper 3746 KELLEY AVE., CLEVELAN	D,OHIO 441	14	× (3)	11/10/11	
* This is to certify according to the	y that the above named articles are properly classified, described, packaged applicable regulations of the Department of Transportation."	, marked and labeled	l, and are in b	proper cond	lition for transportation,	






**DESIGNING** ENGINEERING

AVENUE . CLEVELAND, OHIO, U.S.A. 44114 . AREA CODE 216 881-4604

£ 40 SOLD FO



INVOICE NO.

NOV. 15, 1977		OUR ORDER NO. 2961	CUSTOMER'S ORDER NO.		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	U.P.S.			PREPAID	XXXX	
QUANTITY	MODEL NO.	DESCRIPTION	ON	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1 EA.	<b>#323</b> 6	KEYED HANDLE FOR SHOP CABINET DESK		1.5				
			U.P.S. CHARGES					
	i.	CNO DISCOUNT ON U.P.	.s. CHARGES)					
	i.							
						•		
		1						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.




# ENTERPRISES, INC.

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 56129





FERRUARY 15, 1977 SALESMAN		OUR ORDER NO. 23330	GO 12412	GO 12412		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
		F.O.B. OUR PLANT CLEVELAND, OHIO	GATEWAY TRAN	TI ON _	COLLECT				
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN- BHIPPED	UNIT PRICE TOTAL		EXTENSION		
9 EA	@YZ-100	GRIZZLY LUMBER SERV	ICING TRUCK	9					
		FINISH; SHOP	GREEN	`					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of Issue of this Original Bill of Lading,

Shipper's No. 1 1 2 3 4

	GATEWAY	TRANSPORTATIO	ON	Co	CUST.	NO. GO	12412		Carrier's N	ło
at CLEVEL	AND, OHIO 4411	4 FEBRUA	RY 15,	19 7 7 fro	m PUC	EL E	NTER	PRIS	ES,	NC.
shall be subject the applicable of Shipper has	any agreed, as to each corri it to all the terms and conditi mater carrier classification or rahy cartilism that he is land	nood order, except as noted (contents amoration in passession of the property we re of oil or only of soil property over all ones of the Uniterm Domestic Straight & rustiff if this is a motor corrier thipment licer with oil the terms and conditions of abinous nod occupied by himself and he	f condition of contents der the contract) agree I or any portion of soic It of Lading set forth () the soid bill of lading.	of packages unknown), m s to carry to its usual pla I route to destination, an ) in Official, Southern, W	orked, consigned, o ce of delivery of s I as to each party a estern and Illinais Fi	nd destined or old destination, I any time inte reight Classifica	indicated betow, if on its route, all rested in all or on itians in effect on i	which sold con nerwise to deliv y all sold prope the date hereof	er to another i rty, that every , if this is a ro	carrier being understade inroduction carrier on the route to sold destino service to be performed hereunder if or a rail-water shipment, or (2) in
Consigned					3		and the state of t	Idress of con	signes—For	purposes of natification only
Destination					State			County		
Delivery A	Address *	e tilled in only when shipper desir		autta annida tar dat						
Route	17100	e tilled in only when shipper desi	es and governing i	anns provide for den	*** ***					
Delivering	a Carrier			Car or Vehi	cle Initials			No		
No. Packages	<del>'                                    </del>	Package, Description of Articles, S	pecial Marks, and E	xceptions	*We (Sub. t	ight o Cor.)	Class or Rate	Check Column	bill of lodin	to Section 7 of Conditions of applicables, if this shipment is to be delivered to without recourse on the consignor, the all sign the following statement:
9	TRUCKS-NOLHAND	W/FIXED BODIES-ITEM 188560 S	UB <b>2</b>		1305	LBS	1050		l lhe corr	ier shall not make delivery of this shi it payment of freight and all other law?
	TRUCKS-NOLHAND 188560-SUB 2	W/PLATFORMS, W/O STANDIN	IG ENDS, SIDES, S	STAKES OR STDS,-ITE	M		70		_	
	STEEL BENCH PARTS	s - KDF					70			
	BENCHES-WORK-NO	LSTEEL OR STEEL & WOOD COM	ABINED-SU				150		Il charge here, "Ta be	(Signature of Consignar) es are to be prepaid, write or stam: Prepaid "
	BAR, PIPE OR ROD S	TORAGE RACKS, IN PKGSKD					77%			
					<u> </u>				_	
							<del>-</del>		Received S	of the charges on the property describe
_4								<u> </u>	hereon	
								<u> </u>	_	
*If the shipm shipper's weig		erts by a carrier by water, the law req	uires that the bill of l	oding shall state whether	H is "corrier's or					Agent or Cashier
	•	n value, shippers are required to state		=	e of the property.					
the agreed o	or deciated value at the p	property is hereby specifically stated per	by the shipper to be i	sal exceeding				フ	Per (The signats prepaid.)	ire here othno-ledges only the amou
ments of Unif	arm Freight Classification."	at conform to the specifications set for	/ )		all other require-		(A	M	Chorges Ad	
PUCEL ENT	FERPRISES, INC., Ship post-office address of s EY AVENUE, CLEVEL	pper, Per Jory	Taul		-6	1/6	2-	2/5 Ag	eni, Per	




DESIGNING ENGINEERING MANUFACTURING

1746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

59319





DECEMBE!	28,1977	OUR ORDER NO. 25418	10128	o. 		TEN DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	ADMIRAL-MERCH	ANTS M	OTOR FRT. XXXXXX COLLE			
QUANTITY ORDERED	MODEL NO.	DESCRIPT	ION	SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1 EA.	24-TR-48	GRIZZLY HEAVY DUTY TRUCK W/RUBBER WHEE		1				
		FINISH;	SHOP GREEN					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

SIKAIOHI BILL OF LADING — SHOKI FORM — UKIOHNAL — INCL INCOLIABLE.

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,
the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier
(the word carrier being understood throughout this contracts as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said
destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any of said prop

	State of	Age el oddress of consi CENTR	RAL WARE	es of notification only.
Vehicle  DESCRIPTION OF ARTICLES, SPECIAL	State of	el oddress of consi	ignee - For purposi RAL WARE County of	es of notification only.
Vehicle  DESCRIPTION OF ARTICLES, SPECIAL	e or Car Initial	· · · ·	County of	HOUSE
Vehicle  DESCRIPTION OF ARTICLES, SPECIAL	e or Car Initial	YÇ,	·	
DESCRIPTION OF ARTICLES, SPECIAL	e or Car Initial	*,	·	
DESCRIPTION OF ARTICLES, SPECIAL		₹,	<u> </u>	
DESCRIPTION OF ARTICLES, SPECIAL				
DESCRIPTION OF ARTICLES, SPECIAL			No	
MARKS AND EXCEPTIONS	LICHIDICAT TO CODO		CHECK Subje	ect to Section 7 of condi- of applicable bill of lading.
I-HAND W/STANDING ENDS ITEM 188560 SUB 3	140 LBS	OR RATE CO	O-COMMIT if this	shipment is to be deliver- the consigner without re- on the consignor, the con- shall sign the following
DI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES. R STDSITEM 188560-SUB 4	one Bu	/ho	statem The divery paymen	ent: carrier shall not make de- of this shipment without int of freight and all other pharges.
CH PARTS - KDF ITEM 79920 SUB 2		70	(Sig	mature of Consignor.)
VORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 0 SUB 1		150	paid, wr To be	rges are to be pre- rite or stamp here, Prepaid."
GARAGE OR SHOP ITEM 39340		70	COL	LECT
			Receive to appli the cha erty de	ed \$
ER NO. 12157049)			\ <u> </u>	gent or Cashier.
			Per (The edges o	signature here acknowl- only the amount prepaid.)
	;		s	Charges Advanced,
re properly described by name and are packed and marked and are/fit proper con- orumetre Commission.  ya carrier by water, the law requires that the bill of lading shall state whell part of Bill of Lading approved by the Interstate Commerce Commerce.	endition for transportation ther it is "carrier's or shipper's weigi	ht."		C. O. D. SHIPMENT
			c o r	D Ami
DESCRIBED.   † The fibre boxes used for this shipment conform	to to	//		tion Fee
the specifications set forth in the box maker's cert	41. Per film	لايد	Shipper Total C	Chorges
		DESCRIBED. † The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Freight Classification.	ornmette Commission.  The commission of the comm	DESCRIBED. † The fibre boxes used for this shipment conform to the specifications set forth in the box marker's certificate thereon, and all other requirements of Rule 41.  LBS. of the Consolidated Freight Classification.  Per Shipper Total Collections of the Consolidated Freight Classification.

Permanent post office oddress of shipper


+ "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation."



DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

SOLD TO I



DATE NOV.	28,	1977	OUR ORDER NO. 25221	CUSTOMER'S ORDER NO			EN DAYS - I	
SALES	MAN		F.O.B. OUR PLANT CLEVELAND. OHIO	SUBURBAN MOTOR		GHT, INC.	NACKACK.	COLLECT
QUAL	NTITY ERED	MODEL NO.	DESCRIP	TION	OUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
4 E/	١.	#F-2496	GRIZZLY WORK BENCHE	:5	4			
			FINISH; SHOP	GREEN				
		l						
			·					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

From PUC	lassifications and tariffs in effect on the date of Issue of this Original Bill  , in apparent good order, except as noted (contents and condition of content  ferstood throughout this contract as meaning struct to said destination. In pa  otherwise to diction of the contract of the content of the content  of the content of the contract of the content of the content  of the content of the contract of the content  of the content of the content  of the content of the content  of the content of the content  o	19 <u>77_</u> ΒΥ τι	RUCK K FREIGHT	Ship	pper's N	poses of notification anly.
Zarrier_			or street	t address of co	nsignee – For pur	poses of notification only.
Consigned to			Av .		. County of .	
	* .					
Route-		V-bishs as f	Car laitial		No	
Delivering Carrier	DESCRIPTION OF ARTICLES, SPECIAL	Vehicle or 9	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- ous of applicable bill of lading, this shipment is to be deliver-
PACKAGES	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 198540 SU TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING EN STAKES OR STDSITEM 188540-SUB 4  STEEL BENCH PARTS - KDF ITEM 79920 SUB 2  BENCHES-WORK-NOI-STEEL OR STEEL & WOOD CON ITEM 79920 SUB 1	DS, SIDES.	720 LBS	100 70 70 150	coc significant in the control of th	I so the consignor without re- sure on the consignor is consignor. The con- grow shall sign the lollowing the consignor shall sign the lollowing the consignor is the consignor of this shipment without ayment of freight and all other what charges.  (Signature of Consignor.) If charges are to be pre- id, write or stamp here, a be Prepald.  COLLECT
	(ORDER NO. VM-32314-D)	I			to the	octived \$ spoly in prepayment of spoly in prepayment of spoly in the propty described beroon.  Agent or Cashier.  The signature here acknowless only the amount prepaid.)  Charges Advanced,
	above articles are properly described by name and are packed and marked an the lateratate Commerce Commission.  The lateratate Commerce Commission.  The law requires that the bill of leading when the packed and marked an expension of the commerce Commerce Commerce to a tamp; not a part of Bill of the part of the laterate Commerce Copy of the part of th	projent conform to	for transportation is "carrier's or shipper's weig the property.	7	c	C. Q. D. SHIPMENT  Olection Fee  otal Charges

THE ENTRY AND CLEVEL AND, CHIO 4414


Termonen pool office diddress of hipper

+ "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation."



DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE . CLEVELAND, OHIO, U.S.A. 44114 . AREA CODE 216 881-4604



DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO		TERMS 1% T	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
MARCH	28, 1977	23625	80163-16220	ZO OF INVOICE - NET 30 L					
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	R. KUNTZM			XXXXX	COLLECT		
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	DN	BHIPPED	UNIT PRICE	TOTAL	EXTENSION		
3 EA	#1839-DT-2	GRIZZLY SHOP TRUCK WITH RUBBER WHEELS	w/TRAY TOP SHEL	F 3					
	:	FINISH; GRAY							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

 $\label{eq:control_state} \textbf{STRAIGHT BILL OF LADING} - \textbf{SHORT FORM} - \textbf{Original-Not Negotiable} \\ \textbf{RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,} \\$ 

Shipper's No. 10511

		R.	KUNTZM	IAN,	INC	<u>.                                    </u>		_Carrie		163.	<u>-162</u>	220		Carrier's	No.
t CLEVEL	AND, OHIO	44114		MAI	ŘСН	28,	1977	_from	PUC	EL	EN'	TER	PRIS	ES,	INC.
shall be subtec	1 to all the terms a	ind condition	as of the Uniterm D	omestic Str	aight Bill	of Lading set forth	(1) in Ollicial, South	ein, Western o	and Ulinois Fre	eight Class	lications i	in effect on	the date hereo	t, if this is a	of carrier being understood throughout or carrier on the route to sold destine- pro-service to be performed hereunder rail or a rail-water shipment, at (2) in on of this shipment and the sold terms
Consigne	d to							7			14-3		ddraw of co	niones-F	or purposes of natification only.
Destinatio	on				d				_State_	4					
Delivery A	Address 🛨		. <u></u>												
Route		{¥To be	filled in only wh	en shippe	r desire:	s and governing	tariffs provide fo	or delivery t	thereat.)					- <del>180</del>	
Deliveri <b>n</b>	a Corrier		- <del>-</del> .				Car or	Vehicle I	nitials				No		
No. Packages		Kind of P	ockage, Descript	ion of Art	kles, Spe	ecial Marks, and		ŀ	(Sub. to			Class or Rate	Check Column		ict to Section 7 of Conditions of applicable ding, if this shipment is to be delivered to spiner willbuil recourse on the consignor, the
7	TRUCKS-NOL		STANDI						279	LBS		100		tonsigne	r shall sign the Iallawing statement corrier shall not make delivery of this ship thout payment of treight and all other lawfu
		HAND Y					STAKES OR STO	SITEM				70			
	STEEL BENC		. KDF									70			
												150			(Signature of Consignor.)  orgas are to be prepaid, write or Hami
	BENCHES-W	ORK-NOI-	STEEL OR STEEL	A WOO	COME	INED-SU					-		· -	here, "i	be Prepard."
	BAR, PIPE O	R ROD ST	ORAGE RACKS,	IN PKGS	KD						+	771/4		[	
	<del>-</del>	-											<u> </u>		
					<del></del> .			-			-		ļ. <u>.</u> —	Heceive prepaya	d \$to apply a
											_		ļ	hereen	
														_	
shipper's we	igh1."						f loding shall state			ļ					Agent or Cashier
			value, shippers a aperty is hereby t				the agreed or dedo e not exceeding	red value of it	he property.					ار مران مرح مران مرح مران	nature here acknowledges only the amoust
ments of Uni	form Freight Clas	sification."	conform to the sp a part of bill of log			/ 1	er's certificate there ece Commission.	ean, and all o	ther require-		1	er fl		Charge	Ad-anted 8 7
Permanent	TERPRISES, li post-office add	iress of sh	ipper:	on	yt	Taul	o						Ag	gent, Pe	7/5
3746 KELI	LEY AVENUE,	CLEVEL	AND, OHIO 441	14				Ц							

STRAIGHT BILL OF LADING - SHORT FORM-Original-Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of Issue of this Original Bill of Lading,

Shipper's No. 10876

	CITY	EXPRESS			Carrie	r	8	<u>5-07</u>	X 4	0763	7 Carrier	s No.
CLEVEL	AND, OHIO 44114	MAY	18,	19 <u>7 7</u>	from	PUC	EL	ENT	ER	PRIS	SES,	INC.
property des this contract as tion. It is mutua	RNU, UNIO 44114  cribed below, in apparent good order, except as meaning any person or carporalian in passession lifty agreed, as to each carrier of all or any of a to all the terms and conditions at the Uniform later currier classification or sariff if this is a mady certifies that he is familiar with all the learners hereby agreed to by the shipper and acceptes	noted (contents and care t of the property under t aid property over all or c	dition of contents of he contract) agrees any partion of said i Lodina set forth (1)	packages unknowns to carry to its un route to destino in Official Sout	own), marked, usual place of a ution, and as to their. Western	consigned, a delivery at v each party a and Ulinois F	ind destin old destin it only timi reight Cla	ed as indicat ation, if on its r interested in suffications in	ed below, s route, ath n all or any effect on t	which joid to serwise to de y of said pro the date here	liver to anoth perty, that ev al, if this is a	her carrier on the routs to said destina very service to be performed hereunder a roll or a rail-water shipment, or (2) in
Consigned	to		in the same of the					Mail or	street ac			For purposes of notification only.
Destinatio	n					_State_				_Count	/	
•	Address * (+To be filled in only w	hen shipper desires o	nd governing to	riffs provide	for delivery	thereat.)						
Route				Caro	- Vehicle	Initials					lo.	
Delivering No. Pockages	Garrier Kind of Package, Descrip	tion of Articles, Speci	al Marks, and Ex		Yenicle	*W	eight to Cor.)		Class r Rote	Check Columi	Subj bill bi	ject to Section 7 of Conditions of applicable lading, if this shipment is to be delivered usigner without recourse on the consignor, the
1 0000000	TRUCKS-NOLHAND W/FIXED BODIES	S-ITEM 188560 SUB 1							100			or shalt sign the fallowing statement corrier shall not make delivery of this shi rithout payment of freight and all other lowls
	TRUCKS-NOLHAND W/PLATFORMS, 188560-SUB 2			TAKES OR ST	TDSITEM				70	<u> </u>		
	STEEL BENCH PARTS - KDF							_	70	<u> </u>		
	BENCHES-WORK-NOI-STEEL OR STEE	L & WOOD COMBIN	IED-SU						150	ļ	ll c	(Signature of Consignar)  tharges are to be prepaid, write as stant To be Prepaid.
	BAR, PIPE OR ROD STORAGE RACKS	, IN PKGSKD							77%_	ļ	_	
8	STANDS, TOOL O	R WORK I	TEM 178	8717	SUB 2	480	LBS	5	125	<u> </u>	_ -	
		,					·····				Receive prepay hereso	ed \$
	ient moves between two ports by a carrier by	water, the law require	s that the bill of to	oding shall stat	e whether it is	"carrier's or	<u> </u>					Agent or Cashier
The ogreed	e the rate is dependent an value, shippers or declared value of the property is hereby	specifically stated by t	he shipper to be n	ot exceeding							Per _ (The si prepoi	ignature here other ledges only the smo of t
	boxes used for this shipment conform to the s form freight Classification." nprint in lieu of stamp; not a part of bill of k				ereon, and all o	other require	`		<	1	9	es Advanced
PUCEL EN	TERPRISES. INC., Shipper, Per post-office address of shipper:	Jony?								J-A	gent/P	er Man of

CUST NO




DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

57094





DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO.		TERMS 1% TEN DAYS - DATE				
MAY1	8, 1977	23982	85-07 X 40763	57	OF INV	DICE - NET	30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	CITY EXPR	nneee					
OUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. EHIPPED	UNIT PRICE	TOTAL	EXTENSION		
8 EA	₹KT	GRIZZLY UTILITY TAB	LE	8					
	FINISH; SHOP GRI	EEN							
				ļ					


We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.




DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE . CLEVELAND, OHIO, U.S.A. 44114 . AREA CODE 216 881-4604

INVOICE NO. **56932** 





DATE HAY	5 1977	OUR ORDER NO. S-10510 & S-10511	CUSTOMER'S ORDER NO.	).	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	KLANN TRUC	KING		PREPAID	
QUANTITY ORDERED	MODEL NO.	DESCRIPTI		GUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA 1 EA	#CRA-60 SPECIAL	GRIZZLY CRADLE TRUC BAR & MINIMUM ROD TRK 36"W X 60"L X 60"O	W/HI-CAP WHLS	1			
		FINISH; YELLO	W				
•							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

t"The fibre bases used for this shipment conform to the specifications set forth in the bas maker's certificate thereon, and all other requirements of Uniform Freight Classification."

1 Shipper's imprint in lieu of stamp; not a part of bill of ladipal approved by the Interpole Sammerce Cognission.

PUCEL ENTERPRISES, INC., Shipper, Per Permanent post-office address of shipper: 3746 KELLEY AVENUE, CLEVELAND, OHIO 44114 Shipper's No. 10758


	KLANN TRUCKING COMPANY	Carri	CUST. NO. er	M 5958		Carrier's No.
at CLEVE	AND, OHIO 44114 MAY 4,	19 <u>77</u> from	PUCEL	ENTER	PRIS	ES. INC.
shall be subje the applicable Shipper he	escribed below, in apparent good order, except as noted (contents and condition of contents all packs in manning only person or carporation in passession of the property under the contract) agrees to an order of the tended of the contract of the content of the content of said route of the difference of the content of th	to destination, and as ficial Southern, Wester	to each party at any tim n and Illinois Freight Cla	e interested in all or ai issifications in effect on	the date hereaf	, if this is a rail or a rail-water shipment, or (2)
Consigne	d					
Destination	on	N	State	Mail or street a	ddress of con _ County	signee—Epr pyrposes of notification onl
Delivery	Address *		7	<b>-</b>	45°	
	(*To be filled in only when shipper desires and governing tariffs. W BLDG. I-80 TO 680 FIRST EXI	provide for deliver T SECO	ND STOP	LIGHT		4
Deliverin	g Carrier (	Car or Vehicle	Initials		No.	•
No. Packages	Kind of Package, Description of Articles, Special Marks, and Exception	ons	*Weight (Sub. to Car.)	Class or Rate	Check Column	Subject to Section 7 of Conditions of apolico bill of lading, if this shipment is to be delivered the consigner without recourse on the consigner
2	S TANDING ENDS TRUCKS-NOLHAND WANTED FROM THE TRUCKS-NOLHAND W		625 LBS	100		consigned without the following statement  The conser shall not make delivery of this simulative without powered of treight and all other layering the statement.
	TRUCKS-NOLHAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKE 188560-5UB 2	S OR STDS, ITEM		70		enarges
	STEEL BENCH PARTS - KDF			70		
	BENCHES-WORK-NOLSTEEL OR STEEL & WOOD COMBINED-SU			150		(Signature of Consignor)  If charges are to be prepaid, write or stall here. "To be Prepaid."
	BAR, PIPE OR ROD STORAGE RACKS, IN PKGSKD			771/5		TO BE PREPAID
						TO BE PREPAID
						Received S (B gpp)
						prepayment of the charges on the property describ
*If the shipm shipper's well	ent moves between two ports by a carrier by water, the law requires that the bill of lading slight."	hall state whether it is	"carrier's or	-		Agent or Coshier
NOTE: When	and the same to describe the same of the s					1



DESIGNING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 61140



E .	1078	OUR ORDER NO. 26173	P 506 SW	D. (	OF INVO	EN DAYS - DATE NCE - NET 30 DAYS
NE 9,	1978	F.O.B. OUR PLANT CLEVELAND, OHIO	B & P MOTOR E	XPRESS	INC	TOTAL EXTENSION
UANTITY ORDERED	MODEL NO.	DESCRIPTI	ON			
EA.	w-3096	GRIZZLY HARD MAPLE BENCHES, KNOCKED	TOP WORK Down	8		
EA.	#BL-28	GRIZZLY BENCH LEGS				
EA.	CUK-36	GRIZZLY WORK BENCH	CABINET UNITS	8		
			GRAY			
)		7				
,						
				l	1	1 1

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof. ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

, ..... nee and tabeled, and are in proper condition for transportation. 

Discount
<u> </u>
Da Ship

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGUIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier property of the property of the contract of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier elastification or tarrier that he is familiar with all the terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

From DIICEI ENTERPRISES INC

rom PU	ICEL ENTERPRISES, INC.	DESIGNATE WITH AN	ı(x) □ Shine	per's No. 10630
		TRUCK FREIGHT		
Carrier	HAM MB	(Mail or stre		ent's No
Consigned to				
Destination	State State	e 01-		ounty of
द्ध Route	•	·		
Delivering Carri	ierVehicle or C	Car Initial		No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	"WEIGHT (SUBJECT TO CORR.)		CHECK Subject to Section 7 of condi- tions of applicable bill of lading, if this ahipment is to be deliver- ed to the consistence without re-
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	course on the consigner, the con- signor shall sign the following statement:
	TRUCKS-NOLHAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS. ITEM 188560-SUB 4		70	The carrier shall not make de- tivery of this abbarent without payment of freight and all other lawful charges.
10	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2	1984 LBS	70	Pen Signature of Consignor.)
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU		150`	If charges are to be pre- paid, write or stamp here, To be Prepaid."
4	CABINETS, GARAGE OR SHOP ITEM 39340	480 LBS	70	COLUECT
	TOTAL WEIGHT:	2464 LBS	4.	Received \$
11/11	,			Agent or Cashier.
77 11	'REF: YOUR ORDER NO. P 506 SW"		3	Per Per
				(The signature here acknowledges only the amount prepaid.)
				Charges Advanced.
This is to certify that the coording to regulations by I the shippent mores better the property of the coordinate of the	above articles are properly described by name and are packed and marked and are in proper condition of tansportation the Interstate Commerce Commission, when two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier a or shipper's of stamp, not a part of Bill of Lading approved by the interstate Commission.  The property of the property is presty appealed by the shipper to be not according.  The property is brestly appealed by the shipper to be not according.	s weight."	11	C.O.D. SHIPMENT
		000 M.	<u> </u>	C.O.D. Am1.
CORRECT WEIGHT	CORRECTLY DESCRIBED.  † The fibre boxes, used for this shipment conform to the specifications set forth in the box maker i certificate thereon, and all other requirements of Rule 41.  IS LBS of the Consolidated Preight Classification.	19th K-1/1W	pM	Shipper Total Charges
PUCEL ENTERPRIS	( ) , ( ) 4	·		Agent, Per

† "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.





DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

SOLD TO

INVOICE NO.

63380

DATE OUR ORDER NO. CUSTOMER'S ORDER NO. 1 TERMS

SECEMBER 15, 1978 S-11623-78 07-443453 0F INVOICE - NET 30 DAYS

SALESMAN F.O.B. VIA

VIA OUR PLANT CLEVELAND, OHIO CITY EXPRESS DELIVERY XXXXX COLLECT MODEL NO. DESCRIPTION SHIPPED UNIT PRICE TOTAL EXTENSION EA. SPECIAL #M-46 TORPEDO COFFIN CART 1 39"W X 101 7/8"LONG X 14"OAH FINISH; PRATT & LAMBERT #2607 CLOVE DUST

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, id of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

SIP VIA TRUCK
PRICE
PRICE

1978

9 1978

Ct AREGOTIANTED
CT SCHEDULE
PRICE
VIANTED

A DELIVERY
SCHEDULE
VINCHASE

RECEIVED, subject to the class the property described belo (the word carrier being un destination subject that the Domestic Straight Bill of L motor carrier classification of Shipper hereby certi- which governs the transport	SIKAIGHI DILL OF L  ifications and tariffs in effect on the date of issue of t  w, in apparent, good order, except as noted (conte terrisod throughout this contract as meaning any utherwise to deliver to another carrier on the rout to each party at any time interested in all or any tiding set forth (1) in Official, Southern. Western as terfif if this is a motor carrier shapment.  ter that the is furnished and the said terms and condition to of this shipment, and the said terms and condition	his Original Bill of Ladin has and condition of con- person or corporation in to said destination. If of said property, that ev- d Illinois Freight Classi of the said bill of ladins as of the said bill of ladins as are hereby agreed to b	g.  stents of packs, in possession of is mutually a ery service to fications in effe g, including tho by the shipper au	ces unknown the property of the property of the performance on the second acceptance of the seco	own), marked, conserty under the con- to each carrier of med hereunder sha a date hereof, if this back hereof, set for- ed for himself and it	signed, and destine tract) agrees to ca ( all or any of said il be subject to all is is a rail or a rai th in the classification his assigns.	d as indicate rry to its us property on the terms as i-water ships on or tariff	ed below, when all place of ver all or any and conditions ment, or (2)	nich said carrier delivery at said y portion of said of the Uniform in the applicable
From PUC	EL ENTERPRISES, INC.	DEC.15			DESIGNA	FREIGHT	Ship As	oper's l	No. 12105
Consigned to									
Destination				St	ate of		_	County	of
Route					<del></del>	·			
Delivering Carrier		* har	Vehic	cle or	Car Initial_				No
NO. PACKAGES	DESCRIPTION OF A				"WEI (SUBJECT		CLASS R RATE	CHECK	Subject to Section 7 of condi- tions of applicable bil? of lading, if this shipment is to be deliver-
FACINOLO	TRUCKS-NOI-HAND W/STANDING ENDS I		3				100		ad to the consignee without re- course on the consigner, the con- signor shall sign the following statement:
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STAKES OR STDS-ITEM 188560-SUB 4	STANDING ENDS, S	SIDES,				70		The carrier shall not make de- livery of this shipment without payment of freight and all other layfus charges.
	STEEL BENCH PARTS - KDF ITEM 79920	SUB 2					70		(Signature of Consignor.)

BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 5UB 1

DELIVERING CARRIER NOTE: TO BE DELIVERED 12/15/78 NO LATER

THAN 2;20 PM.

#M-46 TORPEDO COFFIN CART

CABINETS, GARAGE OR SHOP ITEM 39340

"M/F: YOUR ORDER NO. 07-443453"

			Charges Auvanceu.
DELIVERY CHARGES TO;			,
ording to regulations by the Interstate Commerce Commusion.	e and are packed and marked and are in proper condition to the apportation requires that the bill of lading shall state whether it is carriers or shipper's weight."		C.O.D. SHIPMENT
	tate merifically in writing the agreed or declared value of the property.		C.O.D. Amt
THIS SHIPMENT IS CORRECTLY DESCRIBED.	† The fibre boxes, used for this shipment conform to the specifications set forth in the box maker but of	Shipper	Collection Fee
CORRECT WEIGHT ISLBS	of the Consolidated Freight Classification.		10
PUCEL ENTERPRISES, INC. 3744 KELLEY AVENUE, CLEVELAND, OHIO 44114	Shipper, Perma teterum	Lieber Chagen	

PUCEL ENTERPRISES, INC.

3744 KELLEY AVENUE, CLEVELAND, OHIO 44114

Shipper, Permanent post office address of shipper

1 "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

If charges are to be pre-paid, write or stamp here, To be Prepaid."

Received \$\_\_\_\_\_\_\_
to apply in prepayment of
the charges on the property described hereon.

Agent or Cashier.

Per (The signature here acknowledges only the amount prepaid.)

Charma Advanced

150 70

344 LBS







### enterprises, inc.

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.





NOVEMBI	ER 9, 1978	OUR ORDER NO. 27816			1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
ALESMAN	35 2376	F.O.B. OUR PLANT CLEVELAND. OHIO	B & P MOTOR EX	PRESS		MXXXX	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPT	ION	QUAN-	UNIT PRICE	TOTAL	EXTENSION	
.0 EA.	PDC-36R	GRIZZLY PORTABLE CA BENCHES WITH FLOOR CYLINDER LOCKS ON D LOCKS KEYED ALIKE, KEYED DIFFERENTLY.	LOCKS, WITH RAWERS AND DOOR	16				
		FINISH; SH	OP GREEN			-		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc. according to the applicable regulations of the Department of Transportation.

_	
Ι	_
_	1
	_

<del></del>	Da Ackn	
	Da Ship	
	<u> </u>	

STRAIGHT BILL OF LADING — SHORI FORM — OKIGINAL — NOT INCOLIABLE

RECEIVED, subject to the classifications and turiffs in effect on the date of issue of this foriginal Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of peckages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said route to destination, and as to each party at any time interested in all or any of eadi property over all or, any portion of said route to destination, and as to each party at any time interested in all or any of gaid property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Ladings afforth (1) in Official, Southern, Western and Illinois in the Contraction of the Straight Bill of Ladings (it has a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Straight Bill of Lading and the terms and conditions of the said bill of lading, including those on the back hereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

From P	UCEL ENTERPRISES, INC. LEVELAND, OHIO 44114 NOV. 9 19 78 BY	DESIGNATE WITH AN	i∞ ∖ Shipp	per's No. 11819
Carrier		•	Age	ent's No.
Consigned to	7			
Destination	Sta Sta	te o	· · · · · ·	County of
Route				
Delivering Car	rierVehicle or	Car Initial		No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)		CHECK Subject to Section 7 of conditions of applicable bill of lading if this shipment is to be delivered to the consignee without re-
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	course on the consignor, the con- signor shall sign the following
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4		70	The carrier shall not make de- livery of this shipment without payment of fresht and all other lawful charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70	Pea 40 VIII (Signature of Consignor.)
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150	If charges are to be pre- paid, write or stamp here, To be Prepaid."
10	CABINETS, GARAGE OR SHOP ITEM 39340	1700 LBS	70	Received \$
		<u> </u>		to apply in prepayment of the charges on the prop- erty described hereon.
	"M/F: YOUR ORDER NO. RL-220314"			
				Agent or Cashier.
SHIPPED F	OR SECOND			(The signature here acknowledges only the amount prepaid.)  Charges Advanced.
			$\Lambda$	
t This is to certify that the counting to regulations of the shipment moves the shipment moves the shipment in the shipment in the same of the same of declared the same of th	is above articles are properly described by name and are packed and marked and are in proper condition or tlansportation by the interstate Commerce Commission.  cleven two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier as or shipper es of stamps not a part of Bill of Lading approved by the interstate Commerce Commission.  a dependent on value, thippers are required to state appealcably in writing the greed or declared value of the property, aster of the property is hereity specifically stated by the shapes to be not extending.	's weight."	B	C.O.D. SHIPMENT
THIS SHIPMENT I	S CORRECTLY DESCRIBED.  † The fibre boxes, used for this shipment conform to the specifications set forth in the box maker is certificate thereon, and all other requirements of the Consolidated Freight Classification. Rule 41.	Per D	1	Collection Fee
PUCEL ENTERPR 3744 KELLEY AVE	NUE, CLEVELAND, OHIO 44114 Shipper, Pendan Juliann	10.1		_Agen(, Per

Permonent post office address of shipper

† "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.





DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

60847





MAY 12	, 1978	OUR ORDER NO. 26428	CUSTOMER'S ORDER NO.	.   11		EN DAYS - D	
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	B & P MOTOR E	XPRESS,	, INC.	%X <b>%</b> X%	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	N	SHIPPED U	NIT PRICE	TOTAL	EXTENSION
2 <b>EA.</b>	2436-DT-2	GRIZZLY SHOP TRUCKS WHEELS	WITH STEEL	2			
1 EA.	2436-DT-2	GRIZZLY SHOP TRUCK N	ITH RUBBER	1			ı.
		FINISH;	GRAY				
				:			
					İ		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

2	100	
VE		
		Da richa
Δ		W. S. D. W. C. E. 5-1:

	CEL ENTERPRISES, INC.	_19 <u>_78</u> BY	- 13.			No. 1042
rrie			4	Α	gent's	No
signed a			7.3 (Audit or Bri	el address of c	onsignes — Fo	or purposes of notification onl
tination		Sta	te o		ounty	of
						<u></u>
te						
vering Carri		Vehicle or (	,			No
PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS		*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of tisms of applicable bill of if this shipment is to be
3	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		345 LBS	100		course on the consignor, the
1	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SID STAKES OR STOS-ITEM 188560-SUB 4	ES.	7.7 203	70	<del>                                     </del>	statement: The curvier shall pet ma livery of this shipfight paragent of freight and all awful sharges.
<del>-</del>					<u> </u>	awal shares
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2			70		(Signature of Consign
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUB 1	J		150		If charges are to be pre-
	CABINETS, GARAGE OR SHOP ITEM 39340		<del>                                     </del>		<del>  -  </del>	paid, write or stamp here, To be Prepaid."
<del>-</del> -	The state of the s	<del></del>		70		COLLECT
			1			Received \$to apply in prepayment of
						to apply in prepayment of the charges on the prop- erty described hereon.
·= ·	<u> </u>				<del> -</del>	Agent or Cashier
			. 41		1 1	
			- 1		<u> </u>	Per
				·		The signature here a edges only the spount p

3744 KELLEY AVENUE, CLEVELAND, OHIO 44114 Shipper, Pendant Post office oddress of shipper


† "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

† The fibre boxes, used for this shipmen the specifications set forth in the box ma cate thereon, and all other requirements of the Consolidated Freight Plassification

CORRECT WEIGHT IS PUCEL ENTERPRISES, INC. Total C



3746 KELLEY AVENUE ● CLEVELAND, OHIQ, U.S.A. 44114 ● AREA CODE 216 881-4604



MH-8: FO J

J. L.	OUR ORDER NO. 28188	CUSTOMER'S ORDER NO.	ORDER N	TERMS	EN DAYS - E	ATE O DAYS
ECEMBER 26,197	F.O.B. OUR PLANT	R. KUNTZMAN,	INC.		XXXXX	COLLEC
SALESMAN	CLEVELAND, OHIO	R, ROM	QUAN-	UNIT PRICE	TOTAL	EXTENSION
QUANTITY MODEL	DESCRIPT		1			
1 EA. PC-48R	GRIZZLY PORTABLE CA BENCH WITH KEYED HA 2 EXTRA ME KEYS, W					
	FIN	ISH; GRAY				
	<b>\</b>		1			
		all applicable requirements of Section 14 thereof.	ctions 6, 7 a	and 12 of the F	air Labor Standar	ds Act, as a

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amendated of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON DETUBNICUIDATE Price authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, or

DELIVERY

om PU	CEL ENTERPRISES, INC. VELAND, OHIO 44114	12-26 19 /8 BY	DESIGNATE WITH	CL:	pper's l	No. 12169
arrier			(Mail as a			No
onsigned to			turn or 2	500.00		
estination		S10	ate of		County	of
ute						
elivering Carrie	or	Vehicle or	Car Initial			No
NO. PACKAGES	DESCRIPTION OF ART MARKS AND EX	*WEIGHT (SUBJECT TO CORR	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of lading, if this shipment is to be deliver-	
	TRUCKS-NOI-HAND W/STANDING ENDS ITE		100		if this shipment is to be deliver- ed to the manipace without re- course on the consignor, the con- signor shall sign the following statement:	
	TRUCKS-NOI-HAND W/PLATFORMS, W/O ST STAKES OR STDS.ITEM 188560-SUB 4		70		The carrier shall not make de- livery of this shipment without payment of freight and all other lands charges.	
	STEEL BENCH PARTS - KDF ITEM 79920 S		70		Para Planton (Signature of Consignor.)	
	BENCHES-WORK-NOI-STEEL OR STEEL & W	OOD COMBINED SU		150		If charges are to be pre- paid, write or stamp here, "To be Prepaid."
1	CABINETS, GARAGE OR SHOP ITEM 39340		252 LBS	70		
						Received \$ to apply in prepayment of the charges on the prop- erty described hereon.
	"M/F: YOUR ORDER #	20 52 5"		<del> </del>		Agent or Cashier.
				-	<del> </del>	Per (The signature here acknow
		<del></del>			<del> </del>	edges only the amount prepaid Charges Advanced.
				1		\$

PUCEL ENTERPRISES, INC.

3744 KELLEY AVENUE, CLEVELAND, OHIO 44114

Shipper, Permanent post office address of shipper

This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

### CUSTOMER FILE COPY




# ENTERPRISES, INC

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO. U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

sold to



PRIL 17	1979	OUR ORDER NO. 29037	CUSTO	MER'S ORDER NO.	• [	TERMS 1% TO OF INVO	EN DAYS - D	DAYS
LESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	R.	KUNTZMAN,	INC.		XXXXX	COLLEC
QUANTITY	MODEL NO.	DESCRIPT	ON		GUAN. BHIPPED	UNIT PRICE	TOTAL	EXTENSION
2 EA.		GRIZZLY SHOP TRUCK	S WITH	5" RUBBER				
)		FINISH; SHOP	GREEN					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is succeed to the case of a carrier of all or any of said property over all ny any portion of said route to destination, and as to each party at any time interested in all or any of said property ever all or any of said property over all not any of said property over all not only of said property over all not any of said property ov

	UCEL ENTERPRISES, INC. LEVELAND, OHIO 44114	4-16 19 7		FREIGHT	i∞ ∐ Shi <sub>l</sub>	oper's N	<sub>√o.</sub> 13090
	R. KUNTZMAN, INC.			(Mail or stre	Α	gent's N	purposes of natification only.)
Consigned to_							್.
Destination			State of	<u></u>	<b>-</b>	_County (	of
Route							
Delivering Car	rier	Veh	icle or Car Initia	l			No
NO. PACKAGES	DESCRIPTION OF ARTIC MARKS AND EXCE			EIGHT T TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of lading, if this shipment is to be deliver ad to the consigner without re-
2	TRUCKS-NOI-HAND W/STANDING ENDS ITEM	. 98560 SUB 3	186	LBS	100		engine on the consignor, the con- signor shall sign the following
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STAN STAKES OR STDS-ITEM 188560-SUB 4	DING ENDS, SIDES,			70		statement: The carrier shall set make de- livery of this shipment without payment of freight and all other leftly charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB	2			70		PA 10 10 9(A0-20 (Signature of Consignor.)
<u></u>	BENCHES-WORK-NOI-STEEL OR STEEL & WOO	D COMBINED SU			150		If charges are to be pre- paid, write or stamp here, To be Prepaid."
	CABINETS, GARAGE OR SHOP ITEM 39340				70		
							Received \$ to apply in prepayment of the charges pu the property described hereon.
	"M/F: ORDER NO.	6479"					Agent or Cashier.
							Per
SHIPPED F	OR:					<u> </u>	(The signature here acknowledges only the amount prepaid.  Charges Advanced.
							\$
* This is to certify that the	above articles are properly described by name and are packed and mark or the Internation Commerce Commission.	ed and are in proper condition or	Lansportation	<del></del>			C.O.D. SHIPMENT
If the shipment moves by Shipper's imprints in he NOTE—Where the rate in The agreed or declared va-	e above articles are properly described by name and are packed and married by the Intergraph Commerce Commission.  It is a proper to be a capital to be a properly to the law requires that the bill of law of stamp; and a part of Bill of Lading approved by the Interstate Commission and Sant Sant of Bill of Lading approved by the Interstate Commission and Sant Sant Sant Sant Sant Sant Sant Sant	ing shall state whether it is earth- erce Commission. The agreed or declared value of the acceding.	roperty.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			C,O,D. Amt
		used for this shipment co set forth in the box maker all other requirements of Freight Classification.				Shippe	Callection Fee
CORRECT WEIGHT	ISLBS. of the Consolidated	Freight Classification.	Jer Her H	11/19	1/11/	/compos	2-1-1-1-
PUCEL ENTERPRI	NUE, CLEVELAND, OHIO 44114 Shipper,	per hat eter	<u>sm</u>	-4		Ager	nt, Per
Permanent post offi	ice address of shipper	l-selfied described no	also and marked and	labalad and	ara in prope	e condition	for transportation

"This is to certify that the above named articles are properly classified, desc according to the applicance regulations of the Department of Transportation.

CUSTOMER FILE COPY




### ENTERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.



OCTOBER 31,1979		OUR ORDER NO. S-12474-70	OUR ORDER NO. CUSTOMER'S ORDER NO. S-12474-79 4043		TERMS	DATE O DAYS	
SALESMAN			——— H MTR		COLLECT		
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
26 EA.	SPECIAL	GRIZZLY #PDC-36R POR WORK BENCHES WITH 37 TOP SCREWED ON STEEL WELDED IN MIDDLE OF SPECIAL LOCKING PADS FINISH; S	4" FIBERBOARD TOP & SHELF CABINET AND 2				0
,		ORDER COMPLETE					
	,						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING —	SHORT FORM	ORIGINAL	NOT NECOTIABLE
Id tertile in effect on the date of james of this Oction to the		OMOUNT -	TYOU INLOCHABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indiced the word carrier being understood throughout this contract as meaning any person of the property under the contract) agrees to carry to its understood to the contract as meaning any person of the property under the contract) agrees to carry to its understood to the contract as meaning any person of the property under the contract as meaning any person of the property of the contract of the contract as meaning any person of the property of the contract of the contract as meaning any person of the property of the contract of the contract as meaning any person of the property of the contract of the contract as meaning any person of the contract of the contract as meaning any person of th

From

From At	PUCEL ENTERPRISES, INC. CLEVELAND, OHIO 44114 OCTOBER 30, 1979	DESIGNATE WITH A		ipper's	No. 14894
Carrier	WARNER & SMITH MTR. FRT. INC.		Δ	agent's	No
Consigned to	· <u>c</u>	(mail or sr	reet address of co	onsignee — F	or purposes of notification only.)
Destination_		_State of		_County	of
Route					
Delivering C		or Car Initial	<del></del>		. No
PACKAGES	MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of lading if this shipment
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3  TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES,		100	<u> </u>	course on the consignor without re- course on the consignor, the con- signor shall sign the following statement:
<del></del>	31AALS OR 31DS.41EM 18856O-SUB 4		70		livery of this shiprovent without payment of freight and all other in wful charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2  BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU		70	ļ	(Signature of Consignor.)
12	CABINETS, GARAGE OR SHOP ITEM 39340		150	ļ <del>-</del>	If charges are to be pre- paid, write or stamp here, To be Prepaid
		2160 LBS	70		Received \$
	"M/F: ORDER NO. 465-581525-18"			-	to apply in prepayment of the charges po the prop- erty described hereon.
					Agent or Cashier.
		<b>.</b>			Per (The signature here acknow- edges only the amount prepaid
<del></del>	)				Charges Advanced.
And in the carrier (fact to And ing the regulations the ship then there is the performance in the Angle Windows the rate of agreed or declared to	he above articles are properly described by name and are packed and marked and are in proper condition for than sport by the Intercate to the condition of the proper condition for than sport went to the proper to a capt of Bill of Lading approved by the Intercate Commerce Commission. It is dependent on value, situpers are required to state specifically in writing the agreed or declared value of the roperty about the property is hereby specifically stated by the shipper to be not exceeding.	ation  pper's weight."			C.O.D. SHIPMENT
HIS SHIPMENT IS ORRECT WEIGH	S CORRECTLY DESCRIBED.  † The fibre boxes, used for this shipment conform the specifications set, forth in the box maker continuous.			Shipper	C.O.D. Amt  Collection Fee  Total Charges
UCEL ENTERPR	ISES, INC.  NUE, CLEVELAND, OHIO 44114 Shipper, Per ma Literary  ice oddress of shipper	f. Tofler	wes	•	, Per 12/3//79
This is to cost order a to the	its doorest of simpler states are properly classified, described, packaged applicable regulations of the Department of Transportation.	, marked and labeled, and a	re in proper o	condition i	for transportation

CUSTOMER FILE COPY




### ENTERPRISES, INC

DESIGNING ENGINEERING MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.





**65882** 

DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO		TERMS	EN DAYS - D	ATE	
JUNE 25	5,1979	5-12225-79 85-12226-	-79 791579			OICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	MOTOR FREIGHT		ESS	XXXXXX	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPTI	ON	BHIPFED	UNIT PRICE	TOTAL	EXTENSION	
5 EA.	SPECIAL	#HDSC-3648-3 GRIZZ CABINETS WITH CAST		-	•		•	
		X 48"HIGH (W/O CAS SHELVES W/7 3/4" C HANDLE, PUSH HANDL 6" MOLD ON RUBBER	LEARANCE, KEYED E ON SWIVEL END	1				
1 EA.	SPECI AL	#HDSC-3648-5 STORA CASTERS 19"D X 36" (W/O CASTERS) 5 FI APPRX. 6" CLEARANC PUSH HANDLE ON SWI MOLD ON RUBBER WHE	W X 48"HI <del>ch</del> Xed Shelves W/ E, Keyed Handle Vel end & 6"					
			SHOP GREEN					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said route to destination, if on its route, otherwise to deliver to another carrier on the route to said destination, if on its route, otherwise to deliver to another carrier on the route to said destination, and as to each party at any time interested in all or any of said property over all or any of said pro

From At	PUCEL ENTERPRISES, INC. CLEVELAND, OHIO 44114 MOTOR FREIGHT EXPRESS	<u>6-25</u> 19 <u>79</u> B	DESIGNATE WITH AN			13735
Carrier	HOTOR TREIGHT EXTRESS		(Mail or stre	A et address et co	.gent's f	NO
Consigned 1	0	ATTN		الكائدين ا		
Destination ,			State of		_County	of
Route				<u></u>		
Delivering (	Carrier	Vehicle	or Car Initial			No
NO. PACKAGE	DESCRIPTION OF ARTIC		*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of tading, of this shipment is to be deliver-
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM	188560 SUB 3		100		if this shipment is to be deliver- ed to the consignes without re- course on the consignes, the con- signor shall sign the following statement:
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STA STAKES OR STDS.ITEM 188560-SUB 4	NDING ENDS, SIDES,		70		The carrier shall not make de- livery of this shipman without particular to freight and all other lawful charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUI	3 2		70		(Signature of Consignor.)
	BENCHES-WORK-NOI-STEEL OR STEEL & WO	DD COMBINED-SU		150	<u></u>	If charges are to be pre- paid, write or stamp here, "To be Prepaid."
_ 6	CABINETS, GARAGE OR SHOP ITEM 39340		1722 LBS	70		
						Received \$
	"M/F: ORDER #5068"					
						Agent or Cashier.
						(The signature here acknowledges only the amount prepaid.)
						Charges Advanced.
		had and are in prepar condition of the proper	ation -	_ 1 _	<u>. i</u>	C.O.D. SHIPMENT
Into the certain to according to regulat.  If the shipment more Shipper's imprints NOTE—Where the rather the greed or declar	hat the above articles any property described by name and are packed and ma- sons by the internance of the control of the cont	ading shall state whether it is carrie 's or sheree Commission. Exceeding the property state of the property	ipper's weight."			C.O.D. Amt
				ck		Callection Fee
CORRECT WEI	CHT IS LBS. of the Consolidate	used for this shipment conform set forth in the box maler certi- all other requirements of Rule of d Freight Classification	Per	<u> </u>	Shipper	Total Charges
3744 KELLEY A	RPRISES, INC. AVENUE, CLEVELAND, OHIO 44114 Shipper, office address of shipper	Pe ma leters		0)	Agen	it, Per

\* This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

CUSTOMER FILE COTY



# ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE . CLEVELAND, OHIO, U.S.A. 44114 . AREA CODE 216 881-4604

INVOICE NO.





6/464

DATE OCTOBER 18.1979	our order No.	CUSTOMER'S ORDER NO.	TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS
SALESMAN	F.O.B. OUR PLANT CLEVELAND, OHIO	CENTRAL TRANSPORT	INC. KNEXXIX COLLECT

OUANTITY MODEL NO.

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DESCRIPTION

DUTY TRUCKS WITH 8" POLYURE THANE
WHEELS

SHOP GREEN

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word caprier being underasond throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to beald destination, it is mutually agreed, at to each carrier of all or any of and property over all or any of said property over all or any of said property over all or any of said property that every service to See perfor, and hereunder shall be subject to all the terms and conditions of the information of the property of the said of the property over all or any of said property over all or any of said property over all or any of said property service to See perfor, and hereunder shall be subject to all the terms and conditions of the information of the said carrier classification or tarrier that the said carrier classification or tarrier that the said terms and conditions of the subject to all the said terms and conditions of the subject to all the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

From PUC	CEL ENTERPRISES VELAND, OHIO 44	, <b>INC</b> . 114 OCT <u>OBER 18,</u> 18979 E	DESIGNATE WITH A	™ (X) Shi	pper's	No. 14784
Carrier <u>CEN</u>	ITRAL_TRANSPO	RT, INC.	(Mail or str			No r purposes of notification only.)
Consigned to		and the same of th				
Destination			State of		_County	of
Route						
Delivering Carrie	r	Vehicle	or Car Initial			No
NO. PACKAGES		RIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of conditions of applicable bill of lading, if thu shipment is to be delivered to the consignee without recourse on the consigner, the con-
3	TRUCKS-NOI-HAND W/STAM	DING ENDS ITEM 188560 SUB 3	825 LBS	100		statement  The exercise shall not make de-
	TRUCKS-NOI-HAND W/FLAT STAKES OR STDS-ITEM 18	FORMS, W/O STANDING ENDS, SIDES, 8560-SUB 4		70		livery of this chipment without payment of freight and all other lawful charges.
	STEEL BENCH PARTS - KDI	TITEM 79920 SUB 2		70		(Signature of Consignor.)
	BENCHES WORK-NOI-STEEL	OR STEEL & WOOD COMBINED SU		150		If charges are to be pre- paid, write or stamp here, To be Prepaid "
	CABINETS, GARAGE OR SH	OP ITEM 39340		70		
					<u> </u>	Received \$ to apply in prepayment of the charges on the property described hereon.
<sup>11</sup> M/	F: ORDER NO.	117524"		<del> </del>	-	Agent or Cashier.
				4	<del> </del>	Per (The signature here acknowl-
						edges only the amount prepaid.)  Charges Advanced.
	<u> </u>	······································		<u> </u>		\$
This is to certify that the abo- according to regulations by the 'If the shipment moves between Shipper's imprints in lieu of: 'OTE—Where the rate is dear	ve articles are properly described by name interstate. Lowever Commission, in two ports by a carrier by water, the law stamp nor a part of Rill of Lading approvingent on matter, shippers are required to a	and are packed and marked and are in proper condition or tenapo- requires that the bill of lading shall state whether it is carrier as a ra- d by the Internate Commerce Commission, take specifically in writing the agreed or declared value of the proper by the shipper us be not according.	rtation hipper's weight."			C.O.D. SHIPMENT
THIS SHIPMENT IS CO	DRRECT_Y DESCRIBED.	† The fibre boxes, used for this shipment conform the specifications set forth in the box maker cer- cate thereon, and all other requirements of the Consolidated Treight/Lassingapon.		1	Shippe	Callection Fee
Decemposes and affice of	S. INC.	Shipper, Per Lassified described, package	n///		_	nt, Per

according to the applicable regulations of the Department of Transportation.

CUSTOMER FILE COPY



## enterprises, inc

DESIGNING
ENGINEERING
MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

so to to



**6592**3

DATE	OUR ORDER NO.	CUSTOMER'S ORDER NO.	TERMS 1% TEN DAYS - DATE
June 27, 1979	S-12214-79	009948	OF INVOICE - NET 30 DAYS

SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	AMERICAN FREI	GHT_SY	STEM	XXXXXX	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
6 EA.	SPECIAL	ECH-28 GRIZZLY MACHI INET WITH PLAIN HAND					
		U	<b>NPAINTED</b>				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF	LADING —	SHORT FORM -	- ORIGINAL —	NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in procession of the property under the contract) agrees to carry to its usual place of delivery at said poute to destination, and as to each party at any time interested in all or any of said property over all or

At CLEVELAND, OHIO 44114 6-26 19 79 BY	DESIGNATE WITH A	N (X)  ☐ Shipper's	No. 13752
Carrier AMERICAN FREIGHT SYSTEM		Agent's	No
Consigned to	(Mail by H)	eet dodress of consignae	For purposes of notification only.)
DestinationS	tate of	County	, of
Route		<del></del>	·
Delivering Carrier	r Car Initial		_ No,
NO. DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS CHECK OR RATE COLUMN	tions of applicable bill of lading.
TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	ed to the consigner without re- course on the consignor, the con- signor shall sign the following
TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70	The carrier skull not make de- livery of this adjouent without payment of freight and all other lawful charges
STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70	Per MA LETTION (Signature of Consignor.)
BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU		150	If charges are to be pre- paid, write or stamp here, To be Prepaid.
6 CABINETS, GARAGE OR SHOP ITEM 39340	582 LBS	70	To be Prepaid.
			Received \$ to apply in prepayment of the charges pt the property described hereon.
			erty described hereon.
			Agent or Cashier.
			(The signature here acknowledges only the amount prepaid.)
			Charges Advanced.
This is cruft that the above across are properly described by name and are packed and marked and are in proper condition for the apportation sporting in repulsions by the Internance Commerce Commission.  If the shipment moves between two ports by a carrier by water, the law requires that the hill define shall state whether it is carrier to shipper a part of Bill of Leding approved by the interestate Commerce Commission.  Support is imprinted in its of starrier as a pair of Bill of Leding approved by the interestate Commerce Commission.  The agree of defined value of the praper of Sherety specifically stated by the shippers to be not accorded by the commission.	n r's weight."	**************************************	C.O.D. SHIPMENT
TUIC CUIDISCO IS CONTROL IN DECENSION OF THE PROPERTY OF THE P			C.O.D. Am1.
The fibre boxes, used for this shipment co form to the specifications set forth in the box goaler certificate thereon, and all other requirements of the Consolidated Freight Classifigation.	Per	Shippe	Total Charges
PUCEL ENTERPRISES, INC. 3744 KELLEY AVENUE, CLEVELAND, OHIO 44114  Shipper, Permanent post office address of shipper	HS Comb	14932 Ager	nt, Per 6/29/29

This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

SOLD TO

69802 ORDER NO. 9045

DATE APRIL 9.	1980	OUR ORDER NO. CUSTOMER'S ORDER NO. TERMS 32547 A15051A OF			· 1% T	S 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	DUFF TRUCK LI	NE, IN		XXXXXX	COLLECT	
ORDERED	MODEL NO.	DESCRIPTIO	N	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1 EA. #PDC-36R	GRIZZLY PORTABLE CAB BENCH WITH FLOOR LOC CYLINDER LOCKS AND K	KS, END STOPS.	-			~		
		GRA	NY .					
			į	:				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.





DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO. 71627

סים דיס





	ER 3, 1980	OUR ORDER NO.  S-493-80	CUSTOMER'S ORDER	R NO.	TERMS 1% TEN DAYS - DA OF INVOICE - NET 30		DATE
SALESMAN		F.O.B, OUR PLANT CLEVELAND, OHIO	R. KUNTZMAN,	INC.		XXXXXXX	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
3 EA.	SPECIAL	GRIZZLY #GT-72SD GARMENT 60" LONG	-	-			
		FINISH; SHOP	GREEN	Ì		<b>SERVE</b>	4
				<u> </u>			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which, said carrier (the word carrier being understood throughout this contract as meaning any person, or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination. If on its routs, otherwise to deliver to another carrier on the route to said destination, and as to each party at any time interested in all or any of said property over all or any of said pr

From PU At CLE	CEL ENTERPRISES, INC. EVELAND, OHIO 44114 SEPTEMBER 3, 18980 BY	DESIGNATE WITH A	να ∏ Shi	pper's	No. 17523
Carrier	R. KUNTZMAN, INC.		· А	gent's l	No
Consigned to					
Destination	Stat	e of		_County \	of
Route				*:4	
Delivering Carrie	rVehicle or C	Car Initial			No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of lading, if this shipment is to be deliver-
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		ad to the consigner without re- course on the consigner, the con- signer shall sign the fathering statement.
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS. ITEM 188560-SUB 4		70		The carrier shall not make de- livery of this shipmen without payment for freight and all other lawful charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		Per sua faterson
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU		150		If charges are to be pre- paid, write or stamp here, To be Prepaid.
	CABINETS, GARAGE OR SHOP ITEM 39340		70		"Io be Prepaid."
3	TRUCKS,S/U W/FIXED BODIES,RACKS, OR FRAME- WORK OTHER THAN NESTED IN BOXES OR CRATES ITEM 188560 SUB 2	198 LBS	150		Received \$ to apply in prepayment of the charges op the property described hereon.
	"M/F; ORDER NO. TT-31515"				Agent or Cashier.
SHIPF	PED FOR: BUCKEYE HANDLING EQUIPMENT COMPANY	(PO#4812)			(The signature here acknowledges only the amount prepaid.)
					Charges Advanced.
This is to certify that the abo cording to regulations by the the shipment moves betwee Shipper's imprints in lieu of NOTE—Where the rate is dep The agreed or declared value of	we articles are properly described by name and are packed and marked and are in proper condition for than particles interstate Commerce Commission.  Interstate Commerce Commission.  I was porte by a carrier by water, the law requires that the bill of lading shall state whether it is carrier as or shipper's water, on a part of bill of lading approved by the interstate Commerce Commission.  See the property of bill of lating approved by the interstate Commerce Commission.  If the property of the property of the brighper to be not exceeding.	veight."		<u> </u>	COD. SHIPMENT
	DRRECTLY DESCRIBED.  † The fibre boxes, used for this shipment conform to the specifications set forth in the box maker certifi-		00	Alyppos .	Collegion / ce
PUCEL ENTERPRISES	Shipper, Per Ma Illuson			Agent	7. Per /

† "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

.s.:

INVOICE NO.

7320

sold to

S H H P T O OPPER NO

DECEMBER 29,	05/29-39			<b>5.</b>	TERMS 1% T OF INVO	EN DAYS - I	DATE BO DAYS
GHANY IV	<del></del>	F.O.B. OUR PLANT CLEVELAND, OHIO	VIA ASSOCIATED  CPAINT SHIPPED VI	A UPS,	K LINES,	INC.	COLLECT
24 EA. #BL 8 EA. #ST 8 EA. #ST 4 EA. #R-	-96 -72	GRIZZLY BENCH LEGS GRIZZLY STRINGERS GRIZZLY STRINGERS RISERS KEYED HANDLE (KEYED HANDLED SHIPPED V ALONG WITH PAINT) SHOP GREEN SPRAY PA (PAINT SHIPPED VIA L	AINT	SHIPPED	UNIT PRICE	TOTAL	EXTENSION


We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.



STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and turiffs in effect on the date of issue of this Original Bill of Lading.

the property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said can the word carrier being understood throughput this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at less than the contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at less than the contract of the property over all or any of said property over all or any o 18567 From DESIGNATE WITH AN (X) **PUCEL ENTERPRISES, INC.** Shipper's No. DEC. 29, 19 80 BY TRUCK FREIGHT Αt CLEVELAND, OHIO 44114 Agent's No.\_ ASSOCIATED TRUCK LINES, INC. Carrier\_ (Mail or street address of consignee — For purposes of notification only.) Consigned to \_ \_County of\_ \_ State of \_ Destination Route\_ Vehicle or Car Initial. **Delivering Carrier** CHECK \*WEIGHT (SUBJECT TO CORR.) DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS CLASS NO. PACKAGES COLUMN 100 TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 70 STEEL RENCH PARTS - KDF ITEM 79920 SUB 2 852 LBS If charges are to be pre-paid, write or stamp here, To be Prepaid." BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUB 1 150 70 CABINETS, GARAGE OF SHOP ITEM 39340 to apply in prepayment of the charges on the prop-erty described hereon. "M/F: ORDER NO. 65729-39" Agent or Cashier.

	n and are packed and marked and are in proper condition for transportation requires that the bill of lading shall state whether it is carrier so a hipper's weight." the Interstate Commerce Commission. It is carrier to a hipper's weight, by the shipper to be not acceeding.	0/29	C.O.D. SHIPMENT C.O.D. Amt
THIS SHIPMENT IS CORRECTLY DESCRIBED.  CORRECT WEIGHT ISLBS.	t The fibre boxes, used for this shumenuc form to the specifications set lock in the box maler terrificate thereon, and all other requirements of Rule 41. Per	ON A	Collection Fee Shipper Total Charges
PUCEL ENTERPRISES, INC. 3744 KELLEY AVENUE, CLEVELAND, OHIO 44114 Permanent post office address of shipper	Shipper, Per July 1	(0)14	Agent, Per

(The signature here acknowledges only the amount prepaid.) Charges Advanced.

t "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.




DESIGNING ENGINEERING DEVELOPMENT :: MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

69252

SOLD GL



MARCH 3,	1980	OUR ORDER	NO. 32164	075-020-0749	. Т	TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN			JR PLANT ELAND, OHIO	AMERICAN FREIGHT	SYSTEM	INC.	<b>%X#X</b> %	COLLECT
QUANTITY ORDERED	MODEL NO.		DESCRIPTIO	ON .	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
4 EA.	<b>#8</b> PDC-36S	GRIZZLY BENCHES	PORTABLE CAE	SINET WORK				
			SH <b>OP</b> GI	REEN		ļ		
	•							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE e classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

below, in apparent good order, except as noted (contents and condition of ontents of packages unknown), marked, consigned, and destined as indicated below, which said a content of the property under the contract agrees to carry to its usual place of delivery due to the contract agrees to carry to its usual place of delivery due to the contract.

om -At	PUCEL ENTERPRISES, INC. CLEVELAND, OHIO 44114  MARCH 3, 19	DESIGNATE WITH A	N (X)  Shipper's	No. 16003
Carrier		(Mail or str	Agent's	No
Consigned to			<del> </del>	<del></del>
Destination_		State of	County	of
Route				
Delivering C		ehicle or Car Initial		_ No
NO. PACKAGE	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	"WEIGHT (SUBJECT TO CORR.)	CLASS CHECK OR RATE COLUMN	Subject to Section 7 of condi- tions of applicable bill of lading, if this miprocent is to be deliver- ed to the consignor without re- course on the consignor, the con- signor shall sign the following
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4		70	The carrier shall not make de- livers of the bapment without payment of freight and all other lawful charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70	Per (Signature of Consignor.)
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUB 1		150	If charges are to be prepaid, write or stamp here, To be Prepaid."
4	CABINETS, GARAGE OR SHOP ITEM 39340	672 LBS	70	- To be Prepaid."
<del></del> .				Received \$
	"M/F: ORDER NO. 075-020-0749"		<del></del>	Agent or Cashier.
	1771. GREEK 1401. 073-020-0745			Per (The signature here acknowledges only the amount prepaid.)
				Charges Advanced.
This is to certify that according to regulation of the shipment move the half the where the rate.	It the above articles are properly described by name and are packed and marked and are in proper condition as by the Interstate Commerce Commission.  It is between two ports by a careful by water the law continues that the bill of lading shall state whether it is can be succeed to the lateralistic Commerce Commission.  It is dependent on value, shippers are required to state specifically in writing the agreed or declared value of divided the property is hereby specifically stated by the shipper to be not exceeding.	or thansportation  Trie 's or shipper's weight."	<u> </u>	C.O.D. SHIPMENT
	IS CONTROL !			C.O.D. Amt
CORRECT WEIG	the specifications set forth in the box mai	colform to er certification will be considered to the certification of kule 41.	Jut - 14	Total Charges
PUCEL ENTERP 3744 KELLEY AV Permanent post of	PRISES, INC. VENUE, CLEVELAND, OHIO 44114 Shipper, Per An OULD office address of shipper	un Bill	UM BAGE	, For
† "This is to ce according to the	ertify that the above named articles are properly classified, described, p he applicable regulations of the Department of Transportation.	ackaged, marked and labeled, and a	are in proper condition	for transportation,



- שסים דס

### ENTERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

72142

S H P O ORDER NO.

L					9513	022	
OCTOBER 9, 1980		OUR ORDER NO.			TERMS 1% T OF INV	OATE O DAYS	
SALESMAN	. 3, 1300	F.O.B. OUR PLANT CLEVELAND, OHIO	GEO. RIMES TRI		COMPANY	<b>X*X*X</b>	COLLECT
QUANTITY	MODEL NO.	DESCRIPTIO	N	QUAN- SHIPPED	UNIT PRICE	TOTAL	EXTENSION
EA.	SPECIAL	GRIZZLY #BS-2436 W 34" HIGH WITH 28" BETWEEN LEGS 2008	CLEARANCE				
EA.	SPECIAL	GRIZZLY #BS-2448 W 34" HIGH WITH 28" BETWEEN LEGS	CLEARANCE				
		SHOP 6	GREEN				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

## STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE and tariffs in effect on the date of issue of this Original Bill of Lading.

SULTIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

The property described below, in apparent good ordered, except as noted (contents and condition of outsites of packages unknown), marked, consigned, and destined as indicated below, the property of the contract as meaning any person or corporation in possessing of the property under the contract) agrees to carry to its usual place which said carrier destination, if on its route, otherwise to deliver to another carrier the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of comments (straight Bill of Lading age forth (1) in Official, Southern, Western and Illinous Freight Classifications in effect on the date hereof, if this is a real or a rail-water abigment.

Shipper bereby certifies that he is familiar with all the terms and conditions of the contraction of the date hereof, if this is a rail or a rail-water abigment, or (2) in the applicable

From Pl	UCEL ENTERPRISES, INC. EVELAND, OHIO 44114 OCT. 9, 1980	DESIGNATE WITH A	N (X)		No. 17885
Carrier	GEO. RIMES TRUCKING COMPANY	TRUCK FREIGHT			
Consigned to	6	(Mail or str	A per address of co	gent's	No or purposes of notification only.)
Destination		State of	- <u>-</u>	_County	of
Route		<u> </u>	₹		•
Delivering Carri	ierVehicle	or Car Initial			Nie
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	"WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	No.  Subject to Section 7 of condi- tions of applicable bill of lading.
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		if this shipment is to be deliver- ed to the consigner without re- course on the consigner, the con- signer shall sign the following
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4		70	<u> </u>	signer shall sign the following statement.  The moving thall no make delivery of the shipment without perment of freight and all other will charge.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		Paral etison
6	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU	654 LBS	150		(Signature of Sonsignor.)  If charges are to be prepaid, write or stamp here, To be Prepaid.
	CABINETS, GARAGE OR SHOP ITEM 39340		70	<u>-</u>	To be Prepaid."
				-	Received \$to apply in prepayment of
	"M/F: ORDER NO. 9513022"				to apply in prepayment of the charges pp the prop- erty described hereon.
				-	Agent or Cashier.
			٠.		(The signature here acknowledges only the amount prepaid.)
				,	Charges Advanced.
to certify that the ab- ing to regulations by the simple of moves betwee Simpper's imprints in lieu of NOTE—where the rate is der The agreed or declared value	one articles are properly described by name and are packed and marked and are in proper condition or binsports to interstate Commerce Commission.  In the property of a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shifted part of bill of Lading approved by the interstate Commerce Commission.  It is a property to be a property of the property of the property is hereby specifically stated by the shipper to be not exceeding.	ation pper's weight."	<del></del>		C.O.D. SHIPMENT
THIS SHIPMENT IS CO	† The fibre boxes, used for this shipmen conform the specifications set forth in the box makers confi			Shipper	Collection Fee
rermonent post office	S, INC. E, CLEVELAND, OHIO 44114 Shipper, Person 1 steps	5 (M) (	Pm	2 M/9811	J-80
† "This is to certify according to the ap	that the above named articles are properly classified, described, packaged plicable regulations of the Department of Transportation.	, marked and labeled, and a	re in proper	condition	for transportation,

. .

# PRODUCTS

# PUCEL ENTERPRISES



lame	Marsh		Equipment
hone	Wire	Verbal	
1	1 12-23-80 Cust. Or	der No. 65729-39 Tak	en By + C
old To		0.	
hip To_		Order No	Dept. No.
			Via
Quantity Ordered	AR	TICLE	Price
03 PS	BL-34		
		<del></del>	
800	ST-96		
0	- 0.3		
850	ST. 72		DEC 2 3 1980
Yea	R-72		Date Received
			Shop Number Weight
ایره	Spray Can of Shop	Green	Resting
			Prepaid Coffect
ا د ا	Keyo Hardle		Price Per Unit
	<b></b>		Fetal
			Het
	(5h.p.	gross)	Ba Acta
			O3 2pm

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

From	PUCEL ENTERPH S. 1 Sec.	DateDEC	EMBER 2	0. 19	82
<b>A</b>	CLEVELAND, OFTE By	TRUCK FREIG		hipper's	No
				Agent's	No
parish of cor- sold property set familier with familier with counted for him	fereined before, I opposed good under except or noted fereiners and conditions of creating of purhays indicately, marked, analyzed the service of the conditions of the condit	(4), and deflined as bedieger? below, which is, otherwise to delive a to complete agree only device to be preferred between ship of the control of the preferred between ship if the 121 to the upolition and only of the control of the preferred between the transportation of title ship.	suid envier like ward on the apple is said dress  in a high to all the tess  ficulties or lacil if the  only and the auid term	verfor living un fers netizes. It is musuall ns mail conficient a s fs sy matrix constru s and consisters as	land Primorbins this amotives as meaning any groups, in the each considerate of the enemy of the Orléan Coursell Smelph BH of the fing objections, Subject hereby quantities, that he is therefor reprod to by the objects and one
Consigned to					PURPOSES OF NOTIFICATION ONLY
Destination_ Route		State of		County	of
Delivering C	arrierVehi	icle or Car Initial			No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of Canditions of applicable bill of lading, if this
	TRUCKS NORPAL SIGNSTON AND THE STORY				shipment is to be delivered to the consigned without recourse on the the following statement:
1 CTN	TRUCKE-ROTHART NOT A STAKES ON STOOMS A	144 LBS			The carrier shall at make delivery of this shipment without payment of freight and all other lawful charges.
	STEEL BENCH PARTS OF THE STATE OF THE		725		(Signature of Consignor)
	BENCHES WORK NOW LETTER TO THE TRANSPORT OF THE TRANSPORT		ι.		If charges are to be prepaid, write or stamp here, "To be Prepaid."
· ·	CABINETS, GARAGE OR SHOW THE TRUCK, S/U W/FIXED BODIES, RACKS/FRAMEWORK,		' '		"TO BE PREPAID"
1 CTN	OTHER THAN NESTED-ITEM 188560 SUB 2	275 LBS	150		Received \$
ti_T	AG: P.O.#ZAT-679560A & ZAT-679570A''	419 LBS.TO	TAL WEI	GHT	on the property described bereon.
					Agent or Cashier
intal : eres 2					(The signature here acknowledges
al, of the Consolidation of the Consolidation of the Consolidation of the superior of the supe	used for this shipment conform to the specifications set forth in the box maker's cated Freight Classification.  I that the above articles are properly described by name, and are packed and matter that the ship of the state of the specification of the state of the specification and the specification of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the specification of the state of the specific of the state of the state of the specific of the state of	certificate, thereon, and sig- partied and are in proper of shall state whether it is easi merce. Compilesion.	other remired condition for t riers or allupe	निर्धा करियोत् auropare (for torrespec	C. O. D. SHIFMENT
HIS SHIPME	clared value of the property is hereby specifically stated by the shipper to be not NI IS CORRECTLY DESCRIBED.	t exceeding		go::V. =-7	C. O. D. Arit
	I IS	Per		Shipper	Total Charges
	Tushings Stope	£	(T. ( V/))	Λ /	9 98 85 ( . 1
		Str. Per	(V) = &	12517 (1	14/11/2
· crmanent post-off	ce address of elitpper.	<i>6</i> 9	कु <sup>क</sup>		




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO. **7326**3





JANUARY 5, 1981 34854  SALESMAN F.O.B. O		OUR ORDER NO.	CUSTOMER'S ORDER N	0.		EN DAYS - DICE - NET 3	
		F.O.B. OUR PLANT CLEVELAND. OHIO	ASSOCIATED TR	UCK LIN	ES, INC.	&X#XX	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTI	ON	GUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
EA.	#PC-36R	GRIZZLY PORTABLE C BENCH WITH CYLINDE		7	``.		<b>V/Page</b>
		SHOP	GREEN				

Gereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, equilations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE
RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of contents of pack-ress uniform), marked, consigned, and destined as indicated below, which said or a word carrier being understood throughout this contract as meaning any person or corporation in possession of the proptery under the contract) agrees to carry to its usual place of delivery a stimation, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any of said property over all or any of said property over all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the UP comments. Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Preight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the application of the subject hereby certifies that he is familiar with all they from a conditions of the all the subject hereby certifies that he is familiar with all they from a conditions of the subject hereby certifies that he is familiar with all they from a conditions of the subject hereby agreed to by the shipper and accepted for himself and his assigns. From PUCEL ENTERPRISES, INC. CLEVELAND, OHIO 44114 18618 DESIGNATE WITH AN (X) JAN. 5, 19 81 BY TRUCK FREIGHT At Shipper's No. ASSOCIATED TRICK LINES

Carrier	ASSOCIATED TRUCK LINES, INC.	(Mail or stre			No
onsigned to				•	
estination	Sto	ate of		_County	of
oute					
elivering Carrie	PrVehicle orVehicle orVehicle or	Car Initial			No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of condi- tions of applicable bill of lading if this shipment is to be delive
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		ed to the emaignee without in nourse on the consigner, the con- signer aball nice the following
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		statement. The carrier shall not make divery of this shipment without payeful ad fright and all other award charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		Pe Sun Jolerson
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		If charges are to be pre- paid, write or stamp here, To be Prepaid."
	CABINETS, GARAGE OR SHOP ITEM 39340		70	]	l
6	CABINETS, STEEL, WHEELED  ITEM 39460	684 LBS	85		Received \$ to apply in prepayment of the charges on the prop- erty described hereon.
	''M/F: ORDER NO. AP45660"				Agent or Cashier.
					(The signature here ackno edges only the amount prepa
				1	Charges Advanced
This is to certify that the ab- occurring to regulations by it If the shipment moves betwee Shipper's imprints to lieu of	power articles are properly described by name and are packed and marked and are in proper condition for thansportation he interstate Commerce Commission. He law requires that the bill of lading shall state whether it is carrier's or shipper at lamp, not a part of Bill of Lading sporved by the Interstate Commerce Commission.  Set along, not a part of Bill of Lading approved by the Interstate Commerce Commission. The part of Bill of the Lading sporved by the Interstate Commerce Commission of the Commerce of the Lading sporved by the Lading to the Commerce Commission. The Commerce Commission of the Commerce Com	's weight."	14/	4	C.O.D. SHIPMENT
			OF	<u> </u>	C.O.D. Amt
	CORRECTLY DESCRIBED.  † The fibre boxes, used for this shipment could form to the specifications set forth in the box maker certificate thereon, and all other readments of the Consolidated Freight Classification.	Per	THE	Shipper	Collection Fee
PUCEL ENTERPRISE			Ma.	Agen	t, Per

Permanent post office address of shipper † "This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

_	•		_		INV	OICE NO.	4487
SOLD TO			- 8H−₽. +O		-		
PATE		OUR ORDER NO.	CUSTOMER'S ORDER NO	o.	TERMS		
ARCH 3	1, 1981	35839	26642-LA	ŀ	1 %	TEN DAYS - I	DATE
OUANTITY ORDERED	<del></del>	F.O.B, OUR PLANT CLEVELAND. OHIO	AMERICAN FREIGHT	SYSTEM	-	XXXXX	
ORDERED	MODEL NO.	DESCRIPTIO		OVAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
. <b>EA.</b>	#C-2436-K	GRIZZLY TOOL CABINE	T BENCH				
		SHOP GREEN					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, 1 of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

STRAIGHT BILL OF LADING — SHOKI FORM — OKIGINAL — NOI NEGUTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the property described below. In apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agreed to carry to its usual place of delivery as said destination, if on its route, otherwise to deliver to another carrier on the route to said containation. It is in mutually agreed, as to each carrier of all or any of said property over all or any of said pr

From PUCEL ENTERPRISES, INC. DESIGNATE WITH AN (X) 1943 MARCH 31. 19 81 BY TRUCK FREIGHT Αt Shipper's No. CLEVELAND, OHIO 44114 AMERICAN FREIGHT SYSTEM, INC. Carrier\_ Agent's No.\_ Consigned to \_ Destination \_\_\_\_County of\_\_ State of \_\_\_ Route\_ Delivering Carrier. Vehicle or Car Initial. NO. PACKAGES DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS \*WEIGHT (SUBJECT TO CORR.) CLASS CHECK TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 100 TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4 70 STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 70 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUB 1 150 CABINETS, GARAGE OR SHOP ITEM 39340 70 1 CTN 160 LBS Received \$ \_\_ to apply in prepayment of the charges on the prop-erty described hereon. M/F: ATTN- OPERATING STAFF - OP TABLE Agent or Cashier. #4 SHIFT --- ORDER NO. M56907" (The signature here acknowledges only the amount prepaid.) Charges Advanced. This is to certify that the above stricted for more than the second and the packed and marked and are in proper condition for the condition of the support o C.O.D. SHIPMENT C.O.D. Amt. THIS SHIPMENT IS CORRECTLY DESCRIBED. t The fibre boxes, used for this shipment conform to the specifications set forth in the box maker certifi-cate thereon, and all other requirements of the of the Consolidated Preight Cassification. Collection Fee Total Charges \_ CORRECT WEIGHT IS \_ PUCEL ENTERPRISES, INC. 3-31-8

Permonent post office address of shipper

"This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

Shipper, Per

3744 KELLEY AVENUE, CLEVELAND, OHIO 44114



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

73475

ORDER NO.

17152

	·				1/1	152		
JANUARY 22, 1981		OUR ORDER NO. 35087	CUSTOMER'S ORDER	CUSTOMER'S ORDER NO.		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	PRESTON TRUC	KING COM	PANY	*K#XX	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRI		GUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1 EA.	<b>1</b> √8-3684	GRIZZLY VERTIC	AL BAR RACK					
			SHOP GREEN			-		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Lebor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

the purperty described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said the purperty indicated throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to early to its usual place of delivery to the destination. It is mutually agreed, as to each carrier of all or tary of the property of the contract of all or tary of the property of the property of the contract of all or tary of the property over all or any portion hertic Straight Bill of Lading set forch at only time interested in all or any of axid property, that every service to be performed hereunder shall be subject to all the property over all the property of the property of the property of the property of the property of the property of the property over all the proper

From At	PUCEL ENTERPRISES, INC. CLEVELAND, OHIO 44114  JAN. 22, 19 81 BY	DESIGNATE WITH	CL CL	ipper's 1	18753
Carrier				 \gent's h	No
Consigned t	to_	(Mail or st	reat address of a	onsignee — For	purposes of notification only.)
Destination.	Sto	ate of		_County o	of
Route				_	
Delivering C	CarrierVehicle or	Car Initial			No
NO. PACKAGE	DESCRIPTION OF ARTICLES SPECIAL	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Rubinet to Section 7 of souli
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		tions of applicable bill of lading, if this shipment is to be delivered to the consignor without recourse on the consignor, the consignor shall sign the following
	TRUCKS-NOFHAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4		70		statement: The carrier shall not make de- livery 50; this shipment without payment at freight and all other lawful charges.
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		Para Leterson
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU		150	<del>  -  </del>	(Signature of Consignor.)  If charges are to be pre-
	CABINETS, GARAGE OR SHOP ITEM 39340		70	<del>                                     </del>	paid, write or stamp here, To be Prepaid."
1	TOOL RACK, IRON/STEEL- ITEM 164650 SUB 1	110 LBS	100		Received \$  to apply in prepayment of the Charges on the property described hereon.
	"M/F: ORDER NO. 17152"			1	Agent or Cashier
		<b>4</b>	-		(The signature here acknowledges only the amount prepaid.)  Charges Advanced.
1 This is to matifu the			1.	<u> </u>	<u> </u>
according to regulation  If the shipment move Shipper a imprints in NOTE—Where the rai The agreed or declared	it the above articles are properly described by name and are packed and marked and are in proper condition or thansportation as by the Internstate Commerce Commission.  In the Internstate Commerce Commission is between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier or shipper's in ten of stamp; not a part of bill of Lading approved by the internstate Commerce Commission whether it is carrier or shipper's to a dependent on value, shippers are required to state profileship in writing the agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding.	weight."	14		C.O.D. SHIPMENT
THIS SHIPMENT	IS CORRECTLY DESCRIBED.  † The fibre boxes, used for this shipment cosform to the specifications set forth in the box maker's certifi-		1/9		C.O.D. Amt.  Collection Fee.  Total Charges
Permanent post a	PRISES, INC.  VENUE, CLEVELAND, OHIO 44114  Shipper, Petra Literson  office address of shipper		7	Agent,	Per
"This is to ce according to th	rtify that the above named articles are properly classified, described, packaged, ma he applicable regulations of the Department of Transportation.	rked and labeled, and a	re in proper	condition fo	or transportation,




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

73311

ח מסיים דס



ORDER NO.

0G-3147-NJ

L			_		00			
DATE		OUR ORDER NO. \$-689-80	CUSTOMER'S ORDER NO. D 15932		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
LESMAN	9, 1981	F.O.B. OUR PLANT CLEVELAND, OHIO	PUTNAM TRANSFER	& STO	RAGE CO	₽ <b>X</b> ŧ <b>X</b> ↓X	COLLECT	
ANTITY	MODEL NO.	_ <u></u>	IPTION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
O EA.	SPECIAL		BENCH LEGS -2 BENCH DRAWER	100 50				
SPECIAL SPECIAL		UNITS GRIZZLY #SH-60 GRIZZLY #ST-60	) SHELVES ) STRINGERS	50 50				
		SPECIAL PAINT	WILL BE SENT IN					
					- I do E	is Labor Standars	ds Act. as o	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE CLEVELAND, OHIO, U.S.A. 44114 AREA CODE 216 881-4604

INVOICE NO.





834 /6

ORDER NO.	ZAT-679560A
-----------	-------------

DECEMBER 20, 1982		OUR ORDER NO. 41798	CUSTOMER'S ORDER	CUSTOMER'S ORDER NO. 5065		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN	1	F.O.B. OUR PLANT CLEVELAND, OHIO	CAMPBELL "66" EXPRESS,		INC.	PREPAID	X30006CX	
OHDERED	MODEL NO.	DESCRIPT	ON	GUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1 EA.	PT-3460	GRIZZLY PLATFORM TRUCK	WITH 8" RUBBER					
			GRAY					
		Fut. Chap 121 Sin	, # 835E7					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE CLEYELAND, OHIO, U.S.A. 44114 AREA CODE 216 881-4604

INVOICE NO.

SAME

SAME

SAME

ORDER NO.

			<del></del>				
DATE SEPTEMBER 14, 1982 SALESMAN		OUR ORDER NO.	#0976 35057 F.O.B. OUR PLANT		1% TEN DAYS - DATE OF INVOICE - NET 30 DAY		
		F.O.B.					COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPT		QUAN. SHIFFED	UNIT PRICE	TOTAL	EXTENSION
EA.	GW-3696	GRIZZLY HARD MAPLE TO	P\$				
EA.	GH-3648	GRIZZLY HARD NAPLE TO	PS				
		5			1		
•	•		¥				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. SEPTEMBER 13. 1982 PUCEL ENTERPRISES, INC. Date From DESIGNATE WITH AN (X) 4940 Shipper's No. By TRUCK FREIGHT | CLEVELAND, OHIO 44114 Agent's No. MC LEAN TRUCKING COMPANY .Company MAIL OR STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY Consigned to County of Destination Route Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Vehicle or Car Initial CHECK Delivering Carrier. CLASS WEIGHT (SUBLECT TO CORR.) DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS OR RATE NO. PACKAGES 17H00 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED SHARE CARE FRACTION 79920 SUB 1.

CABINETS, GARAGE OR SHOP ITEM TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 ma Lettrasn charges are to be prepaid, write tamp here, "To be Prepaid." 150 70 iteceived \$
to apply in prepayment of the charges
on the property described hereon. 520 LBS 55 BUTCHER BLOCK TOPS- ITEM 24120 SUB 5 **PKGS** Agent or Cashier "TAG FOR: P.O. NO. 35057" Per (The signature here acknowledges only the amount prepaid.) Charges Advanced: Pieces 5

The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Freight Classification.
This is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the interstate Commerce Commission.

If the shipment moves between two ports by a carrier by wester, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight.

If the shipment moves between two ports by a carrier by wester, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight.

Shipper's imprints in liteu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission.

OUTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

THIS CUIDMENT IS CORDECTIVE DESCRIPT. C. O. D. SHIPMENT C. O. D. Amt. Collection Fee\_

PUCEL ENTERPRISES, INC.

Permanent post-office address of shipper.

CORRECT WEIGHT IS\_

THIS SHIPMENT IS CORRECTLY DESCRIBED.

3746 Kelly Avenue, Cleveland, Ohio 44114

LBS.

Agent Shipper terson Per

CONFIDENTIAL

Tatal Charges.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

81602



₩H-₽ +0 -

ORDER NO.

ATE 26,	1 982	OUR ORDER NO. 40553.S-2220. S-2221-	CUSTOMER'S ORDER NO		TERMS 1% TEN DAYS - D OF INVOICE - NET 30			
ALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	PICK UP	SK.		RP5RALD	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	N	GUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
EA.	FCD-2839	GRIZZLY FILING CABIN	ET DESK					
EA.	SPECIAL	GRIZZLY WORK BENCHES 35 3/8" HIGH, 3/8" P						
■.	SPECIAL	GRIZZLY "F" STYLE WO 48 X 96 X 36"OAH, 2	RK BENCH,					
			RAY					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE . CLEVELAND, OHIO. U.S.A. 44114 . AREA CODE 216 881-4604

**DELIVERY RECEIPT** 





			<u> </u>	RDER	NO.		
DATE		OUR ORDER NO. 40553	CUSTOMER'S ORDER NO	<del></del>	TERMS	<del></del>	<del></del>
JULY 22	1982	S-2220-82 & S-221-82			1		
SALESMAN		F.O.B.	VIA			· · ·	
		<u> </u>	PI	CK UP		XXXXXXX	(XXXX <b>%%(X)XX</b>
ORDERED	MODEL NO.	DESCRIPTIO	N	QUAN, SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA.	FCD-2839	GRIZZLY FILING CABINET	DESK				
6 EA.	SPECIAL	GRIZZLY WORK BENCHES, 30 HIGH, 3/8" PLATE TOP (Q					
1 EA.	SPECIAL	GRIZZLY "F" STYLE WORK   X 36" OAH, 2 STIFFENERS (QUOTE 20356)	BENCH, 48 X 96 X UNDER TOP				
		GRAY					
		REC'D BY Howeld	uilla				



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

901D FO

83524 ORDER NO.

DECEMBER 22, 1982		OUR ORDER NO. 41840	CUSTOMER'S ORDER NO.		TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	PRESTON TRUCK	THE COMP		-		
ORDERED	MODEL NO.	DESCRIPT		OUAN. SHIPPED	<del></del>	X0000006	COLLEC	
2 EA.	HLTT-36-2	GRIZZLY HYDRAULIC LIFT	TOP TABLES	SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
			ORANGE					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

From	PUCEL ENTERPRISES, INC.			<u>, 19_82</u>
At	CLEVELAND, OHIO 44114 By	DESIGNATE WITH	• •	inner's No. 5416
-,	TON TRUCKING COMPANY Company	<u>'</u>		Agent's No.
the property of person of they said property sar feeth (1) I familiar with optical for him	described below, in apparent good order accept on mond quotests and amilliance of contents of pushages technically, mortaed, assumed in passacion of the property under the aminoral garges to carry to its seaso place of dubbery as and described passacions. If our lives the property described to the prope	algored, and destined as indicated below, which rests, otherwise to delive to enterhal continue and to overy section to be performed betweender shall to mart, or [2] in the applicable major content of the first performance of this ships.	mid earlier (the word corr t the roots to said decime to subject to all the terms difficultion or turiff if this is not, and the said turns o	ier being understand theresphend this construct on meaning any inc. It is motivally agreed, as to work natural or id are say all and assettlemen of the theform Domestic Sortegland Sid of Leiding a proteir carrier Johnson Schopen havely modified that the fig. and assectlemen are hearty organized to by the chapmen and say
Consigned to		(MAIL OR STREET ADD	RESS OF CONSI	BNEE-FOR PURPOSES OF NOTIFICATION ONLY
Destination_		State of		County of
Route				
Delivering Co	arrierVe	ehicle or Car Initial		No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK Subject to Section 7 of Condition of applicable bill of lading, if this shipment is to be delivered to the
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	consignee without recourse on the the following statement:  The carrier shell not make deliver:
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS-ITEM 188560-SUB 4		70	The carrier shell not make delivery of this shipment without payment of freight and all other lawful charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70	(Signature of Consignor)
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 78920 SUB 1		150	If charges are to be prepaid, write or stamp here, "To be Prepaid."
	CABINETS, GARAGE OR SHOP ITEM 39340		70	
2 CTNS	LIFT TRUCKS, HAND - ITEM 189240	720 LBS	85	iteceived \$to apply in prepayment of the charge
	"TAG: ATTN; SERVICE DEPOT, DOCK 8, P.O	. #79187"		on the property described hereon.
				Agent or Cashier
of 2	"PART LOT OF 3 SHIPMENTS, 12/22/82"			(The signature here acknowledger only the amount prepaid.)
according to regula If the shipment t Shipper's impri NOTE—Where the	used for this shipment conform to the specifications set forth in the box maker lated Freight Classification.  y that the above articles are properly described by usme, and are packed and attens prescribed by the Interstate Commerce Commission.  mores between two ports by a carrier by water, the law requires that the bill of Indinat in lieu of stamp; not a part of Bill of Lading approved by the Interstate Ce rate is dependent on value, shippers are required to state specifically in write telared value of the property is hereby specifically stated by the shipper to be	ng shall state whether it is car commerce Commission.	other requirement condition for tra- rier's or shipper' due of the prop	Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced: Charges Advanced:
THIS SHIPME	NT IS CORRECTLY DESCRIBED.			Shipper Shipper
CORRECT WEIGHT	T ISLBS.	Per		Total Charges
	ITERPRISES, INC. Shipper  Avenue, Cleveland, Ohio 44114 Per  Per	erson per		12/2/8-
	lce address of shipper.	<del></del>		(J






DESIGNING Engineering Development Manufacturing

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

81348





DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO	o.	TERMS	TEN DAVE I	DATE
JULY 6, 1982 40446		G35066A	G35866A		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	VIA			INCPREPAID	<b>cοΧί∕€Χ</b> τ
OUANTITY ORDERED	MODEL NO.	DESCRIP		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA.	PDC-36R	GRIZZLY PORTABLE CA-ELOOR LOCK, END ST E CYLINDER LOCKS	OP, KEYED HANDLE				
		GRA					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.





DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

07519-3

INVOICE NO.





<u> </u>				-			
OEMBER	29, 1983	OUR ORDER NO. 45471	CUSTOMER'S ORDER NO. 59593		1% TEN DAYS - DATE . OF INVOICE - NET 30 DAYS		
ALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	CAROLINA FREIGHT		R CORP_	X0000X	X COLLEC
UANTITY	MODEL NO.	DESCRIPTION	ON	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
EA	SC-5242	GRIZZLY STOCK CART WIT DRAMER UNITS WELDED SI SIDE WHEN STANDING AT	DE BY SIDE, RIGHT				
			BROWN				
						<u> </u>	
					<u></u>		le Ast ex smand

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ON RETURN SHIPMENTS, Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. From PUCEL ENTERPRISES, INC. 19 83 DECEMBER 29, Cate... DESIGNATE WITH AN (X) Αŧ 4833 CLEVELAND, OHIO 44114 By TRUCK FREIGHT Shipper's No. CAROLINA FREIGHT CARRIER CORP By. .Company Agent's No. be coreer constitution or tailf if this is a natur parties shipment, Salpar hoolly suffice of this shipment, and the sale terms and conditions are hereby against to by the ship MAIL OR STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY Consigned to Destination. County of YORK State of Route\_ **Delivering Carrier** Vehicle or Car Initial Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the the following statement: The carrier shall not make delivery of this shipment situlut payment of the consignee of the shipment situlut payment of freight and all other lawful charges. NO. PACKAGES DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS WEIGHT (SUBJECT TO CORR.) CLASS CHECK OR RATE COLUMN TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 1 CTN 96 LBS 1100 TRUCKS-NOI-HAND W/PLATFORMS. W/O STANDING ENDS. SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 70 Leterso STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 (Signature of Consignor) 70 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU If charges are to be prepaid, write or stamp here, "To be Prepaid." ITEM 79920 SUB 1 550 CABINETS, TOOL WIDRAWERS, STEEL. WHEELED - ITEM 39460 Received \$ to apply in prepayment of the charges on the property described hereon. Agent or Cashler Fixes 1 The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Freight Classification. This is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the Interstate Commerce Commission. If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. Shipper's imprints in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission. NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding C. O. D. SHIPMENT C. O. D. Amt.\_\_ THIS SHIPMENT IS CORRECTLY DESCRIBED. Collection Fee\_ Shipper CORRECT WEIGHT IS\_ Total Charges

Agent

Per

Shipper

Daw

PUCEL ENTERPRISES, INC.

Permanent post-office address of shipper.

3746 Kelly Avenue, Cleveland, Ohio 44114




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.

88639





DATE DECEMBER	8, 1983	OUR ORDER NO. S-3398-83	ZL0280  VIA  BOWMAN TRANSPORTATION		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO			INC.	XXXX900X	TOLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTION	N	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
2 EA	SPECIAL	GRIZZLY HDSC-3672-4 STO	RAGE CABINETS				
			GRAY				

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

	CEL ENTERPRISES, INC.	Date		3ER 8,19	
∖t cu	WELAND OHIO 4414	DESIGNATE WITH			4598
		TRUCK TREE	энт 🔲 💢	Shipper's	No
	TRANSPORTATION INC. Company			Agent's	No
the preparty of persons of city and property are forth (1) femiliar with	surified below. In apparent good order except on noted (entents and smallisms of controls of puckages unknown), merical, complements in preserving of the preservity under the controls of puckages unknown), and destination if on its control of the	mail destined as indicated below, which atherwise to deliver to another receiver or the state of the performed becames shall or [2] in the applicable makes select to governs the transportation of this year	smill content jobs when his line thanks to smill de- by subject to all the his his faction or landf of t main, and the send too	f carrier being understa stimution. It is mornally cross and conditions of this is a motor conser- ions and conditions are	and throughout this contract or amouning any agreed, as he work contact of all or early of the Uniform Demonster Straight Bill of Lading hispanish, Shipper bereity cartifies that he lephanets, Shipper bereity cartifies that he lephanets contact on the shipper and other contacts on the shipper and other straights.
Consigned to		(MAIL OR STREET AD	DRESS OF CON	ISIGNEE-FOR	PURPOSES OF NOTIFICATION ONLY
estination_		_State of		County	of
loute				<del></del>	
Pelivering Co	urrierVehic	:le or Car Initial_			No
NO. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of Condition of applicable bill of lading, if this shipment is to be delivered to the consignce without recourse on the
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		ithe following statement:
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. SIDES, STAKES OR STDSITEM 188560-SUB 4		70		The carrier shall not make deliver of this shipment without payment of freight and all other lawful charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		(Signature of Consignor)
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUB 1		350		If charges are to be prepaid, write or stamp here, "To be Prepaid."
	CABINETS. TOOL W/DRAWERS. STEEL, WHEELED - ITEM 39460		85		
2 SKIDS	CABINETS, NOI, METAL-O/T FURNITURE	1330 LBS.	110		Received \$ to apply in prepayment of the charge
	TAG; P.O. #2L0280				on the property described hereon.
		<b></b>			Agent or Cashier
otal 2			<u>-                                    </u>		Per (The signature here acknowledge only the amount prepaid.)
The fibre boxes , of the Consolidate is to certif	used for this shipment conform to the specifications set forth in the box maker's clated Freight Classification.  7 that the above articles are properly described by name, and are packed and motions prescribed by the Interstate Commerce Commission.  moves between two ports by a carrier by water, the law requires that the bill of lading a nits in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commercial is dependent on value, shippers are required to state specifically in writing clared value of the property is hereby specifically stated by the shipper to be not	arked and are in proper	condition for	transportation	is
	NT IS CORRECTLY DESCRIBED,			Shipper	Collection Fee
ORRECT WEIGH	T ISLBS.	Per			Total Charges
3746 Kell	TERPRISES, INC.  y Avenue, Cleveland, Ohio 44114  Per Maries of shipper.	Agent Per	ralk	<u>(2</u>	12-8-83

CONFIDENTIAL Z 577



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

08485-6

INVOICE NO.

8899:





DECEMBER 30, 1983 SALESMAN		OUR ORDER NO. CUSTOMER'S ORDER NO. 45452 A-71777440		10.	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
QUANTITY	·	F.O.B. OUR PLANT CLEVELAND. OHIO	ASSOCIATED TRUCK	LINES		X00000X	COLLECT
ORDERED	MODEL NO.	DESCRIP		QUAN. SHIPPED	UNIT PRICE	TOTAL	
1 EA	PC-48R	GRIZZLY PORTABLE CABI	NET WORK BENCH		- Met	TOTAL	EXTENSION
			SHOP GREEN	1			
347. 1							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, ON DETURN STANDARD

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Laging. DECEMBER 28 PUCEL ENTERPRISES, INC. DESIGNATE WITH AN (X) CLEVELAND, OHIO 44114 Ву TRUCK FREIGHT Shipper's No. ASSOCIATED TRUCK LINES, INC. Company Agent's No ASSOCIATED TRUCK LINES E HOTIFICATION ONLY IMAIL OR STREET ACON Consigned to. 810~431567 estination. .toute Vehicle or Car Initial Pulivering Carrier SHIPPER COPY Subject to Section of applicable Life of shipment is to be consigned without CHECK DESCRIPTION OF ARTICLES, SPECIAL \*WEIGHT CLASS NO. PACKAGES MARKS AND EXCEPTIONS (SUBJECT TO CORR.) OR RATE COLUMN shitman are considered without recount considered without recountry the following statement. The carrier cheff with main between of firefant and all throat before confired and all throat TRUCKS-NOTHAND WISTANDING ENDS HEM 188560 SUB 3 გად TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING SIDS 70 🖟 SIDES, STAKES OR STOS, ITEM 188560-SUB 4 STUEL BENCH PARTS - KOF TEM 78920 GOD 2 70 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 52/920 SUB 1 a 50 CABINETS, TOOL WIDRAWERS, STEEL, 247 LBS CTN WREELED - ITEM 39460 \*\*\* 85 70 100 LBS licectved \$. to apply in prepayment of the charges on the property described barren. CABINET,GARAGE/SHOP- ITEM 39340 CTN OTAL WEIGHT) 347 LBS. Agent or Castar: "TAG: P.O. NO. A-71777440 & A-71598820" (The signet no here lettered of only the amount prepaid) force 2 The fibre berry used for this shipment conform to the specifications get forth in the box maker's certificate thereon, and the other requirements of Yadie of the Consolidated Treight Classification. It is to certify that the above articles are properly described by name, and are packed and marked and are in project condition for transpertation in to regulations pracefuled by the Interstate Commerce Commission. It is the certify that the above active by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper; weight a support in the parts by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper; weight the project is in the parts by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper; weight to obtain the law of the project weight approved by the Interests Commerce Canadasium. The required or destared value of the property is hereby specifically a shall be not exceeded or declared value of the projects. Shipper count Cincress Advance C. O. D. SHIPHOUS C. O. D. Anti-\_ Collection for Experiences THIS SHIPMENT IS CORNECTLY DESCRIBED.

Agent

Shipper

Por Zica

CORRECT WEIGHT IS\_\_\_\_\_

PUCEL ENTERPRISES, INC.

i'e rmanant pent-effice address of thipper.

9765 Kelly Avenue, Cleveland, Ohio 4484

....LB\$.

A CHARLE CONTRACTOR OF ME SALARING



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING


3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

08663-8

INVOICE NO.

88823





DECEMBER 19, 1983 SALESMAN		OUR ORDER NO. CUSTOMER'S ORDER N 45331 998		) <b>.</b>	TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA CENTRAL TRANSPORT			XXXXXXX	COLLECT
ORDERED	MODEL NO.	DESCRIPTION		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
EA	CRA-96	GRIZZLY CRADLE TRUCKS	WITH RUBBER WHEELS	2			
		PAINT; 1 ORAN 1 GRAY		ļ '			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, d of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

19 83 Date DECEMBER 19. 4747 PUCEL ENTERPRISES, INC. DESIGNATE WITH AN (X) Shipper's No. TRUCK FREIGHT CLEVELAND, OHIO 44114 Agent's No. Company CENTRAL TRANSPORT MAIL OR STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY Consigned to\_ County of\_ State of. Destination. Route\_ No. Vehicle or Car Initial Subject to Section 7 of Conditions of applicable bill of lading, if this hipment is to be delivered to the consignes without recourse on the he following tatament:

The case at all not make delivery of the condition of the cond Delivering Carrier CHECK \*WEIGHT (SUBJECT TO CORR.) CLASS DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS COLUMN OR RATE NO. PACKAGES TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 768 LBS 100 2 CTNS TRUCKS-NOI-HAND W/PLATFORMS. W/O STANDING ENDS. ful dissor 70 SIDES, STAKES OR STOS .- ITEM 188560-SUB 4 70 If charges are to be prepaid, write or stamp here, "To be Prepaid." STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 150 ITEM 79920 SUB 1 CABINETS, TOOL W/DRAWERS, STEEL, 85 WHEELED - ITEM 39460 Received \$
to apply in prepayment of the charges
on the property described hereon. "TAG: P.O. NO. 5-226584" Agent or Cashier Per (The signature here acknowledges only the amount prepaid.) CENTRAL/MCKINLAY Charges Advanced: Total diffeate thereon, and all other requirements of Rule The fibre boxes used for this ship to cortify that the above ting to regulations preacribed by the shipment moves between two fipper's imprints in lieu of star NOTE—Where the rate is dependent the agreed or declared value of the red and are in proper condition for transportation Il state whether it is carrier's or shipper's weight, to Commission. C. O. D. SHIPMENT agreed or declared value of the property C. O. D. Amt. Collection Fee Shipper THIS SHIPMENT IS CORRECTLY Total Charges LBS. CORRECT WEIGHT IS\_ Shipper PUCEL ENTERPRISES, INC. Partu elerson Per 3746 Kelly Avenue, Cleveland, Ohio 44114

Permanent post-office address of shipper.

# PRODUCTS

Wire

Name.

Phone


Sold To\_

Date Entered

# PUCEL ENTERPRISES

Verbal 998

Cust. Order No.



			Via
Quantity Ordered		ARTICLE	Price
GA.	CRA-96	HICAP	
<del></del>	St.		
	102		- 13 445-
			Date Received 12-148  Shop Manuface 15331
			Weight
			Ractog
			PrepaidCollect
	_ <del>_</del>		Price Per Unit
		·	
	8 RANGE GRAY		Tetal




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

INVOICE NO.

85249



S H I P T O ORDER NO. 7644-4400

DATE APRIL 27, 1983		OUR ORDER NO. 42960			1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
ALESMAN	, 120	F.O.B. OUR PLANT CLEVELAND, OHIO	PRESTON TRUCKIN	G COMPA		<b>XX50XX</b>	COLLEC
UANTITY DRDERED	MODEL NO.	DESCRIPTIO	N	GUAN. SHIPPEO	UNIT PRICE	TOTAL	EXILETO
EA	3ST-2848	GRIZZLY 3/SIDED PLATFOR RUBBER WHEELS					
EA	3ST-2872	GRIZZLY 3/SIDED PLATFOR					
EA	3\$T-3472	GRIZZLY 3/SIDED PLATFOR RUBBER WHEELS	M IKUCKS WITH				
			GRAY				
					1	TE	
							-
	1	1		l	1	1	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

## STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the Issue of this Bill of Lading.

		<u> </u>			^-
m	PUCEL ENTERPRISES, INC.	Date APR	IL 27,	19_	···
At	CLEVELAND, OHIO 44114 By	TRUCK T FREIGH		hipper's	No. 6525
• PREST	FOR TRUCKING COMPANY Company			Agent's	No
the property of the property o	to that below, he copyrate speed over except on moved (contents and conditions of embods of goodsman university, marked, management of the property of the contents of the con	d, and destined as indicated before, which as a convertible to the consider statistic and the control statistic and the control to the performed between the ball to or (2) in the conflictable motor carrier changing provides the transportation of this shipper to the control of	id corrier (the weed of the route to said plants subject to all the term feation at built if this st, and the said terms RESS OF CONS	certor bolog tendelsten notion. It is methodly as and conditions of it is a mater meter it and conditions are SIGNEE—FOR F	of throughout this content on amounting only the first to work confer of all or early of the first to the confer of all or all or the first to the confer of the first to the confer of the first to the confer of t
Consigned to					of
Destination_					
Route	Voh	icle or Car Initial			No
Delivering Co No. PACKAGES	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK	Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignes without recours on the
FAGILAGES	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		the following statement: The carrier shalf not make delivers of the aphoment without payment of freight and all sther lawful charges
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. SIDES. STAKES OR STDSITEM 188560-SUB 4		70	<u> </u>	freight and all other lawful charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		(Signature of Consignor)  If charges are to be prepaid, writ
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1	<u> </u>	150		or stamp here, "To be Prepaid."
	CABINETS, GARAGE OR SHOP ITEM 39340 TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWOR		70	<del> </del>	Received \$
5 CTNS	OTHER THAN NESTED-ITEM 188560 SUB 2	1186 LBS	150		to apply in prepayment of the charge on the property described hereon.
	"TAG: P.O. #7644-4400, ATTN; J. WYSOCKI"			<del>-</del>	Agent or Cashler
S	HIPPED FOR TOP TOP TO SHIPMENTS	5 4-27-83"	<u> </u>	_ -	Per (The signature here acknowledge only the amount prepaid.)
Total 5 Pieces 5  † The fibre boxe of the Consoli	s used for this shipment conform to the specifications set forth in the box maker's	certificate thereon, and all	other regular	ments of Rul	C. O. D. SHIPMENT
t the shipment Shipper's imprint	dated Freight Classification.  If that the above articles are properly described by name, and are packed and interest that the barrier property described by the Interstate Commerce Commission.  Interest that the bill of ladim mores between two ports by a carrier by water, the law requires that the bill of ladim interest in lieu of stamp; not a part of Bill of Lading approved by the Interstate Come rate is dependent on value, shippers are required to state precifically in writing the property is hereby specifically stated by the shipper to be	g shall state whether it is ca mmerce Commission. ng the agreed or declased t not exceeding	rrier's or stilp	per's weight.	C. O. D. Amt.
THIS SHIPM	ENT IS CORRECTLY DESCRIBED.	Per	12	Shipper	Collection Fee
	NTERPRISES, INC. Shipper	Agent	7		1 60/1
3746 Ke	lly Avenue, Cleveland, Ohio 44114	<u> </u>			

Permanent post-office address of shipper.



SOLD

### ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT

07326

3746 KELLEY AVENUE CLEYELAND, OHIO, U.S.A. 44114 AREA CODE 216 881-4604

125485

INVOICE NO.

SI-P FO

ORDER NO.

DECEMBER 19, 1984 SALESMAN F.O.B. OUR PLANT CLEVELAND. OHIO BOMMAN TRANSPORTATION SOCIONAL BOMMAN TRANSPORTATION BOMMAN TRANSPORTATION BOMMAN TRANSPORTATION BOMMAN TRANSPORTATION BOMMAN			OUR ORDER NO.		CUSTOMER'S ORDER NO.		TERMS 1% TEN DAYS - DATE		
OUR PLANT CLEVELAND, OHIO  BOHMAN TRANSPORTATION  CLEVELAND, OHIO  BOHMAN TRANSPORTATION  CLEVELAND, OHIO  BOHMAN TRANSPORTATION  CLEVELAND, OHIO  BOHMAN TRANSPORTATION  CLEVELAND, OHIO  CLEVELAND, OHIO  CLEVELAND, OHIO  BOHMAN TRANSPORTATION  CLEVELAND, OHIO	MBER 19, 1984	MBER 19	V7	<del></del>		OF INVOICE - NET 30 DAYS			
ONDERED MODEL NO. DESCRIPTION SHIPPED UNIT PRICE TOTAL EX-			OUR PLANT	j		N SOARNOX		COLLECT	
W/CYLINDER LOCK	MODEL NO.	ED M	NO. DESCRIPTION					EXTENSION	
GRAY		A PC-		ET WORK BENCHES					
				GRAY					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL C. LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. From PUCEL ENTERPRISES, INC. Date DECEMBER 19 19.84\_ DESIGNATE WITH AN (X) 1686 Αt CLEVELAND, OHIO 44114 TRUCK FREIGHT Shipper's No ... BOWMAN TRANSPORTATION .Company Agent's No. IMAIL OR STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY. Consigned to Destination State of\_ County of Route Delivering Carrier hicle or Car Initial Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the the following statement: The carrier shall not make delivery of this spippenent without payment of fright and all other lawful charges. NO. PACKAGES DESCRIPTION OF ARTICLES, SPECIAL WEIGHT CLASS CHECK MARKS AND EXCEPTIONS (SUBJECT TO CORR.) TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 100 TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. SIDES. STAKES OR STDS .- ITEM 188560-SUB 4 70 (Signature of Consignor) STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 70 If charges are to be prepaid, write is stamp here, "To be Prepaid." BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1 150 CABINETS, TOOL WIDRAWERS, STEEL 8 SKIDS 2976 LBS WHEELED - ITEM 39460 (3 UNITS PER SKID) 85 Received \$ to apply in prepayment of the charges on the property described hereon. "MARK FOR: P.O. #A-8487 / Agent er Cunier The signature here acknowledges nly the amount prepaid.) Pieces 8 † The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Preight Classification. This is to certify that the above articles are properly described by mane, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the Internate Commerce Commission. If the shipment mores between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. † Shipper's imprints in lieu of stamp; not a part of Bill of Lading approved by the Internate Commerce Commission. NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Charges Advanced: C. O. D. SHIPMENT

PUCEL ENTERPRISES, INC.

RECT WEIGHT IS.

IS SHIPMENT IS CORRECTLY DESCRIBED.

3746 Kelly Avenue, Cleveland, Ohio 44114 Permanent post-office address of shipper.

Shipper eterson

Per\_

Agent ST

Shipper

C. O. D. Amt.

Collection Fee

Total Charges

CONFIDENTIAL Z 586



DESIGNING Engineering Development Manufacturing

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO.





06990

ORDER 140.	04C2424244	

DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO.	TERMS	TEN DAYS - E	DATE	
NOVEMBER 30. 1984		S-4716-84 & S-4717-84	A 69271		OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	CITY EXPRESS D	ELIVERY	PERFOR	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPTION	NC	SHIPPED UNIT PRICE	TOTAL	EXTENSION	
3 EA	SPECIAL	GRIZZLY WIRE RACKS, 24	W X 36"L X 60"OAH (ORANGE)	-			
3 EA	SPECIAL	GRIZZLY 2436-3 ALL TRA					
		1			1		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. From PUCEL ENTERPRISES, INC. NOVEMBER 30, Date. DESIGNATE WITH AN (X) Αt 1265 CLEVELAND, OHIO 44114 By TRUCK FREIGHT Shipper's No. CITY EXPRESS DELIVERY .Company Agent's No. Consigned to **Destination** State of Route. Delivering Carrier. Vehicle or Car Initial\_ No. NO, PACKAGES Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the the following statement: The carrier shall not make delivery of this shipment without payment of tregging and all other lawful charges. DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS WEIGHT (SUBLECT TO CORR.) CHECK CLASS OR RATE COLUMN TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 **300** TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 70 etersox STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 70 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU If charges are to be prepaid, writer stamp here, "To be Prepaid." ITEM 79920 SUB 1 N 50 CABINETS, TOOL WIDRAWERS, STEEL. COLLECT WHEELED - ITEM 39460 85 3 EA SPECIAL WIRE RACKS 696 LBS Received \$ to apply in prepayment of the charges on the property described hereon. 3 EA SPECIAL ALL TRAY TOOL STANDS 357 LBS Agent or Cashier "MARK FOR: P.O. NO. 04CS-454944" The signature here acknowledges only the amount prepaid.) The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Preight Classification. This is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the Interstate Commerce Commission. If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. Shipper's imprints in liteu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission. NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding Charges Advanced: C. O. D. SHIPMENT

S SHIPMENT IS CORRECTLY DESCRIBED.

3746 Kelly Avenue, Cleveland, Ohio 44114

PUCEL ENTERPRISES, INC.

Permanent post-office address of shipper.

CT WEIGHT IS

CONFIDENTIAL

Collection Fee

Total Charges

Shipper

Agent



# ENTERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

09855-9

INVOICE NO.

01162

so Lb To



DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO	)-	TERMS	TEN DAYS - I	DATE
JANUARY	12, 1984	S-3687-84	005838	1		OICE - NET 3	
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	CONSOLIDATED FREI	GHTWAY	S INC	PREPAID	>00003X
OUANTITY ORDERED	MODEL NO.	DESCRIPTION	М	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
4 EA	SPECIAL	GRIZZLY CABINETS, 24'T	X 42"W X 39"HIGH	4			90
			GRAY				
_							
				ļ t			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

3746 Kelly Avenue, Cleveland, Ohio 44114

Permanent post-office address of shipper.



# STRAIGHT BILL OF LADING — SHORT FORM — ORIGINAL — NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

1984 JANUARY 12, 5838 Date. PUCEL ENTERPRISES, INC. From DESIGNATE WITH AN (X) Shipper's No. At FREIGHT CLEVELAND, OHIO 44114 TRUCK By CONSOLIDATED FREIGHTWAYS Agent's No. Company STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY. Consigned to State of Destination 1, Route. Vehicle or Car Initia Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the following statement:

The carrier shall not make delivery of this Faitpuent without payment of freight and all other lawful charges. Delivering Carrier. CHECK DESCRIPTION OF ARTICLES, SPECIAL COLUMN NO. PACKAGES MARKS AND EXCEPTIONS TRUCKS-NOI-HAND WISTANDING ENDS ITEM 188560 SUB 3 TRUCKS-NOI-HAND W/PLATFORMS. W/O STANDING ENDS. SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 (Signature of Consignor) 70 STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 If charges are to be prepaid, write or stamp here, "To be Prepaid." BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-S A 50 ITEM 79920 SUB 1 "TO BE PREPAID" CABINETS, TOOL WIDRAWERS, STEEL. 85 WHEELED - ITEM 39460 Received \$
to apply in prepayment of the charges
on the property described hereon. 610 LBS 70 CABINETS,GARAGE/SHOP- ITEM 39340 2 SKIDS Agent or Cashler "CORRECTED BILL OF LADING; TO CHANGE ITEM NUMBER FROM 39460 TO #39340, signature here acknowledge; the amount prepaid.) Charges Advanced: RO #962-31365-6, 1/12/84" The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Freight Classification.

This is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the interstate Commerce Commission.

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight, and the shipment moves between two ports by a carrier by sharper's migritus in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission.

NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The squeed or declared value of the property is hereby specifically stated by the shipper to be not exceeding C. O. D. SHIPMENT C. O. D. Amt. Collection Fee Shipper THIS SHIPMENT IS CORRECTLY DESCRIBED. Total Charges\_ CORRECT WEIGHT IS. Agent Shipper PUCEL ENTERPRISES, INC.

Per





# ENTERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

INVOICE NO 1 400






JANUARY 26, 1984		our order No. 45759	CUSTOMER'S ORDER NO. 51090		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	U.P.S.			PREPAID	<b>X3/2/00/06</b> /T
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	DN .	OUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
1 EA.	# 81	GRIZZLY DRUM DOLLIE RUBBER WHEELS ORANGE	WITH		UPS CHAR	ES.	
			NC	ÞISα	UNT ON U	Ps CHARGES	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# PRODUCTS PUCEL ENTERPRISES



Name				Equipment
hone	Wire	Verbal	<del></del>	• •
ate Enter	red 1-25 Cust. O	rder No. 5/090	Taken By	
old To				
			<u> </u>	
hip To		Order No.	Dept	. No
ריים			Via_	
Quantity Ordered	AR	TICLE		Price
]	#81			
/	Rus			
	ORANGE			
				Date Received 1-25-61
		· · · · · · · · · · · · · · · · · · ·		Shee Humber <u>415759</u>
				Teight
				Resting
	Will NOT			Prepate Collect
				Price Per Unit
				Tetal
· . · · ·				Net
				Oa Actor



# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

011560

INVOICE NO.

07424



S H P TO ORDER N

SALESMAN  F.O.B. OUR PLANT CLEVELAND, OHIO  COMPRCIAL IOVELACE  CO	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			NO.	CUSTOMER'S ORDER			DECEMBER 27 1984	
QUANTITY MODEL NO. DESCRIPTION SHIPPED UNIT PRICE TOTAL E	COLLECT	3000008	Ε	LOVELACI	VIA	F.O.B. OUR PLANT	R 2/ <sub>7</sub> 1984		
	XTENSION	TOTAL	1	SHIPPED		DESCRIPT	MODEL NO.	QUANTITY ORDERED	
BROWN				7	NET	GRIZZLY STORAGE CA BI	HDSC-3672-4	1 EA	
					BROWN				
		,							
						<u>.</u>			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. Jate DECEMBER 27, PUCEL ENTERPRISES, INC. From 1757 DESIGNATE WITH AN (X) Shipper's No. TRUCK FREIGHT CLEVELAND, OHIO 44114 Agent's No. COMMERCIAL LOVELACE .Company STREET ADDRESS OF CONSIGNEE-FOR PURPOSES OF NOTIFICATION ONLY Consigned to\_ County of State of Destination\_ Route\_ Vehicle or Car Initial Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consigner without recourse on the the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Delivering Carrier. CHECK CLASS WEIGHT (SUBJECT TO CORS.) DESCRIPTION OF ARTICLES, SPECIAL OR RATE COLUMN NO. PACKAGES MARKS AND EXCEPTIONS TRUCKS-NOI-HAND WISTANDING ENDS ITEM 188560 SUB 3 300 TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. Heteros (Signature of Consignor) 70 SIDES, STAKES OR STDS. ITEM 188560-SUB 4 352 LBS 70 STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 If charges are to be prepaid, write or stamp here, "To be Prepaid." 3 BNDLS BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 350 ITEM 79920 SUB 1 CABINETS, TOOL WIDRAWERS, STEEL, 85 WHEELED - ITEM 39460 CABINET, NOI, METAL, OTHER THAN FURNITURE Received \$ to apply in prepayment of the charges on the property described hereon. 110 300 LBS SUB 6 ITEM 39270 1 CTN "MARK FOR: P.O. NO. 39757, 39762 € 39843-1" Agent or Cashier Per (The signature here acknowledges only the amount propaid.) Fine fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41, of the Consolidated Breight Classification. This is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the interstate Commerce Commission. If the shipment mores between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. Shipper's imprints in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission. SOUTE—Where the rate is dependent on value shippers are required to state specifically in writing the agreed or declared value of the property. THIS CUIDALENT IS CODECTED RECEDED. Total Charges Advanced: C. O. D. SHIPMENT C O. D. Amt.

PUCEL ENTERPRISES, INC.

CORRECT WEIGHT IS\_

THIS SHIPMENT IS CORRECTLY DESCRIBED.

3746 Kelly Avenue, Cleveland, Ohio 44114

Permanent post-office address of shipper.

Shipper. Per Z

Collection Fee

Total Charges




# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

13928





DATE OVEMBER 26,1985	OUR ORDER NO. S-5803-85  F.O.B. OUR PLANT CLEVELAND, OHIO  CUSTOMER'S ORDER NO. 14538  VIA  CITY EXPRESS		). 	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN			:SS	•	XXXX	COLLECT	
QUANTITY MODEL NO.	DESCRIPTION	ON	SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
12 EA. SPECIAL	GRIZZLY STOCK CARTS X 52" HIGH O.A., TOI SLOPPED WITH ANGLE SIDES & FRONT EDGE FLAT TYPE  "GRAY"	THREE SHELVES STOPS ONBOTH					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

RECEIVED, subject to the classifications and laidle in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 CITY EXPRESS

DATE:	NOVEMBER	26,	1985
SHIPPER'S NO	1		

The property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the properly under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time to the property that carrier of the uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight

ONSIG	NED TO	1			(Main or 2	(leet souless of t		nee - For purposes of notification only
ESTIN	ATION	•			OF .	COUNTY	٦F	
DUTE								
ELIVE	RING CARRIER				IICLE OR CAR INITIAL			NO.
No. ickages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Plate	No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	Subject to Section 7 of conditions applicable bill of lading if this shipme is to be delivered to the consign
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED — ITEM 188560 SUB 2		150	without recourse on the consignor the consignor shall sign the followin statement: The carrier shall not make delivery of
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	B. Jogar
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70	II.	STANDS, TOOL OR WORK — ITEM 178716 SUB 1		85	(Signature of Q6nsignor) If charges are to be prepaid, write stamp here "To be Prepaid."
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	to apply in prepayment of the charg
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	on the property described hereo
2 CT	NS STOCK CARTS	2160						Per
	MARKE OR:	P.O. #0	66	7				Charges Advanced: \$ C.O.D. SHIPMENT
								C.O.D. Amt  Collection Fee  Total Charges
f the sh OTE – V	ipment moves between two ports by a carrier by w	ater, the law rec equired to state	speci <sup>.</sup>	that the l	teled and are in proper condition for transportation according pill of lading shall state whether it is "carrier's or shi writing the agreed or declared value of the property, be not exceeding	pper's weight ''	regulat	ions of the Department of Transportation

Permanent post-office address of shipper,

RIER:



PRODUCTS

# ENTERPRISES, II


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604

065111

INVOICE NO.

08914



5 ORDER NO.

DATE		OUR ORDER NO. CUSTOMER'S ORDER N		NO.	TERMS	61583T	· · · · · · · · · · · · · · · · · · ·	
MARCH 1		50844 F.O.B.		1025208		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS		
		OUR PLANT CLEVELAND, OHIO	TNT PILOT				- <del></del>	
ORDERED.	MODEL NO.	DESCRIPTI		QUAN.	<del>,</del>	XXXXXX	COLLECT	
3 EA.	#1415-4	GRIZZLY DRAWER UNIT	<u>-</u>	SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
			GRAY					
					5			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

From	PUCEL ENTERPRISES, INC.		<del> </del>		<u> </u>
	TOCEL ENTERPRISES, INC.	DateMAR	CH 13,	. 19	85
Ву	INT PILOT	DESIGNATE WITH  BY TRUCK   FREE	A 54 (34)		No. 2981
<del></del>	Compai	ny		Agent's	No
	the preservy destribed below, in appeared good order except as noted (contents and conditions of materials of perhaps welfared), in a present good preserve the preserve of th	, ministrand, and destined as indicated below, whi as the most, atherwise to delive to another conser, a final desty article to be parlament harmonies to this parlament, or [2] in the upplicable motor conservation which governs the transportation of this phase which governs the transportation of this phase.	sh said corner (the wood) ten the mote to said do the arthest to all the so continuous or said of a part to ad the soid to	corrier being undergationation, it is mutually element of conditions in let as a water carrier res and conditions as	read throughout this contract on meaning any y approad, on he such corrier of all or early of the Uniform Immunité Saraighe All of Louling shiemant, Shipper hardly surables shap he la berriery approad to by the shipper and app
	ned toation	(MAIL OR STREET AS	DRESS OF CON	SIGNEE-FOR	PURPOSES OF NOTIFICATION DNLY
Route_		State of	_ ·	County	of
	ring Carrier	ehicle or Car Initial_			
PACKA	AGES DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT	CLASS	CHECK	No. Subject to Section 7 of Condition of applicable bill of lading, if this
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB : TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. SIDES, STAKES OR SIDE ITEM.	3	300		shipment is to be delivered to the consignee without recourse on the the following statement:  The carrier shall not make delivery
	37.5311EM 188580-SUB 4		70		of this shipment without payment of freight and all other lawful charges.
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED.		70		(Signature of Consignor)
	CABINETS, TOOL W/DRAWERS STEEL	-50	350		If charges are to be prepaid, write or stamp here, "To be Prepaid."
3 CTN	NS DRAWERS, BENCH, STEEL-ITEM 57610	261 120	85	<u> </u>	
	7,010	261 LBS	85	{ <b>I</b> '	Received \$
iolal					Agent or Cashler
† The fibre	boxes used for this shipment as the				The signature here acknowledges only the amount prepaid.)
This is to	boxes used for this shipment conform to the specifications set forth in the box make. Consolidated Breight Classification. Certify that the above articles are properly described by name, and are packed an pregulations prescribed by the Interstate Commerce Commission.  The property of the prescribed by the Interstate Commerce Commission.  The property is a carrier by waster, the law requires that the bill of lading improved by the Interstate Commerce that is dependent on value of Bill of Lading approved by the Interstate Commerce that is dependent on value shippers are required to state specifically in write or declared value of the preperty is hereby specifically stated by the shipper to be HIPMENT IS CORRECTLY DESCRIBED.	r's certificate thereon, and all d marked and are in proper ng shall state whether it is car-	other requirement	nts of Itule	Charges Advanced;
THIS SE	nere in rate is dependent on value, shippers are required to state specified in writing or declared value of the property is hereby specifically stated by the shipper to be HIPMENT IS CORRECTLY DESCRIBED.	Commerce Commission. Ling the agreed or declared va- not exceeding	tue of the prop	s weight,	C. O. D. SHIPMENT
ORRECT V	WEIGHT ISLBS.	Per		Shipper	oilection feeotal Charges
	ENTERPRISES, INC. Shipper	Agent 1	7207		
ermanent po	Kelly Avenue, Cleveland, Ohio 44114  Pen 2005- Onic address of shipper.	Per	JY -		_(3)



DATE

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604 071853

OUR ORDER NO.

INVOICE NO. 103

ORDER NO.

		OUR ORDER NO.	T	i			
SALESMAN	1985	51862 F.O.B.	CUSTOMER'S ORDER N	0.	TERMS 1 %	TEN DAYS -	DATE
QUANTITY	MODEL NO.	OUR PLANT CLEVELAND, OHIO	ASSOCIATED TO		01 114	OICE - NET	30 DAYS
	MODEL NO.	DESCRIPTION	V THERED II		NES	266000	COLLECT
? EA	PDC-42R			SHIPPED	UNIT PRICE	TOTAL	EXTENSION
		GRIZZLY PORTABLE CABINE	T HORK BENCHES				
			GRAY				
				:			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading. 85 MAY 24, PUCEL ENTERPRISES, INC. Date\_ DESIGNATE WITH AN (X) 2546 Αŧ CLEVELAND, OHIO 44114 TRUCK FREIGHT Shipper's No. ASSOCIATED TRUCK LINES Company By. Agent's No.-Consigned to\_ State of 810-572364 5 Destination\_ PRO Route\_ ORIG RAIE-WIGP.
OS subject to Section 7 of Conditions of Subject to Section 7 of Conditions of Subject to Section 7 of Conditions of Condition Vehicle or Car Initial DEST Delivering Carrier DESCRIPTION OF ARTICLES, SPECIAL \*WEIGHT (SUBJECT TO CORR.) CLASS OR RATE CHECK NO. PACKAGES COLUMN MARKS AND EXCEPTIONS TRUCKS-NOLHAND WISTANDING FNDS ITEM 188560 SUB 3 100 TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS. 70 SIDES. STAKES OR STDS.-ITEM 188560-SUB 4 STEEL BENCH PARTS - KDF ITEM 79920 SUB 2 70 If charges are to be prepaid, write stamp here, 'To be Prepaid," BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 150 ITEM 79920 SUB 1 CABINETS, TOOL WIDRAWERS, STEEL, 470 LBS 85 WHEELED - ITEM 39460 (2 UNITS PER SKID) SKID Received \$
to apply in prepayment of the charges
on the property described hereon. "MARK FOR: P.O. NO. 5468" Agent or Cashier Per (The signature here acknowledges only the amount prepaid.) otal Charges Advanced: The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule of the Consolidated Preight Classification.

Its is to certify that the above articles are properly described by name, and are packed and marked and are in proper condition for transportation according to regulations prescribed by the Interstate Commerce Commission.

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight, † Bhipper's imprints in lieu of stamp; not a part of Bill of Lading supported by the Interstate Commerce Commission.

NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding C. O. D. SHIPMENT C. O. D. Amt. Collection Fee THIS SHIPMENT IS CORRECTLY DESCRIBED.

PUCEL ENTERPRISES, INC.

CORRECT WEIGHT IS.

3746 Kelly Avenue, Cleveland, Ohio 44114 Permanent post-office address of shipper.

LBS.

Per elevan

Shipper

Total Charges

# PRODUCTS PUCEL ENTERPRISES Grizzly



Name			
5/7-	· 787-4312 Wire	Verbal	Equipment
	ed 5/14 Cust. Order No.	5468 Tak	en By
Sold To			
	/	Out - No	Don't No.
hip To		Order No	Dept. No
			Via
Quantity Ordered	ARTICLE		Price
$\overline{\mathcal{Q}}$	POC-Yar		
	GRAY		
	V / /		
			Oute Received MAY 1 4 1985
·			Sharp Number 57862
			Weight
			Repting
		<del> </del>	PresselCallect
			Proce Per Unit
			Tetal
			let
<del> </del>			Oz Actin



# ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING


3746 KELLEY AVENUE ● CLEVELAND, OHIO, U.S.A. 44114 ● AREA CODE 216 881-4604

079187

INVOICE NO.

10705





ORDER NO. ATTN; R G MARSHALL 1

JANE 10, 1985 SALESMAN		OUR ORDER NO.  52173  F.O.B.	78907 A	CUSTOMER'S ORDER NO.		TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
DUANTITY	MODEL NO.	OUR PLANT CLEVELAND, OHIO	VIA	_	U.P.S.	PREPAID			
- NEW ED	MODEL NO.	DESCRIPTION	ON	QUAN. SHIPFED	UNIT PRICE	TOTAL	EXTENSION		
EA	18-D-30	GRIBZLY STEEL DOLLY W/I	RUBBER WHEELS						
			GRAY			યાં			
	certify that these and								

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended,

<sup>!</sup> RETURN SHIPMENTS. Prior authorization must be obtained from our offices in Cleveland. When necessary, a charge will be made for reconditioning, repacking, etc.




# ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

440 EAST 36 STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

100603

INVOICE NO. 16619



GRIZZLY LP GAS CYLINDE  S21 WX 372 D X 2334  THREE SOLID SHELVES,	ER STRACE CARINET	QUAN. SHIPPED	UNIT PRICE	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	COLLEC
GRIZZLY LP GAS CYLINDE 321 WX 371 D X 2001	ER STRACE CARINET	SHIPPED	UNIT PRICE	T = =	<del>                                     </del>
32±"WX 37±"D X \$2004	ER STRAGE CABINET 70" HIGH, WITH				EXTENSION
·				•	
ORANGE					
	ORANGE	ORANGE	ORANGE	ORANGE	ORANGE

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: APRIL 9, 1986 CITY EXPRESS SHIPPER'S NO CARRIER: \_\_\_ the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at laid destination. It is mutually agreed, as to each carrier of all or any of said property over all or any bortion of said contract in each party at any time interested in all or any of said property, that every service to be performed hereunders and be subject to all the terms and conditions of the Uniform Domestical Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only.) **CONSIGNED TO** COUNTY OF DESTINATION STATE OF ROUTE NO. VEHICLE OR CAR INITIAL **DELIVERING CARRIER** Subject to Section 7 of conditions of applicable bill of lading, if this shipment •Weight \*Weight (Sub. to Corr.) No. DESCRIPTION DESCRIPTION or Rate (Sub. to Corr.) Package Hate is to be delivered to the consigner without recourse on the consigner, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 100 150 ENDS ITEM 188560 SUB 3 statement: The carrier shall not make delivery of NESTED - ITEM 188560 SUB 2 the carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL, OTHER THAN FURNITURE TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES 70 110 OR STDS.-ITEM 188560-SUB 4 ITEM 39270 SUB 6 (Signature of Consignor) STANDS, TOOL OR WORK --STEEL BENCH PARTS - KDF If charges are to be prepaid, write or stamp here "To be Prepaid." 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU FIXTURES IN SAME PKG. 125 150 ITEM 79920 SUB 1 ITEM 108780-A to apply in prepayment of the charges the property described hereon CABINETS, TOOL W/DRAWERS, LOCKERS, STEEL, STORAGE 125 85 STEEL, WHEELED - ITEM 39460 ITEM 80460 SUB 1 Agent or Cashier 275 GAS CYLINDER STRAGE CAB. (The Signature here acknowledges only the amount prepaid.) Charges Advanced: C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee. Total Charges pplicable regulations of the Department of Transportation This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

RAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

Shipper, Per

PUCEL ENTERPRISES, INC.

1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper.

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Labing.

Agent, Per \_\_

# STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

the property described above, in apparent good order, except as noted (contents and condition of contents and condition of the plants understood throughout this contract as meaning any person or corporation in possession of the plants of th		stined as indicatiplace of delivery of said route to nestic Straight		
the property described above, in apparent good order, except as noted (contents and condition of continuing understood throughout this contract as meaning any person or corporation in possession of the prodelyte of another carrier on the route to said destination. It is mutually egreed, as to each carrier to deliver to another carrier of said property, that every service to be performed networker shall be subject. Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the application with sail the terms and conditions of the said bill of Islaing, including those on the back thereof, sail for	ents of packages unknown), marked, consigned, and de roperly under the contract) agrees to carry to its usual contract of the contract of the contract of the contract of the terms and conditions of the Uniform Don ble motor carrier classification or tartiff if this is a moto	stined as indicate	ted abo	ive, which said carrier (the word carrier
	th in the classification or tariff which governs the trans	r carrier shipme portation of this	lilf of L nt, Ship sthipm	ation, and as to each party at any time, ading set forth (1) in Uniform Freight pper heraby certifies that he is familiar cent, and the said terms and conditions
are hereby agreed to by the shipper and accepted for himself and no assigns.	(Mail or st	reet address of	consign	nee — For purposes of notification only.
CONSIGNED TO DESTINATION	STATE OF	COUNTY	OF	
ROUTE DELIVERING CARRIER VEHI	CLE OR CAR INITIAL			NO.
No. Packages  DESCRIPTION  Weight or (Sub. to Corr.) Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consigner
TRUCKS-NOI-HAND W/STANDING 100	TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of
WO STANDING ENDS SIDES STAKES 70	CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	this shipment without payment of freight and all other lawful charges
	STANDS, TOOL OR WORK ITEM 178716 SUB 1		85	(Signature of Consignor)  If charges are to be prepaid, write of stamp here "To be Prepaid."
STEEL & WOOD COMBINED SU 150	ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	Received S
CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460	LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	
CTN SHOP TRUCK 100				Per (The Signature here acknowledges on the amount prepaid.) Charges Advanced:
		1		Charges Advanced.
		1		C.O.D. SHIPMENT
		<del> </del>	<del>  -</del> -	C.O.D. Amt
				Collection Fee
			ı	Total Charges
This is to earlify that the above named matterials are properly classified, described, packaged, marked and fabel "If the shipment moves between 2000 ports by a carrier by water, the law requires that the bi NOTE — Where the rate is dependent on value, shippers are required to state specifically in w The agreed or declared value of the property is hereby specifically stated by the shipper to b	riting the agreed or declared value of the property.	Duci s weign.	regular	
PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET CLEVELAND, OHIO 44114	Agent, Pe	-Kolu	<b>\</b>	Reg

### **CUSTOMER FILE COPY**




# ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

105222

INVOICE NO. 18092





1	JATE 24,	1986	OUR ORDER NO. 5-6655-86	CUSTOMER'S ORDER NO. B75614	•	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
	SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	CITY EX	PRESS		xxxxxx	COLLECT	
,	QUANTITY ORDERED	MODEL NO.	DESCRIPTI	ОИ	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
1	EA	SPECIAL	GRIZZLY 1833-DT-2 SHO 33"L X 33" HIGH O.A. 2 EA., 1416-1 DRAMER UNDER TOP SHELF RIGHT AT HANDLE	BOTH SHELVES UNITSMOUNTEAD 1984					
			GRAY						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.




# ENTERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

093675

INVOICE NO. 17465





DATE MAY 22 10	RF.	our order no. S-6490-86	CUSTOMER'S ORDER N	0.		TEN DAYS - I	
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO		ZCALA"		PREPAID	COLLECT
QUANTITY	MODEL NO.	DESCRIPT	ION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
5 EA	SPECIAL	GRIZZLY SPECIAL TRAYS	22m w x 24m x				
		GRAY					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



**DESIGNING ENGINEERING** MANUFACTURING

**DELIVERY RECEIPT** 



_			L	ORDER	NO.		
DATE	<del></del>	OUR ORDER NO.	CUSTOMER'S ORDER N	0.	TERMS	<del></del>	
<u>1AY 22.</u>	1986	S-6490-36	JERRY				
SALESMAN		F.O.B.	VIA		<u> </u>		
	·	<u> </u>	PICK UP			<u> </u>	coX.XeX
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	<del></del>	QUAN, SHIPPED	UNIT PRICE	TOTAL	EXTENSION
5 EA.	SPECIAL	GRIZZLY TRAYS 22 1/2 1 1/2" DEEP	"W X 24"L X	5			
		REC'D BY PAUS	LOON			į	

# STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

Permanent post-office address of shipper,

DATE: NOVEMBER 6, 1986 ROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 LYONS TRANSPORTATION SHIPPER'S NO.

ONSIGN					intents of packages unknown), marked, consigned, and de properly under the contract) agrees to carry to its usual let of all or any of sale property over all or any portion ject to all the terms and conditions of the Uniform Dor cable motor carrier classification or tarriff it his is a moto orth in the classification or tarriff which governs the trans (Mail or s'	treet address of o	onsig	nee - For purposes of notification only.)
DESTINA						COUNTY	)F	
ROUTE			_					
DELIVE	RING CARRIER				IICLE OR CAR INITIAL		Class	NO.
No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	Or Rate	applicable bill of lading, if this shipment is to be delivered to the consignee
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100	3 CTN	TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED ITEM 188560 SUB 2	894	150	without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of
- 1	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES,STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	resight and all other lawful charges
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		STANDS, TOOL OR WORK – ITEM 178716 SUB 1		85	(Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780-A		125	Received \$
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - 1TEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	
								Per (The Signature here acknowledges onlithe amount prepaid.) Charges Advanced
	SHIP			-				C.O.D. SHIPMENT
							<u></u>	Collection Fee Total Charges alton of the Department of Transportation



ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

098945

INVOICE NO. 20643





DATE	ER 6, 1986	OUR ORDER NO. 58269	CUSTOMER'S ORDER NO	). 		TEN DAYS - D	
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	LYONS TRANSPORT	ATION		XXXXXXXXXX	COLLECT
QUANTITY	MODEL NO.	DESCRIPTI		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
3 EA	SS-60	GRIZZLY SLIDING SHELF	TRUCK W/RUBB.WHLS	4			
	ė,						
		GRAY					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



36960

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and fariffs in effect on the date of issue of this Original Bill of cading,

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

DATE: MARCH 17, 1986 DER'S NO. 6393 SHIPPER'S NO.

SEAGATE TRANSPORTATION CARRIER: \_\_\_\_\_

the property described above, in apparent good order, except as noted (contants and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its routs of otherwise being understood throughout this contract as meaning any person or corporation of the property under the contract) agrees to carry to its usual place of delivery at said destination, and as to the property of the property over all or any portion of said routs to destination, and as to the number of the property over all or any portion of said routs to destination, and as to the number of the property over all or any portion of said routs to destination, and as to the number of the property over all or any portion of said routs to destination, and as to the number of the property over all or any portion of said routs to destination, and as to the number of the property over all or any portion of the property of the property over all or any portion of the property of the

ONSIG	NED TO				ject to all the ferms and conditions of the Uniform Do cable motor carrier classification or tariff if this is a moto orth in the classification or tariff which governs the trans (Mail or s			nee — For purposes of notification only
	ATION				STATE OF	COUNTY	)F	
ROUTE	ATTON							
	RING CARRIER			VEH	HICLE OR CAR INITIAL		A	NO.
No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	applicable bill of lading if this shipmer is to be delivered to the consign
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	without recourse on the consignor the consignor shall sign the followin statement: The carrier shall not make delivery this shipment without payment
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS,-ITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	freight and all other lawful charge
	STEEL BENCH PARTS – KDF ITEM 79920 SUB 2		70		STANDS, TOOL OR WORK ITEM 178716 SUB 1		85	(Signature of Ø6nsignor) If charges are to be prepaid, write stamp here "To be Prepaid."
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	Received \$
)	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85	ξ <u>k</u> <u>₹</u> ₽	LOCKERS, STEEL, STORAGE TOTEM 80460 SUB 1	1470	125	
 -	SCABINETS/GARAGE/SHOP	858	71	q	·			Per
EAJ	ITEM 39340	<del> </del>	+	ļ—		<del></del>	+	Charges Advanced:
								C.O.D. SHIPMENT C.O.D. Amt. Collection Fee Total Charges
*If the s	ertify that the above named materials are properly classified, hipment moves between two ports by a carrier by withere the rate is dependent on value, shippers are ried or declared value of the property is hereby speci	ater, the law re equired to state	e spec	s that the ifically in	writing the agreed or declared value of the property	ubbar saridan.	reguti	ations of the Department of Transports

Permanent post-office address of shipper,




# ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

084856

INVOICE NO. 16103





MARCH 1	7, 1986	OUR ORDER NO. 55517		CUSTOMER'S ORDER NO. Q11535190			DATE O DAYS		
SALESMAN	1	F.O.B. OUR PLANT CLEVELAND, OHIO	VIA SEAG	NGATE TRANSPORTATION XX			COOLECT		
ONDERED	MODEL NO.	DESCRIPT	ION	SHIPPED	UNIT PRICE	TOTAL	EXTENSION		
5 EA	DLCU-2424	GRIZZLY 3/DOOR LOCKER	CABINET UNITS						
		GMD GDTT							
		SHOP GREEN							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CUSTOMER FILE COPY



ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

124967

solp to

28463

INVOICE NO.

DECEMBER	18,1987	OUR ORDER NO. S-8857-87	CUSTOMER'S ORDER N	10.	TERMS  1% TEN DAYS - DATE  OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	JOHN RIMES TRANS	SPORTAT		X995XX4X	COLLEC	
ORDERED	MODEL NO.	DESCRIPT	~ <del>~~~</del> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
.3 EA	S <b>PE</b> IAL	GRIZZLY FORMICA TOP 30"W X 60"L X 34" HI W/ 2 EA. 1424-1 DRAW LOCKS MOUNTED UNDER W/ R-60 RISER. W/FUL STRINGER.	GH WORK SURFACE VER UNITS W/CYL. TOP ONE EA. SIDE.					
		GRAY						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

	la		•	,	11(144) [4			DECEMBER
RRI	ER: JOHN RIMES TRANSPORT	TATION						DECEMBER 18, 19
	· · · · · · · · · · · · · · · · · · ·				:	SHIPPER'S	NO.	10680
eing und o deliver iterested lassifica ith all i re hereb	erly described above, in apparent good order, except as destrood throughout this contact as meaning any person to another carrier on the route to see ming any person in all or any of said property. Inst, except the tion in effect on the date hereof, if this is, except to be the terms and conditions of the said bill of lading, including y served to by the shipper and accepted for himself and	noted (contents or corporation is mutually agree performed her water shipment ling those on the his assigns.	and co in pos- ted, as eunder or (2 back	endition of session of to each co shall be so in the application of the application of the second of	contents of packages unknown), marked, consigned, and he property under the contract) agrees to carry to its usuarier of cli or any or sale property over all or any porticity of the uniform Discable motor carrier classification or tariff if this is a mot to the uniform Discable motor carrier classification or tariff if this is a mot to the track the track that the track the track that the track the track that the track the track that the	destined as indice on of said route on of said route omestic Straight tor carrier shipm	cated or y at to des	above, which said carrier (the word carrier to the word carrier detination, if on its route, otherwitination, and as to each party at any time of Lading set forth (1) in Uniform religious shipper hereby certifies that he is a
PIVOIC	GNED TO				(Mail a.	openiation of the		pment, and the said terms and condition
	NATION	_	Į		STATE OF	street address of	cans	ignee — For purposes of notification or
DUTE					VIATEOF	COUNTY	OF	
No.	ERING CARRIER		=	VE	HICLE OD OAR WALL			
ckages	DESCRIPTION	*Weight	Clas	No.	HICLE OR CAR INITIAL			NO.
	TRUCKS-NOI-HAND W/STANDING	(Sub. to Corr.	Rate	Packages	<del></del>	*Weight (Sub. to Corr.)	Clas Or Rate	Subject to Section 7 of conditions
	ENDS TIEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	without recourse on the consign
Ri	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	The carrier shall not make delivery this shipment without payment freight and all other lawful charge
_	STEEL BENCH PARTS KDF ITEM 79920 SUB 2	299	70		STANDS, TOOL OR WORK ITEM 178716 SUB 1		85	(Signature of Consignor) If charges are to be prepaid, write
Pd	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1	2821	150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	stamp here "To be Prepaid."
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	Received \$ to apply in prepayment of the charg on the property described hereo
_	MARK FOR: 77928 & 77937	ATTN:	LIW	AIS			-	Agent or Cashier  Per  [The Signature here acknowledges only the amount prepaid.]
							_	Charges Advanced: S C.O.D. SHIPMENT
							F	C.O.D. Amt.
EL E	NTERPRISES INC	ly stated by th	marked ires th epifica e ship	and labeled at the bill ally in wri	of lading shall state whether it is "carrier's or shippe ting the agreed or declared value of the property.	the applicable regi er's weight,"		Total Chargesns of the Department of Transportation
) EAS VELA	T 36 STREET Shipper ND, OHIO 44114 t-office address of shipper.	, Per	エンム		Agent, Per_			U



# PRODUCTS UCCL

# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

097031

1440 EAST 36 STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

INVOICE NO.

27697





ORDER NO.

9936~16

VEMBER 4	, 1987	OUR ORDER NO. 62713	CUSTOMER'S ORDER	1 NO.	TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAY			
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	PJAX			<b>VALCONI</b> D	COLLECT	
ORDERED	MODEL NO.	DESCRIPT	ION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
100 EA	RUF-251	GRIZZLY PORT. RACK-	J-FRAMES-ORANGE					
:								
			·					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading, NOVEMBER 4, 1987. OM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44 DATE: 10132 ₽ PJAX CARRIER: SHIPPER'S NO. 11.5 the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier file word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of isdaing, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions of the said bill or the said (Mail or street address of consignee — For purposes of notification only.) CONSIGNED TO DESTINATION STATE OF COUNTY OF ROUTE **DELIVERING CARRIER** VEHICLE OR CAR INITIAL NO. Subject to Section 7 of conditions of DESCRIPTION DESCRIPTION or Rate applicable bill of lading if this shipment is to be delivered to the consignee lat without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 100 150 ENDS ITEM 188560 SUB 3 statement: NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of The carrier shall not make delivery of this shipment without payment of freight and all other levelul charges. TRUCKS-NOI-HAND W/PLATFORMS, CABINETS, NOI, METAL W/O STANDING ENDS, SIDES, STAKES 70 OTHER THAN FURNITURE 110 OR STDS.-ITEM 188560-SUB 4 ITEM 39270 SUB 6 (Signature of Consignor) STEEL BENCH PARTS - KDF STANDS, TOOL OR WORK -If charges are to be prepaid, write or stamp here "To be Prepaid." 70 85 ITEM 79920 SUB 2 ITEM 178716 SUB 1 BENCHES-WORK-NOI-STEEL OR **ROLLING SHELF W/LADDER** STEEL & WOOD COMBINED-SU FIXTURES IN SAME PKG. 150 125 Received \$ ITEM 79920 SUB 1 ITEM 108780-A to apply in prepayment of the charges on the property described hereon CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460 LOCKERS, STEEL, STORAGE 85 125 ITEM 80460 SUB 1 Agent or Cashier 2 SK PALLET. STRG/WHSE The Signature here acknowledges only 2560 6 9 MAKR FOR: 9936-16 (100EA) CONSISTING OF UNthe amount prepaid.) Charges Advanced: SSEMBLED MEMBERS ITEM 164340 SUB 1 C.O.D. SHIPMENT C.O.D. Amt. Collection Fee\_

This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regularious of the Department of Transportation.

\*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC.

PUCEL ENTERPRISES, INC 1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper,

Shipper, Per

STRAIGHT BILL OF LADING-SHORT FORM-Original-Not Negotiable

. Cark

Agent, Per 4.1

CONFIDENTIAL Z 616

**Total Charges** 



<u>5 ionar</u> PRODUCTS


DESIGNATING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

28554

110305



SOLD TO				ORDER			
DATE		our order NO. S-8999-87	CUSTOMER'S ORDER NO. 987-500	o. 	OF INVO	EN DAYS - D	O DAYS
SALESMAN	23, 1987	F.O.B. OUR PLANT CLEVELAND. OHIO	PJAX	<u>.                                    </u>		P <b>X\$0</b> \$\$\$	COLLECT
OUANTITY ORDERED	MODEL NO.	DESCRIPTION	N	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
5 SETS	SPECIAL	GRIZZLY CASTER CHANG WORK BENCHES. TO FI SET CONSISTS OF CHAN AND CHANNEL W/TWO R	T BENCHES FABRICA NNEL W/TWO SWIVEL IGIDS. DK BLUE	ED.			
		Consiste all	applicable requirements of Se	ections 6, 7	and 12 of the F	air Labor Standar	ds Act, as amended,

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### TRAIGHT BILL OF LADING-SHORT FORM-Original-Not Negotiable

COVER subject to the classifications and familia in effect on the date of issue of this Original Bill of Lading

	ing the state of t			
ROM: PUCE	EL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114	DATE: DECEMBE	R_23	<u> 1987</u>
		1.0	749	
<b>V</b>	D IAV	SHIPPER'S NO.	<u> 145</u>	

e property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier ing understood throughout this contract as manning any person or corporation in possession of the property under the contract) agrees to carry to its usual ptace of delivery at said destination, if on its route, otherwise is deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said or any portion of said for outer to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms of continuous or the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Preight isstification in effect on the date hereof, if this is a rail or rail-water shipment, and the stable in the said terms and conditions of the stable line of its shipment, and the said terms and conditions of the stable line of its shipment, and the said terms and conditions of the stable line of its shipment, and the said terms and conditions of the stable line of its shipment, and the said terms and conditions of the stable line of its shipment, and the said terms and conditions of the stable line of its shipment.

ONSIGNED TO ESTINATION					imail or s	ail or street address of consignee — For purposes of notification only					
				STATE OF COUNTY OF							
OUTE											
ELIVE	RING CARRIER	5		VEI	HICLE OR CAR INITIAL	<del>,</del>	I	NO.			
No. ackages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	Class Or Rate	Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee			
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3	_	100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	without recourse on the consignor the consignor shall sign the followin statement: The carrier shall not make delivery of this shipment without payment of			
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	freight and all other lawful charges.			
1 S	STEEL BENCH PARTS – KDF ITEM 79920 SUB 2	130	70		STANDS, TOOL OR WORK — ITEM 178716 SUB 1		85	(Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."			
_	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780-A		125	Received \$			
. <u></u> .	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	1			
	MARK FOR: ATTN: F15E AS	SY-PLT I	5	84 D	IV 074			Per			
	7-1396-NF	<del> </del>	+	<del></del>				Charges Advanced:			
								C.O.D. SHIPMENT			
-			T	Ε-				C.O.D. Amt			
			1					Collection Fee			
	<u></u>	Į			<u> </u>	<u> </u>	1_	Total Charges			
If the stance of	Trify that the above named materials are properly classified, or hipment moves between two ports by a carrier by w Where the rate is dependent on value, shippers are re ed or declared value of the property is hereby specified.	ater, the law re- equired to state	quite: speci	s that the ifically in	bill of lading shall state whether it is "carrier's or so writing the agreed or declared value of the property	ipper s weigns.	reguta	itions of the Department of Transportation			
	CHTEDODICES INC					010	i /	12/22/87			
	L ENTERPRISES, INC. Ship	per, Per	/		Agent, Pe	コンしん	<del>/</del> /	1-12/27/01			
	ELAND, OHIO 44114				J-CHOLVE		V				

CONFIDENTIAL Z 618



# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

132945

INVOICE NO. 27054





SEPTEMBER 30.1987		OUR ORDER NO. CUSTOMER'S ORDER		NO.	TERMS	TEN DAYS - DATE		
		62117	32797		OF INVOICE - NET 30 DAYS			
LESMAN		F.O.B. OUR PLANT		\ \chop#		<b>X8958</b> \$19000000000000000000000000000000000000		
DANTITY	MODEL NO.	DESCRIPTI	BROWN TRA	OUAN. SHIPPED	UNIT PRICE	TOTAL EXTENSION		
0 EA	PC-48R W/ 1424-4	GRIZZLY PORT. CAB. WO	ORK BENCHES W/	No.			281213131	
						-		
	, f							
							1	
							1	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

BROWN TRANSPORT :ARRIER: he property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier neing understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any bortion of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of idading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions or the hipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only.) **ONSIGNED TO** STATE OF COUNTY OF ESTINATION ROUTE VEHICLE OR CAR INITIAL NO ELIVERING CARRIER Subject to Section 7 of conditions of eight applicable bill of lading if this shipment is to be delivered to the consignee without recourse on the consignor, DESCRIPTION DESCRIPTION Package Package: (Sub. to Corr.) TRUCKS, S/U W/FIXED BODIES, the consignor shall sign the following TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 150 100 ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL, TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 OTHER THAN FURNITURE 70 **ITEM 39270 SUB 6** STEEL BENCH PARTS - CARRIER NOTE: UNITS MUST STAND (Signature of Consignor) If charges are to be prepaid, write or - DO NOT STACK UNITS M 178716 SUB 1 85 stamp here "To be Prepaid. ITEM 79920 SUB 2 ON WHEELS **ROLLING SHELF W/LADDER** BENCHES-WORK-NOI-STEEL OR FIXTURES IN SAME PKG. 125 STEEL & WOOD COMBINED-SU 150 Received \$ ITEM 108780-A ITEM 79920 SUB 1 to apply in prepayment of the charges on the property described hereon. LOCKERS, STEEL, STORAGE CABINETS, TOOL W/DRAWERS, 7740 125 85 STEEL, WHEELED - ITEM 39460 ITEM 80460 SUB 1 Agent or Cashier æ, MARK FOR: C1-710-87-SDC-0121 The Signature here acknowledges only the amount prepaid.) (SNS) MDC-6081-73241 Charges Advanced: ARRIER NOTE 3RD PARTY BILLING, BILL PREPAID FREIGHT CHARGES TO: SWEDLOW DISTRIBUTING CO C.O.D. SHIPMENT HANDLE SHIPMENT WITH C.O.D. Amt.\_ 1007 N. LAKE AVE LITMOST CARE . FRAGILES Collection Fee\_ PASADENA, CA 91104 Total Charges is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." OTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. he agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

TRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable CEIVED, subject to the classifications and farilfs in effect on the date of issue of this Original Bill of Lading.

Shipper, Per

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

**PUCEL ENTERPRISES, INC.** 

: 440 EAST 36 STREET CLEVELAND, OHIO 44114 remanent post-office address of shipper, SEPTEMBER 30, 1987

DATE:

Agent, Per

CUSTOMER FILE COPY



# ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

025735

INVOICE NO. 31067



SH-P FO

ORDER NO.

APRIL 26. 1988		OUR ORDER NO. 5-9504-88	CUSTOMER'S ORDER NO	TERMS 1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS				
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	CONSOLID					
QUANTITY DRDERED	MODEL NO.	DESCRIPT	ION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
6 EA	SPEC IAL	GRIZZLY SPT-2842 S STD EXCEPT TO HAVE						
		CASTERS. GRAY	o manda to		i			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### CONSOLIDATED FREIGHTWAYS 18445 SHIPPER'S NO. the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as mainling any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to delivery arrier on the route to said destination. It is mutually agreed, or each carrier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight fill of Lading set extremely all the said to the date hereof, it is is a rail or railwater showment, or 2) in the applicable motor carrier classification or tart if this is a rail or railwater showment, or 2) in the applicable motor carrier classification or tart if this is a rail or railwater shown to be subject to all the classification or tart if this is a rail or fall water shown that he is familiar after hereby agreed to by the shipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only CONSIGNED TO DESTINATION STATE OF COUNTY OF ROUTE NO. **DELIVERING CARRIER** VEHICLE OR CAR INITIAL Subject to Section 7 of conditions of applicable bill of lading, if this shipment •Weight \*Weight (Sub. to Corr.) No. DESCRIPTION DESCRIPTION Package: (Sub. to Corr.) Rate is to be delivered to the consigner without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, 6 CTN TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3 720 100 RACKS/FRAMEWORK, OTHER THAN 150 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges CABINETS, NOI, METAL, TRUCKS-NOI-HAND W/PLATFORMS, (Signature of Consignor) W/O STANDING ENDS, SIDES, STAKES OTHER THAN FURNITURE CFWY PRO NUMBER DEST CODE OR STDS.-ITEM 188560-SUB 4 STEEL BENCH PARTS - KDF If charges are to be prepaid, write or ITEM 79920 SUB 2 stamp here "To be Prepaid." BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 125 Received \$ ITEM 79920 SUB 1 to apply in prepayment of the charges on the property described hereon CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460 Agent or Cashier (The Signature here acknowledges only HANDLE SHIPMENT WITH Charges Advanced: UTMOST CARE - FRAGILE!! C.O.D. SHIPMENT C.O.D. Amt. Total Charges This is to cartify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the D elf the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding PUCEL ENTERPRISES, INC.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and farilts in effect on the date of issue of this Original Bill of Lading.


FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO :34114


Shipper, Per

1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper, Agent, P

APRIL 26. 1988

ST.RAI	GHT BILL OF LADING—SHORT subject to the classifications and tariffs in effect on the di	FORM—(	rigi	nal—N	ot Negotiable			<del></del>
FROM	: PUCEL ENTERPRISES, INC., F.O.	3. CLEVEL	_AN	D, OH	IO 44114	DATE:		MAY 2, 1988
CARRI	ER: OVERNITE				s	HIPPER'S N		18499
the prope being und to deliver interested Classificat with all t are hereb	arty described above, in apparent good order, except as no erstood throughout this contract as meaning any person of to another carrier on the route to said destination, it is in all or any of said property, that every service to be into nin effect on the date hereol, if this is a rail or rail- tion in effect on the date hereol, if this is a rail or rail- tie terms and conditions of the said bill of lading, including agened to by the shipper and accepted for himself and hi	oted (contents and or corporation in mutually agreed performed hereu vater shipment, or those on the bis assigns.	d con posse d, as t inder or (2) eack ti	dition of co ssion of the peach care shall be sul in the appl hereof, set	ontents of packages unknown), marked, consigned, and o a property under the contract) agrees to carry to its usual rier of all or any of said property over all or any portion bject to all the terms and conditions of the Uniform Do clable motor carrier classification or tariff if this is a moto forth in the classification or tariff which governs the tran	lestined as indica place of deliver n of said route to mestic Straight for carrier shipme sportation of thi	ited ab y at sa dest! Bitl of int, Sh s shipi	ove, which said carrier (the word carrier id destination, if on its route, otherwise rate of the said to said party at any time that the said to said party at any time that the said to said the said that the said terminate of the said terminate, and the said terms and conditions
	SNED TO	R			(Mail or	treet address of	consig	nee — For purposes of notification only
DESTIN						COUNTY	OF	
ROUTE		9						
DELIVE	RING CARRIER		Class		HICLE OR CAR INITIAL		TAT	NO.
Packages	DESCRIPTION	*Weight (Sub. to Corr.)	or Rate	No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	Class Or Rate	applicable bill of tading if this shipment
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	is to be delivered to the consigner without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES	a L	70	1 SK (2EA)	CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6	548	110	this shipment without payment of foright and all other lawful charges.
	03 717 033 CLV	1	70		STANDS, TOOL OR WORK - ITEM 178716 SUB 1		85	(Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."
0/	/ERNITE TRANSPORTATION CO	). È	15 <u>Q</u> .	Link to	ROLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	Received \$
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	on the property described hereon
	MARK FOR: 9436-6704							Agent or Cashier  Per (The Signature here acknowledges only the amount prepaid.)
				HAN UTM	DLE SHIPMENT WITH ST CARE - FRAGILEII			Charges Advanced:  \$ C.O.D. SHIPMENT  C.O.D. Amt Collection Fee Total Charges
NOTE - W The agree	tify that the above named materials are properly classified, de pment moves between two ports by a carrier by was there the rate is dependent on value, shippers are rect or declared value of the property is hereby specific	ter, the law req luired to state s	ures pecif	that the b ically in w	ill of lading shall state whether it is "carrier's or ship	o the applicable roper's weight."	egulati	
1440 EA	ENTERPRISES, INC. AST 36 STREET LAND, OHIO 44114 post-office address of 45554.	er, Per		2	Clark Agent, Per	0007		1sh & Bano





We hereby certify that the goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading, DECEMBER 2,1988 FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: SHIPPER'S NO. DAYTON FREIGHT destined as indicated above, which said carrier (the word carrier al place of delivery at said destination, if on its route, otherwise on of said route to literation, and as to each party at any time obmestic Stratght Bill of Lading saf forth (1) in Uniform Freight of Carrier shipment, Shipper hereby certifies that he is familiar anaporation of this shipment, and the said terms and conditions the property described above, in apparent good order, except as noted (contents) being understood throughout this contract as maning any person or corporation to deliver to be contracted as the contract as FREIGHT If the terms and conditions of the said bill of lading, including those oby agreed to by the shipper and accepted for himself and his assigns. [Mail or street address of consignee - For purposes of notification only.) CONSIGNED TO STATE OF COUNTY OF DESTINATION ROUTE NO. VEHICLE OR CAR INITIAL DELIVERING CARRIER Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee •Weight \*Weight (Sub. to Corr.) DESCRIPTION DESCRIPTION or Rate (Sub. to Corr.) Packages TRUCKS, S/U W/FIXED BODIES, the consignor shall sign the following TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 150 100 statement The carrier shall not make delivery of ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL, OTHER THAN FURNITURE TRUCKS-NOI-HAND W/PLATFORMS, Rycul (Signature of Consignor) 70 W/O STANDING ENDS, SIDES, STAKES ITEM 39270 SUB 6 OR STDS,-ITEM 188560-SUB 4 If charges are to be prepaid, write or stamp here "To be Prepaid." STANDS, TOOL OR WORK -STEEL BENCH PARTS - KDF 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR 125 150 FIXTURES IN SAME PKG. Received S STEEL & WOOD COMBINED-SU to apply in prepayment of the charges on the property described hereon. 375 ITEM 108780-A ITEM 79920 SUB 1 LOCKERS, STEEL, STORAGE CABINETS, TOOL W/DRAWERS, 125 85 ITEM 80460 SUB 1 STEEL, WHEELED - ITEM 39460 Agent or Cashier HANDLE SHIPMENT WITH (The Signature here acknowledges only MARK FOR: 10156 UTMOST CARE - FRAGILE! the amount prepaid.) SHIP FOR: APPLIED Charges Advanced: "CARREIER NOTE: 3RD PARTY BILLING BILL PREPAID FREIGHT CHARGES TO C.O.D. SHIPMENT APPLIED C.O.D. Amt.\_ CARRIER NOTE: UNITS MUST STAND Collection Fee. Total Charges\_ This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transport \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding PUCEL ENTERPRISES, INC. Agent, Pet Shipper, Per 1440 EAST 36 STREET

Permanent post-office address of shipper.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and facilits in effect on the date of issue of this Girginal Bill of Cading. FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: MAY 18, 1988 18760 ANR FREIGHT SYSTEM SHIPPER'S NO. the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agreet to carry to it to deliver to another carrier on the route to said destination. It is invulually agreed, so each carrier of all or any of said property over all or any contracts of all or any of said property over all or any contracts of all or any of said property, that every service to be performed because it is a sole to carrier of all or any of said property, that every service to be performed because it is all the terms and conditions of the Unit with all the said of the said bill of a said in or plivated shipment, or () in the applicable motor carrier classification or tariff it this is with all the terms and conditions of the said bill of a said in the said of the said bill of a said in the said of the said bill of a said in the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said bill of the said of the said of the said bill of the said of the said of the od destined as indicated above which said carrier (the word c ANR FREIGHT SYSTEM PRO> 810-887296 0 CONSIGNED TO DESTINATION E OF ROUTE DEST ROUTE **DELIVERING CARRIER** VEHICLE OR CAR INITIAL NO. \*Weight (Sub. to Corr.) DESCRIPTION "Weight (Sub. to Corr.) Subject to Section 7 of conditions of Package: 10 DESCRIPTION applicable bill of lading, if this shipment is to be delivered to the consigner Packages Rate TRUCKS, S/U W/FIXED BODIES. without recourse on the consinnor TRUCKS-NOT-HAND W/STANDING the consignor shall sign the following 100 BACKS/FRAMEWORK, OTHER THAN 150 ENDS ITEM 188560 SUB 3 statement: NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of The carrier shall not make delivery or this shipment without payment of freight and all other legitud chrises TRUCKS-NOI-HAND W/PLATFORMS. CABINETS, NOI, METAL WO STANDING ENDS, SIDES, STAKES 70 OTHER THAN FURNITURE 110 OR STDS,-ITEM 188560-SUB 4 ITEM 39270 SUB 6 (Signature of Consignor) 2 PESTEEL BENCH PARTS - KDF STANDS, TOOL OR WORK 282 70 If charges are to be prepaid, write o 85 ITEM 178716 SUB 1 SENCHES-WOR - . . OI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB : ROLLING SHELF W/LADDER 150 FIXTURES IN SAME PKG. 125 Received \$
to apply in prepayment of the charges
on the property described hereon ITEM 108780~A CABINETS, TOC .. .: DRAWERS, STEEL, WHEELED - ITEM 39460 LOCKERS, STEEL, STORAGE 85 125 ITEM 80460 SUB 1 Agent or Cashier DRAWERS, BENCH STEEL OR STEEL & WOOD COMBINED (The Signature here acknowledges only 60 85 the amount prepaid.) <u>HANDLE SHIPMENT WITH</u> ITEM 57610 Charges Advanced: UTMOST CARE - FRAGILE! \$ C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee\_ Total Charges\_ This is to certify that the above named maximials are properly classified, described, packaged, marked and labeled and are in groper condition for transportation according to the applicable regulations of the Department of Transportation

"If the shipment moves between "wo ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET

Shipper, Per

Agent, Per

CLEVELAND, OHIO 44114
Permanent post-office address of shipper.



# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

001066

INVOICE NO.

31572





DATE	1988	OUR ORDER NO. 65439	CUSTOMER'S ORDI	ER NO.	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	ANR FREIGHT	SYSTEM	<del></del>	XXXXXXXXX	COLLECT	
QUANTITY ORDERED	MODEL NO.	DESCRIPTION	ON	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
6 EA 2 EA 2 EA 2 EA	BL-28 ST-96 SH-96 3096 2024-1	GRIZZLY BENCH LEGS GRIZZLY STRINGERS GRIZZLY SHELVES GRIZZLY SIDE & BACK GRIZZLY DRAWER UNIT						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



CL'EVELAND, OHIO 44114 • PHONE (216) 881-4604

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

SOLD TO

SHIP TO

ACCOUNT NO	SALESMAI NO.	PURC	HASE ORDER NO.	SHIP VIA	COL	PPD	DATE SHIPPED		TERMS		INVOICE DATE	PA
90040	0	AL		CCX/COLLECT			8/08/89	1/10	NET 30		8/08/89	
QTY.	QTY. HIPPED C	OTY BACK DRIDERED	ITEM NO.		DESC	RIPTIO	N		UNIT PRICE	DISC:	EXTENDED PF	RICE
4	4	ŀ	DSC-3672	-4 HEAVY DU	TY STOR	AGE	CABINET		,			
\$ **	,			-								
	:											
									SALE AM	OUNT		
				,				1		ARGES S TAX EIGHT		
ORIGII	NAL				TH	HA!	YK YOU	-	Т	OTAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

CARRIER: \_\_\_CONWAY\_CENTRAL\_EXPRESS

Permanent post-office address of shipper,

DATE:	AUG 8,1989
SHIPPER'S NO.	17877

ONSIG	NED TO				(Mail or s	treet address of	consig	nee For purposes of notification onl
ESTIN	ATION				STATE OF	COUNTY	<u>OF</u>	
OUTE								
	RING CARRIER	<del></del>	121		HICLE OR CAR INITIAL		167 1	NO.
No. eckages	DESCRIPTION SHOWS AND	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	or Rate	Subject to Section 7 of conditions applicable bill of lading if this shipme
	TRUCKS-NOI-HAND WIS TO THE PROPERTY OF THE PRO	200	100		TRUCKS, S/U W/FIXED BODIES, ** RACKS/FRAMEWORK, OTHER THAN NESTED = ITEM 188560 SUB 2	en er	150	sis, to be delivered to the consign without recourse on the consigns the consignor shall sign the following statement: The carrier shall not make delivery
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS	CODE	70	25KE	CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6	1260	110	HU Mull
	6-416654		70		STANDS, TOOL OR WORK — ITEM 178716 SUB 1		85	(Signature of Consignor) If charges are to be prepaid, write stamp here "To be Prepaid."
56	CC CCX	002-1H	150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG, ITEM 108780-A		125	Received \$
	STEEM, WHEELED - ITEM 39460	CODE	85	 	LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	
	,							Per
								Charges Advanced:
	· · · · · · · · · · · · · · · · · · ·		Γ					C.O.D. SHIPMENT
		1	$\vdash$	<del>                                     </del>				C.O.D. Amt.
								Collection Fee
			<u> </u>			<u> </u>	L	Total Charges
f the shi DTE—W	pment moves between two ports by a carrier by w	ater, the law rec equired to state	quires speci	that the b	tled and are in proper condition for transportation according t pill of lading shall state whether it is "carrier's or ship writing the agreed or declared value of the property, be not exceeding		egulati	ions of the Repartment of Transportation




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

SOLD TO:



SHIP TO:



COUNT	<b>10</b> .	ALESMAN NO.	PURC	HASE ORDER NO.	SHIP VIA	COL	PPD	DATE SHIPPED	TERMS		INVOICE DATE	PAG
820 422		0		SN402483	UPS/PFD			10/03/89	1/10 NET 3	0 -	10/03/89	
QTY. RDERED	O' SHIF	ry. PED o	OTY BACK RDERED	ITEM NO.		DESCI	RIPTION	v	UNIT PRICE	DISC %	EXTENDED PE	RICE
2		2		1705MK-K	D CYL. LOC	к мі	<	KEYED DIFFE	R			
						-			SALE AMO MISC. CHAR SALES FREI	GES TAX		
ORIGI	INA	L				TL	IAN	IK YOU		TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



### ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

099763

INVOICE NO.

37406



date ANUARY	9,1989	OUR ORDER NO. 67887	CUSTOMER'S ORDER NO 80122320	•	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA PRE	STOH	TRUCK ING	X2 <u>85</u> 5\$15	XX COLLECT	
QUANTITY	MODEL NO.	DESCRIPTIO	N	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
EA.	CS-2872-St	GRIZZLY SLIDING DOO EXTRA S-72 SHELF EA GRAY						

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 JANUARY 9,1989 DATE: CONSOLIDATION SVC REQUESTED PRESTON TRUCKING CO SHIPPER'S NO. CARRIER: e properly described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier ing understood throughout this contract as meaning any person or corporation, in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any bortion of said course to destination, and as to each party at any time desiver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any bortion of said property, that party services to be performed between that the said terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Preight classification in effect on the date hereof, if this is a rail or rail-water thipment, shipper hereby certifies that he is familiar that terms and conditions of the said bill of saiding, including those on the back hereof, set form in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and hims (Mail or street address of consigner -, For purposes of notification only.) **CONSIGNED TO** COUNTY OF STATE OF DESTINATION ROUTE NO. 4 CKSON VEHICLE OR CAR INITIAL DELIVERING CAR Subject to Section 7 of conditions of applicable hill of lading, if this shipment •Weight No. Packages "Weight (Sub. to Corr.) DESCRIPTION DESCRIPTION Sub. to Corr. Packages Rate Rat is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 150 100 statement: ENDS ITEM 188560 SUB 3 The carrier shall not make delivery of NESTED - ITEM 188560 SUB 2 this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL, OTHER THAN FURNITURE TRUCKS-NOI-HAND W/PLATFORMS, 110 (Signature of Consignor) 70 W/O STANDING ENDS, SIDES, STAKES ITEM 39270 SUB 6 OR STDS.-ITEM 188560-SUB 4 STEEL BENCH PARTS - KDF STANDS, TOOL OR WORK -If charges are to be prepaid, write or stamp here "To be Prepaid." 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR 125 150 FIXTURES IN SAME PKG. Received \$ STEEL & WOOD COMBINED-SU 712 2 SK DS to apply in prepayment of the charges on the property described hereon. ITEM 79920 SUB 1 ITEM 108780-A LOCKERS, STEEL, STORAGE CABINETS, TOOL W/DRAWERS, 125 85 ITEM 80460 SUB 1 STEEL, WHEELED - ITEM 39460 Agent or Cashier Per\_\_\_\_\_\_ (The Signature here acknowledges only MARK FOR: XBQ81376 the amount prepaid.) Charges Advanced: C.O.D. SHIPMENT C.O.D. Amt. Collection Fee ... Total Charges\_ This is to certify that the above named materials are properly classified, descrabed, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation "If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

Q

Agent, Per

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

Shipper, Per

PUCEL ENTERPRISES, INC.

1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper. Vac





### ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

39321

124546





DATE PRIL 2	1 - 1989	OUR ORDER NO. 69051	CUSTOMER'S ORDER NO.		1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS			
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	YELLOW FR	r 5 <b>Y</b> 5	X <b>P</b> RFR <b>*Y</b> *Y	X COLLEC		
OUANTITY	MODEL NO.	DESCRIPTIO	N SHIPI	PED UNIT PRICE	TOTAL	EXTENSION		
EA.	HDSC-3672-	4 GRIZZLY STORAGE C GRAY	AIBNET					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CARRIE	R: YELLOW FREIGHT SYS	<u> </u>			SH	IIPPER'S NO	ر	
			d con posses , as to oder 1 r (2) i ack th	dition of cossion of the o each care that be sub in the applicant of the a	inients of packages unknown), marked, consigned, and de property under the contract) agrees to carry to its usual ler of all or any of said property over all or any portion ject to all the terms and conditions of the Uniform Don cable motor carrier classification or tariff if this is a moto orth in the classification or tariff which governs the trans	istined as indicati place of delivery of said route to not said route to r carrier shipmen portation of this	ed abo at said destin in of it. Shi shipn	ove, which said carrier (the word carrier of destination, if on its route, otherwiselson, and as to each party at any time. Lading set forth (1) in Uniform Freighper hereby certifies that he is familiament, and the said terms and conditions.
CONSIG	NED TO	1			(Mail or st	treet address of c	onsig	nee - For purposes of notification only
DESTIN		)	_		STATE OF	COUNTY	)F	
ROUTE	lo lo							
	RING CARRIER			VEH	IICLE OR CAR INITIAL			NO.
No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	Class or Rate	No.	DESCRIPTION	*Weight (Sub. to Corr.)	Cluss Or Plate	Subject to Section 7 of conditions of applicable bill of lading if this shipmen is to be delivered to the consigner
	TRUCKS-NOI-HAND W/STANDING		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED ITEM 188560 SUB 2		150	without recourse on the consignor
, F ( )	TRUCKS-NOI-HAND W/PLATE DRUS, W/O STANDING ENDS, SIDLS, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6	660	110	freight and all other lawful charge
	STEEL BENCH PARTS 100	7-3	70		STANDS, TOOL OR WORK ITEM 178716 SUB 1		85	If charges are to be prepaid, write stamp here "To be Prepaid."
	CHICAGO MATE DES HOOK TRABLE NO.	ESTUNATION	150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG, ITEM 108780-A		125	Received \$
	PCS SIRR DOOR		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1	g 80 4	125	1 ' ' '
								Per
			Ţ	<u> </u>	<u> </u>		$\vdash$	Charges Advanced:
				ļ	HANDLE SHIPMENT WITH	ļ		C.O.D. SHIPMENT
					TMOST CARE FRAGILE!			C.O.D. Amt Collection Fee
		ļ		1		l	1	Total Charges

This is to certify that the above named meterials are properly classified, described, packaged, marked and labeled and are in proper condition for stamportation according to the applicable regulations of the Department of Transportation

Agent, Per

\*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's y NOTE —Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

Shipper, Per

STRAIGHT BILL OF LADING—SMOKE FURM—Uliginal—NOT Negotiable RECEIVED, subject to the classifications and facility in effect on the date of assure of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

1440 EAST 36 STREET CLEVELAND, OH10 44114 Permanent post-office address of shipper,


PUCEL ENTERPRISES, INC.

APRIL 21,1989

DATE: \_\_



SOLD TO:



SHIP TO:



COUNT N	O. SALESMAI	PURC	HASÉ ORDER NO.	SHIPVIA	COL	PPO	DATE SHIPPED	TERMS		INVOICE DATE	PAG
8205 422		09	SN402483	UPS/PPD			10/03/89	1/10 NET 31	0	10/03/89	ļ —
OTY. RDERED	OTY. SHIPPED	OTY. BACK RDERED	ITEM NO.		DESCF	UPTION		UNIT PRICE	DISC %	EXTENDED PR	ICE
2	2		1705MK-K				DIFFER				
								SALE AMO MISC. CHAR SALES FREI	GES TAX		
ORIGI	NAL				TH	AN	K YOU	то	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET CLEYELAND, OHIO 44114 • PHONE (216) 881-4604

SOLD TO:

SHIP TO:

CCOUNT	VO. SALES	MAN PUR	CHÁSE ORDER NO.	SHIP VIA	COL	PPO	DATE SHIPPED		TERMS		INVOICE DATE	PAG
6869		0 R 1	06334	TOLUTE/COLU			11/01/89	1/	10 NET 30	·	11/01/89	<b></b>
OTY. DEDERED	OTY. SHIPPED	BACK ORDERE	ITEM NO.		DESC	RIPTIO	N	<b>.</b>	UNIT PRICE	DISC.	EXTENDED PF	IICE
83 25	83 25		HDSC-364 HDSC-367 GRA	2-4 HEAVY DUTY				A16				
									SALE AMO MISC. CHAR SALES FREI	GES TAX		
ORIG	INAL				Tŀ	<i>IAI</i>	YK YOU		то	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CARRI	ER:TOLLIE		_			SHIPPER'S I	NO	6074
or a or me da of the sa	erty described above, in apparent good order, except a derstood throughout this contract as meaning any pers to another carrier on the route to said destination. It is my of said property, that every service to be performed at hereof, if this is a rail or rail-water shipment, or (2) in it ald bill of lading, including those on the back there hipper and accepted for himself and his assigns.	mutually agree hereunder sha	d, as to li be sub	each carrier of ject to all the t	all or any of said property over all or any portion erms and conditions of the Uniform Domestic Stra	its usual place of de of said route to desti ight Bill of Lading set	ivery at : nation, ar : forth (1)	sald destination, if on its route, otherwise nd as to each party at any time interested in Uniform Freight Classification in effect
CONSIG	NED TO					(Mail or street addre	as of co	nsignee — For purposes of notification or
DESTINA	TION				STATE OF	COUNT		
OUTE						00011	- 01	
ELIVER	ING CARRIER		_	VEHI	CLE OR CAR INITIAL	<del></del>		NO.
No. ickages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	*Weight (Sub. to	Class	Subject to Section 7 of conditions of applicable bill of lading, if this
2 <b>5SK</b> D	CABINETS,NOI,METAL,OTHER THAN FURNITURE ITEM 39270 SUB 6	10250	110			Corr.)	Rate	shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment
								of freight and all other lawful charges  (Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."
							· ·	Received \$
		The state of the s	Pineto.		AMERICAN ST.			Per (The Signature here acknow-ledges only the amount prepaid.) Charges Advanced
This is to i	certify that the above named materials are properly classification.	ed, described, p	ackaged	, marked and lat	seled and are in proper condition for transportation ac	ccording to the applica	ble regula	C.O.D. SHIPMENT C.O.D. Amt Collection Fee Total Charges ations of the Department of Transportation
NOTE-	chipment moves between two ports by a carrier Where the rate is dependent on value, shipperseled or declared value of the property is hereby	oy water, a	d to oth	equiles mai	the bill of lading shall state whether it is "		er's weig	oht."

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

Shipper, Per

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET CLEVELAND, OHIO 44114

Permanent post-office address of shipper,

CONFIDENTIAL Z 638

DATE: \_\_11/01/89

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING



SOLD TO:



SHIP TO:

COUNTA	IO SALES	MAN				1										
CCOUNT		5.	PURC	HASE O	RDER NO.	—	SHIP VIA		COL	PPD	DATE SHIPPED		TERMS	·	INVOICE DATE	PAGE
889?	<u>l</u>	0	211	63		CC	x/contro	r			1/10/90	1/	10 NET 30	, .	1/10/90	1
QTY. ORDERED	OTY. SHIPPED	. ( 8	OTY BACK DERED	ı	TEM NO.				DESCE	RIPTION	1		UNIT PRICE	DISC %	EXTENDED PR	IICE
	1			CS-	2872- GRA	,	CABINET	WOR	K B	ENCH	:					,
									•				SALE AMO	UNT		
													MISC. CHAR SALES FREI	TAX		
ORIGI	NAL								Th	IAN	IK YOU		то	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CUSTOMER FILE COPY



ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

099945

INVOICE NO. 28643





DATE	ER 6, 1986	OUR ORDER NO. 58269	CUSTOMER'S ORDER NO	•		EN DAYS - DICE - NET 3	
BALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	LYONS TRANSPORT	ATION		XXXXXXXXX	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTI		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
3 EA	SS-60	GRIZZLY SLIDING SHELF	TRUCK W/RUBB.WHLS				
	Ÿ						
		GRAY					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

DATE: MARCH 17, 1986 SHIPPER'S NO.

SEAGATE TRANSPORTATION CARRIER: \_\_\_

the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion of saidcont and as to each party at any time to the property of said or property. That every service to be performed hereunder shall be subject to all interests and conditions of the Uniform Domes Stight Bill of Lading, standing set forth (1) in Uniform Freignt Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor conditions of the said position of the said position of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only.) CONSIGNED TO

ROUTE								NO.
DELIVE	RING CARRIER		7611		IICLE OR CAR INITIAL		Class	Subject to Section 7 of conditions of
No. Packages	DESCRIPTION	*Weight Class No. Or (Sub. to Corr.) Rate Packages DESCRIPTION		DESCRIPTION	*Weight (Sub. to Corr.)	or Rate	applicable bill of lading if this shipmen is to be delivered to the consigne	
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED — ITEM 188560 SUB 2		150	without recourse on the consignor the consignor shall sign the followin statement: The carrier shall not make delivery this shipment without payment
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	freight and all other towful charge
	STEEL BENCH PARTS - KDF ITEM 79920 SUB 2		70		STANDS, TOOL OR WORK ITEM 178716 SUB 1		85	(Signature of Ø6nsignor)  If charges are to be prepaid, write stamp here "To be Prepaid."
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1		150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	Received \$
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85	SR 3B	LOCKERS, STEEL, STORAGE TEM 80460 SUB 1	1470	125	
	<u> </u>	<del>}</del> -	┰	┼	<del> </del>	<del></del>	┪	1 p.,
⊱ <sup>SK</sup> 1⊓	SCABINETS/GARAGE/SHOP	858	71	4	•			(The Signature here acknowledges of the amount prepaid.)
	ITEM 39340	<u> </u>	+	<del> </del>		<del>                                     </del>	╁	Charges Advanced:
						1		C.O.D. SHIPMENT
			-	ļ		<del> </del>		C.O.D. Amt
		. L		1		}		Collection Fee
				1	1		1	Total Charges

"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shippor's wein NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET CLEVELAND, OHIO 44114

Shipper, Per

Agent, P

Permanent post-office address of shipper,




### ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

084856

INVOICE NO. 16103





		the state of the s											
MARCH 17, 1986 SALESMAN		OUR ORDER NO. 55517	CUSTOMER'S ORDER 1			TEN DAYS - I							
		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA		ISPORTATIO	N XOROGOOK	XXXXXXXX COLLECT						
QUANTITY ORDERED	MODEL NO.	DESCRIPT	ION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION						
EA	DLCU-2424	GRIZZLY 3/DOOR LOCKER	CABINET UNITS	4									
		SHOP GREEN											
		SHUP GREEN											

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CUSTOMER FILE COPY



ENTERPRISES, INC

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

124967 SOLD

28463

DECEMBER	18,1987	OUR ORDER NO. S-8857-87	CUSTOMER'S ORDER N	IO.	TERMS 1% T	EN DAYS - DICE - NET 3	DATE
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	JOHN RIMES TRANS	SPORTAT		COLLECT	
ORDERED	MODEL NO.	DESCRIPT		QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION
.3 EA	GRIZZLY FORMICA TOP 30'W X 60"L X 34" H W/ 2 EA. 1424-1 DRAI LOCKS MOUNTED UNDER W/ R-60 RISER. W/FUI STRINGER.		GH WORK SURFACE FER UNITS W/CYL. TOP ONE EA. SIDE.				EX-21431014
		GRAY					
}							
						e e e e e e e e e e e e e e e e e e e	

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

# STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

JOHN RIMES TRANSPORTATION

the prope	rty described above, in apparent good pid-					SHIPPER'S I	VO.	10680
to defiver interested Classifical with all t are hereb	Jerstood throughout this contact 1900 ofer, except as to another carrier on the route as meaning any person in all or any of said property, the late destination. It tion in effect on the date hereof, if the respective to but the terms and conditions of the said bill of a grain or and y agreed to by the shipper and accessed for roding, including y agreed to by the shipper and accessed for roding.	noted (contents) or corporation i is mutually agree performed here water shipment, ling those on the	nd co n possed, as cunder or (2) back t	ndition of a ssign of to each call be shall be so in the applications of the second se	contents of packages unknown), marked, consigned, and he property under the contract) agrees to carry to its usual retire of cit or any of said property out after any appropriate to all the terms and conditions of the uniform O discable motor carrier classification or carrier classification and the transition of the classification or tariff which governs the transition of the classification or tariff which governs the transition of the classification of the	destined as indic if place of delive in of said route to mestic Straight	ated ry at o des Bill o	above, which said carrier (the word car said destination, if on its route, other it ination, and as to each party at any to of Lading set forth (1) in Uniform 5-4
CONSI	SNED TO	ALE SEEGNE.	=		to the classification or tariff which governs the tran	reportation of th	ent. :	Shipper hereby certifies that he is familipment, and the said terms and conditi
DESTIN	ATION			<b>-</b>		street address of	cons	ignee For purposes of notification of
ROUTE			_		STATE OF	COUNTY		
	RING CARRIER							
No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class	No. Packages	HICLE OR CAR INITIAL  DESCRIPTION	*Weight	lČias	NO.
	TRUCKS-NOI-HAND W/STANDING	-	Rate	rackages	<del> </del>	(Sub. to Corr.)	Or	Subject to Section 7 of conditions applicable bill of lading, if this shipmen
	ENDS TEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED — ITEM 188560 SUB 2		150	without recourse on the consign
PRC	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	The carrier shall not make delivery this shipment without payment freight and all other lawful charg
	STEEL BENCH PARTS KDF ITEM 79920 SUB 2	299	70		STANDS, TOOL OR WORK — ITEM 178716 SUB 1		85	(Signature of Consignor) If charges are to be prepaid, write
~ 1	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1	2821	150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG		125	stamp here "To be Prepaid."
	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460		85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		-	Received \$
	MADY. See		-		TI EN 30400 SUB I		125	Agent or Cashier
	MARK FOR: 77928 & 77937	ATTN:	_IWI	AISH				Per
							7	Charges Advanced: \$
			+				4	C.O.D. SHIPMENT C.O.D. Amt.
		1		- 1		1	- 1	Collection For
f the ships	y that the above named materials are properly classified, desc nent moves between two ports by a careing by	ribed, packaged, n	narked	and labeled	and are in gruper condition for transportation according to a of lading shall state whether it is "carrier's or shippe		$\perp$	Total Charges
	re the rate is dependent on value, shippers are required to the rate is dependent on value, shippers are required reclaimed value of the property is hereby specifical NTERPRISES, INC.	ired to state soci ly stated by th	res tha pifica ship	at the bill lly in wri he to be	d and are in groper condition for transportation according to a of lading shall state whether it is "carrier's or shippe ting the agreed or declared value of the property. not acceding	he applicable regu it's weight."	112110°	ns of the Department of Transportation
440 EAS LEVELA	T 36 STREET Shipper ND, OHIO 44114	, Per	4	1	Agent, Per_			<u>u</u>
manent pos	t-office address of shipper,				earle			

DECEMBER 18, 1987

DATE: \_




# Siano PRODUCTS 1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

097031

INVOICE NO.

27697





ORDER NO.	3330-10

DATE VEMBER	1007	OUR ORDER NO.	CUSTOMER'S ORDER	NO.	TERMS 1% TEN DAYS - DATE					
SALESMAN	1, 130/	62713	73358		OF INV	DICE - NET 3	DAYS			
QUANTITY		F.O.B. OUR PLANT CLEVELAND. OHIO	PJAX			ARESAID	COLLECT			
ORDERED	MODEL NO.	DESCRIPT	ION	QUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION			
100 EA	RUF-251	GRIZZLY PORT. RACK-	U-FRAMES-ORANGE							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading. ROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44 NOVEMBER 4, 1987. DATE: CARRIER: SHIPPER'S NO. . . . . the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, and its route, otherwise to deliver to another carrier on the route to said destination, and its not each carrier of all or any of said property over all or any portion of said route to destination, and is to each partier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or reliewater shipment, or (in the applicable motor carrier classification or tariff this is a motor carrier shipment, and the said with all the terms and conditions of the said bill of fading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this inigment, and the tail terms and conditions are hereby agreed to by the shipper and accepted for himself and his assignment. (Mail or street address of consignee - For purposes of notification only ) CONSIGNED TO DESTINATION STATE OF **COUNTY OF** ROUTE **DELIVERING CARRIER** VEHICLE OR CAR INITIAL NO. Subject to Section 7 of conditions of \*Weight (Sub. to Corr. \*Weight (Sub. to Corr No. DESCRIPTION DESCRIPTION applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING 100 RACKS/FRAMEWORK, OTHER THAN 150 ENDS ITEM 188560 SUB 3 statement: NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of this shipment without payment of freight and all other lawful charge TRUCKS-NOI-HAND W/PLATFORMS, CABINETS, NOI, METAL W/O STANDING ENDS, SIDES, STAKES 70 OTHER THAN FURNITURE OR STDS.-ITEM 188560-SUB 4 ITEM 39270 SUB 6 (Signature of Consignor) STEEL BENCH PARTS - KDF STANDS, TOOL OR WORK -If charges are to be prepaid, write or stamp here."To be Prepaid." 70 ITEM 79920 SUB 2 ITEM 178716 SUB 1 BENCHES-WORK-NOI-STEEL OR **ROLLING SHELF W/LADDER** STEEL & WOOD COMBINED-SU FIXTURES IN SAME PKG. 150 125 Received \$ **ITEM 79920 SUB 1** ITEM 108780--A to apply in prepayment of the charges on the property described hereon. CABINETS, TOOL W/DRAWERS, LOCKERS, STEEL, STORAGE 85 125 STEEL, WHEELED - ITEM 39460 ITEM 80460 SUB 1 Agent or Cashier 2 SK PALLET, STRG/WHSE (The Signature here acknowledges only the amount prepaid.) 2560 65 MAKR FOR: 9936-16 (100EA) CONSISTING OF UN-Charges Advanced: ASSEMBLED MEMBERS ITEM 164340 SUB 1 C.O.D. SHIPMENT C.O.D. Amt. Collection Fee ....

CLEVELAND, OHIO 44114
Permanent post-office address of shipper,

1440 EAST 36 STREET

**PUCEL ENTERPRISES, INC.** 

Shipper, Per

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regul

\*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

Agent, Per 🗹

CONFIDENTIAL

**Total Charges** 

os of the Department of T



**PRODUCTS** 


DESTAINERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

28554

110305



ORDER NO.

SOLD TO	s de la constant de l	SH-P TO OR	DER NO.		-
DATE DECEMBER 23, 1987 SALESMAN	OUR ORDER NO.  5-8999-87  F.O.B. OUR PLANT	CUSTOMER'S ORDER NO. 987-590	TERMS	TEN DAYS - I	DATE SO DAYS
QUANTITY MODEL NO.	CLEVELAND. OHIO  DESCRIPTION	, , , , , , , , , , , , , , , , , , ,	OUAN. SHIPPED UNIT PRICE	TOTAL	EXTENSION
5 SETS SPECIAL	GRIZZLY CASTER CHAN WORK BENCHES. TO FI SET CONSISTS OF CHA AND CHANNEL W/TWO F	T BENCHES FABRICATE WHEL W/TWO SWIVELS RIGIDS. DK BLUE			cls Act as amended.

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### ROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: DECEMBER 23, 1987 SHIPPER'S NO. PJAX ARRIER: \_ e property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier of all or any understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, and as to each party at any time of the property over all or any portion of the contract of the route to said destination, and as to each party at any time of the property over all or any portion of the contract of the contract of the contract of the uniform for the contract of the contract of the uniform for the uniform for the contract of the (Mail or street address of consignee - For purposes of notification only.) ONSIGNED TO COUNTY OF STATE OF ESTINATION OUTE NO. VEHICLE OR CAR INITIAL **ELIVERING CARRIER** Subject to Section 7 of conditions of •Weight \*Weight (Sub. to Corr.) applicable bill of lading, if this shipment DESCRIPTION (Sub. to Corr.) DESCRIPTION Of Flat Package. Rate is to be delivered to the consignee ackages without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 150 100 statement: The carrier shall not make delivery of ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL TRUCKS-NOI-HAND W/PLATFORMS, (Signature of Consignor) OTHER THAN FURNITURE 70 W/O STANDING ENDS, SIDES, STAKES ITEM 39270 SUB 6 OR STDS.-ITEM 188560-SUB 4 130 If charges are to be prepaid, write or stamp here "To be Prepaid." STANDS, TOOL OR WORK -STEEL BENCH PARTS - KDF 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR 125 FIXTURES IN SAME PKG. 150 STEEL & WOOD COMBINED-SU to apply in prepayment of the charges on the property described hereon. ITEM 108780-A ITEM 79920 SUB 1 LOCKERS, STEEL, STORAGE 125 CABINETS, TOOL W/DRAWERS, 85 ITEM 80460 SUB 1 STEEL, WHEELED - ITEM 39460 Agent or Cashier (The Signature here acknowledges only MARK FOR: ATTN: F15E AS\$Y-PLT D 584 DIN 074 the amount prepaid.) Charges Advanced: 7-1396-NE C.O.D. SHIPMENT C.O.D. Amt. Collection Fee \_ **Total Charges**

is is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

OTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. he agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

UCEL ENTERPRISES, INC. 440 EAST 36 STREET

CLEVELAND, OHIO 44114 ermanent post-office address of shipper, Shipper, Per

TRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

CEIVED, subject to the classifications and facifis in effect on the date of issue of this Original Biff of Lading.

D. Clark

Agent, Per



# ENTERPRISES, INC.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36 STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

132945

INVOICE NO. 27054





DATE		OUR ORDER NO.	CUSTOMER'S ORDER I	ю.	TERMS	TEN DAYS	DATE	
SEPTEME	BER 30.1987	62117	32797	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS				
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA				xxxxx£8kk\$57	
QUANTITY	MODEL NO.	DESCRIPTI		OUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
20 EA	PC-48R W/ 1424-4	GRIZZLY PORT. CAB. WO FLOOR LOCK. GRAY	ORK BENCHES W/				0	
		.~	v					
					j			

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

ROM:	PUCEL ENTERPRISES, INC., F.O.I	B. CLEVEL	.AN	D, OHI	0 44114	DATE	S	SEPTEMBER 30, 1987
:ARRIE	BROWN TRANSPORT					HIPPER'S N		7597
he proper neing under o deliver nterested Classificat with all the cre hereby	rty described above, in apparent good order, except as next ood throughout this contract as meaning any person in the contract as meaning any person in a support of the contract as meaning any person in a support of the contract as a support of the contract as a support of the contract as a support of the contract as a support of the contract as a support of the contract as a support of the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract and the contract as a support of the contract as a s	oted (contents and or corporation in a mutually agreed performed hereu water shipment, (ing those on the bits assigns.	posses d, as to inder s or (2) in back th	dition of cression of the oreach carrinal be sub- tinal be sub- tin the appli- nereof, set f	ontents of packages unknown), marked, consigned, and d properly under the contract) agrees to carry to its usual ler of all or any of said property over all or any portlor ject to all the terms and conditions of the Uniform Do cable motor carrier classification or lariff if this is a moto orth in the classification or tarriff which governs the tran-	estined as Indica place of delivery n of said route to mastic Straight E or carrier shipme sportation of this	ted above at sale destination of the sale	ove, which said carrier (the word carrier id destination, if on its route, otherwise ration, and as to each party at any time Lading set forth (1) in Uniform Freight laper heraby certifies that he is familiar ment, and the said terms and conditions
	INED TO				(Mail or s	treet address of	consig	nee - For purposes of notification only.
ESTIN	ATION				STATE OF	COUNTY	OF	
ROUTE								
ELIVE	RING CARRIER			VEH	HICLE OR CAR INITIAL		Class	NO.
No. Packages	DESCRIPTION	(Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	"Weight (Sub. to Corr.)	l or l	applicable bill of lading, if this shipment
	TRUCKS-NOI-HAND W/STANDING ENDS ITEM 188560 SUB 3		100		TRUCKS, S/U W/FIXED BODIES, RACKS/FRAMEWORK, OTHER THAN NESTED – ITEM 188560 SUB 2		150	without recourse on the consignor,
	TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDSITEM 188560-SUB 4		70		CABINETS, NOI, METAL, OTHER THAN FURNITURE ITEM 39270 SUB 6		110	freight and all other lawful charges.
	STEEL BENCH PARTS - CARRIER NITEM 79920 SUB 2 ON WHEEL	OTE: UNIT S - DO NO	8 M 1 39	ust si ack ui	AND STANDS, TOOL OR WORK – ITEM 178716 SUB 1		85	(Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."
	BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU ITEM 79920 SUB 1	1	150		ROLLING SHELF W/LADDER FIXTURES IN SAME PKG. ITEM 108780—A		125	Received \$ to apply in prepayment of the charge on the property described hereon
70 SK	CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460	7740	85		LOCKERS, STEEL, STORAGE ITEM 80460 SUB 1		125	
	MARK FOR: C1-710-87-SD (SNS) MDC-6081-73241	0121	,					Per the Signature here acknowledges only the amount prepaid.)
·ARR1	ER NOTE 3RD PARTY BILLING	BILL	PRE	PAID	FREIGHT CHARGES TO:		$\top$	Charges Advanced:
,/-(IXIX 1	SWEDLOW DISTRIBUTING CO	1	1	1				C.O.D. SHIPMENT
	PASADENA, CA 91104				T CARE - FRAGILE!!			C.O.D. Amt Collection Fee Total Charges
ns is to a	SWEDLOW DISTRIBUTING CO	described, package rater, the law re	ed, mar quires	HAN UTMO	T CARE - FRAGILE!!  In the standard in proper condition for transportation according shall state whether it is "carrier's or ship writing the agreed or declared value of the property.	ipper's weight."	reguta	C.O.D. Amt Collection Fee Total Charges

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable CELVED, subject to the classifications and tariffs in effect on the date of cause of this Original Bill of Lading.

Shipper, Per

**PUCEL ENTERPRISES, INC.** 

: 440 EAST 36 STREET CLEVELAND, OHIO 44114 ermanent post-office address of shipper, Agent, Per

CUSTOMER FILE COPY



# ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

025735

INVOICE NO.

31067





DATE TERMS
1% TEN DAYS - DATE OUR ORDER NO. CUSTOMER'S ORDER NO. 5-9504-88 TOM APRIL 26, 1988 OF INVOICE - NET 30 DAYS SALESMAN VIA . OUR PLANT CLEVELAND, OHIO CONSOL IDATED COLLECT QUANTITY MODEL NO. DESCRIPTION UNIT PRICE EXTENSION 16 EA SPEC IAL GRIZZLY SPT-2842 SHEET & PANEL TRUCK STD EXCEPT TO HAVE 8" PHENOLIC CASTERS. GRAY

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

### 18445 CONSOLIDATED FREIGHTWAYS SHIPPER'S NO. CARRIER: the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunders hall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff this is a motor carrier-shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of sading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only CONSIGNED TO COUNTY OF STATE OF DESTINATION ROUTE VEHICLE OR CAR INITIAL NO. **DELIVERING CARRIER** Subject to Section 7 of conditions of \*Weight (Sub. to Corr.) \*Weight (Sub. to Corr.) Subject to Section 7 or conditions of applicable bill of lading, if this shipment is to be delivered to the consigner without recourse on the consignor, the consignor shall sign the following DESCRIPTION DESCRIPTION Packages Packages Rate TRUCKS, S/U W/FIXED BODIES, 6 CTN TRUCKS-NOI-HAND W/STANDING 720 100 150 RACKS/FRAMEWORK, OTHER THAN statement: The carrier shall not make delivery of NESTED - ITEM 188560 SUB 2 this shipment without payment of freight and all other lawful charges TRUCKS-NOI-HAND W/PLATFORMS, CABINETS, NOI, METAL, (Signature of Consignor) 110 W/O STANDING ENDS, SIDES, STAKES 70 OTHER THAN FURNITURE EM 30270 CLIP C OR STDS.-ITEM 188560-SUB 4 CFWY PRO NUMBER STEEL BENCH PARTS - KDF If charges are to be prepaid, write or stamp here "To be Prepaid." ITEM 79920 SUB 2 BENCHES-WORK-NOI-STEEL OR STEEL & WOOD COMBINED-SU 125 ITEM 79920 SUB 1 on the property described hereon 20002-CABINETS, TOOL W/DRAWERS. DEST CODE 125 STEEL, WHEELED - ITEM 39460 Agent or Cashier (The Signature here acknowledges only the amount prepaid.) HANDLE SHIPMENT WITH Charges Advanced: UTIMOST CARE - FRAGILE!! C.O.D. SHIPMENT C.O.D. Amt. \_ Collection Fee Total Charges This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the D \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shippen weight." NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding PUCEL ENTERPRISES, INC.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tartifs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

Shipper, Per


1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper, Agent, Pe


DATE: APRIL 26, 1988

RECEIVED, subject to the classifications and farills in effect on the date of issue of this Original Bill of Lading FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: \_\_MAY 2. 1988 OVERNITE CARRIER: SHIPPER'S NO. the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to delive a said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Dom's lide grouper to destination, and as to each party at any time Classification of or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Dom's lide grouper to the CONSIGNED TO (Mail or street address of consignee - For purposes of notification only DESTINATION COUNTY OF ROUTE q DELIVERING CARRIER VEHICLE OR CAR INITIAL NO. \*Weight (Sub. to Corr.) DESCRIPTION "Weight (Sub. to Corr.) Package: Subject to Section 7 of conditions of ОГ DESCRIPTION Package applicable bill of lading if this shipment is to be delivered to the consigner without recourse on the consigner. TRUCKS-NOI-HAND W/STANDING TRUCKS, S/U W/FIXED BODIES, 100 ENDS ITEM 188560 SUB 3 RACKS/FRAMEWORK, OTHER THAN the consignor shall sign the following 150 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of The carrier shall not make delivery of this shipment without payment of fragment and all other lewful edings. TRUCKS-NOI-HAND W/PLATFORMS. CABINETS, NOI, METAL, OTHER THAN FURNITURE 1 SK W/O STANDING ENDS, SIDES, STAKES 70 (2EA) 548 ITEM 39270 SUB 6 FREIGHT BILL NUMBER ORIGIN (Signature of Consignor) 703 717 **.0**33 STANDS, TOOL OR WORK -If charges are to be prepaid, write or stamp here "To be Prepaid," 70 ITEM 178716 SUB 1 OVERNITE TRANSPORTATION CO. ROLEING SHELF W/LADDER 150 FIXTURES IN SAME PKG. 125 **ITEM 79920 SUB 1** Received \$ ITEM 108780-A to apply in prepayment of the charges on the property described hereon. CABINETS, TOOL W/DRAWERS, STEEL, WHEELED - ITEM 39460 LOCKERS, STEEL, STORAGE 85 125 ITEM 80460 SUB 1 Agent or Cashier The Signature here acknowledges only MARK FOR: 9436-6704 Charges Advanced: HANDLE SHIPMENT WITH UTMOST CARE - FRAGILE! C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee\_ Total Charges This is to certify that the above named semburials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regul \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding Agent, PerOUNT PUCEL ENTERPRISES, INC. Shipper, Per 1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable





We hereby certify that the goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and or regulations and order of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and fariffs in effect on the date of issue of this Original Biff of Lading, DECEMBER 2,1988 FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: SHIPPER'S NO. DAYTON FREIGHT CARRIER: destined as indicated above, which said carrier (the word carrier at place of delivery at said destination, if on its route, otherwise no of said route to destination, and as to each party at any time no results. Straight Bill of Lading saf forth (1) in Uniform Freight lor carrier shipment, Shipper hereby certifies that he is familiar naportation of this shipment, and the said terms and conditions the property described above, in apparent good order, except as noted (contents being understood throughout this contract as meaning any person or corporation to deliver to another carrier on the route to said destination. It is mutually as interested in all or any of said property, that every service to be performed in Classification in effect on the date hereof, if this is a long or measurement of the date of FREIGHT (Mail or street address of consignee - For purposes of notification only.) CONSIGNED TO COUNTY OF STATE OF DESTINATION ROUTE NO. VEHICLE OR CAR INITIAL **DELIVERING CARRIER** Subject to Section 7 of conditions of "Weight (Sub. to Corr.) "Weight (Sub. to Corr.) Subject to Section 7 of containing applicable bill of lading if this shipment is to be delivered to the consigner without recourse on the consignor. DESCRIPTION 07 Packages TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 150 100 etatement: statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 CABINETS, NOI, METAL, OTHER THAN FURNITURE TRUCKS-NOI-HAND W/PLATFORMS. (Signature of Consignor) 110 70 W/O STANDING ENDS, SIDES, STAKES ITEM 39270 SUB 6 OR STDS.-ITEM 188560-SUB 4 If charges are to be prepaid, write or stamp here "To be Prepaid." STANDS, TOOL OR WORK -STEEL BENCH PARTS -- KDF 25 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR 125 FIXTURES IN SAME PKG. 150 STEEL & WOOD COMBINED SU to apply in prepayment of the charges ITEM 108780--A 375 **ITEM 79920 SUB 1** on the property described hereon. LOCKERS, STEEL, STORAGE 125 CABINETS, TOOL W/DRAWERS, 85 ITEM 80460 SUB 1 STEEL, WHEELED - ITEM 39460 Agent or Cashier HANDLE SHIPMENT WITE The Signature here acknowledges only MARK FOR: 10156 nt prepaid.) UTMOST CARE - FRAGILE! SHIP FOR: APPLIED Charges Advanced "CARREIER NOTE: 3RD PARTY L PREPAID FREIGHT CHARGES TO: BIL C.O.D. SHIPMENT APPLIED C.O.D. Amt. CARRIER NOTE: UNITS MUST STAND Collection Fee\_ Total Charges ON WHEELS - DU NOV STACK UNITS This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding PUCEL ENTERPRISES, INC. Agent, Pet Shipper, Per 1440 EAST 36 STREET

CLEVELAND, OHIO 44114
Permanent post-office address of shipper.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and facilits in effect on the date of issue of this Original Bill of Cading, FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: <u>MAY 18, 1988</u> 18760 CARRIER: ANR FREIGHT SYSTEM SHIPPER'S NO. \_ The property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned being understood throughout this contract a smeaning any person or corporation in possession of the property under the contract) agrees to carry to I to deliver to another carrier on the route to said destination. It is mutually agrees, so each carrier of all or any of said property over all or any interested in all or any of said property, that every service to be performed needed; shall be subject to all the terms and conditions of the Unite Classification in effect on line date needed, this is a rail or rail-water sipiment, or (3) in the applicable motor carrier classification or tarriff if this is a late term and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tarriff which governs to any page of the byte this per and accepted for himself and his assigns. rated above which said carrier (the word ANR FREIGHT SYSTEM PRO> 810-887296 0 CONSIGNED TO DESTINATION TE OF ROUTE DEST ROUTE DELIVERING CARRIER VEHICLE OR CAR INITIAL NO. \*Weight {Sub. to Corr.} "Weight (Sub. to Corr... No. Packages Subject to Section 7 of conditions of DESCRIPTION DESCRIPTION Packages or Rate applicable bill of lading if this shipment appricable bit of reading, it this supplies is to be delivered to the consigner without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND WISTANDING 100 RACKS/FRAMEWORK, OTHER THAN 150 ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges TRUCKS-NOI-HAND W/PLATFORMS, W/O STANDING ENDS, SIDES, STAKES OR STDS.-ITEM 188560-SUB 4 CABINETS, NOI, METAL 70 OTHER THAN FURNITURE ITEM 39270 SUB 6 (Signature of Consignor) 2 POSTEEL BENCH PARTS - KDF STANDS, TOOL OR WORK 282 If charges are to be prepaid, write o stamp here "To be Prepaid." 70 ITEM 178716 SUB 1 BENCHES-WOR F-NOT-STEEL OR STEEL & WOOD COMBINED-SUITEM 79920 SUPPI ROLLING SHELF W/LADDER 150 FIXTURES IN SAME PKG. 125 Received \$ ITEM 79920 SUE ITEM 108780-A to apply in prepayment of the charges on the property described hereon CABINETS, TOOL & DRAWERS, STEEL, WHEELED - ITEM 39460 LOCKERS, STEEL, STORAGE 85 125 ITEM 80460 SUB 1 Agent or Cashier DRAWERS, BENCH STEEL OR STEEL & WOOD COMBINED (The Signature here acknowledges only 60 85 the amount prepaid.] HANDLE SHIPMENT WITH ITEM 57610 Charges Advanced: UTMOST CARE - FRAGILE!! C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee \_\_ **Total Charges** To 1 to certify that the above named manageals are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

"If the shipment moves between "wo ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE —Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property—

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET CLEVELAND, OHIO 44114

Permanent post-office address of shipsper,

Shipper, Per

Agent, Per

CONFIDENTIAL 7. 627



# ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MARUFACTURING


1440 EAST 36th STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

001066

INVOICE NO.

31572





DATE MAY 18,	1988	our order No. 65439	CUSTOMER'S ORDER NO	o. _	1% TEN DAYS - DATE OF INVOICE - NET 30 DAYS				
SALESMAN		F.O.B. OUR PLANT CLEVELAND. OHIO	ANR FREIGHT SY	STEM	<del></del>	X <b>XXXX</b> XXXX	COLLECT		
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	ON	SHIPPED	UNIT PRICE	TOTAL	EXTENSION		
6 EA 2 EA 2 EA 2 EA	BL-28 ST-96 SH-96 3096 2024-1	GRIZZLY BENCH LEGS GRIZZLY STRINGERS GRIZZLY SHELVES GRIZZLY SIDE & BACK GRIZZLY DRAWER UNITS							

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

INVOICE NO.



### TERPRISES, INC.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

440 EAST 36th STREET CLEVELAND, OHIO 44114 • PHONE (216) 881-4604

SOLD TO:

SHIP TO:

ACCOUNT NO	SALESM NO.	M PURC	HASE ORDER NO.	SHIP	VIA	COL	PPD	DATE SHIPPED		TERMS		INVOICE DATE	PAC
90040 41189	0	AL		CCX/COLL	ECT			8/08/89	1/10	NET 30		8/08/89	
	QTY. SHIPPED	OTY. BACK ORDERED	ITEM NO.		• •	DESC	RIPTION	1		UNIT PRICE	DISC 94	EXTENDED PF	RICE
	4	H	DSC-3672	-4 HEAVY	ΡÛΤΥ	STOR	AGE	CABINET					
										SALE AMO MISC. CHAF SALES FRE	RGES		
ORIGI	NAL					Tŀ	1Al	YK YOU			TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Biff of Lading,

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

CARRIER: CONWAY CENTRAL EXPRESS

Permanent post-office address of shipper,

AUG 8,1989 DATE: SHIPPER'S NO

the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier eing understood throughout this contract as meaning any person or corporation in possission of the property under the contract) agrees to carry to its usual place of delivery as said destination, it is mutually agreed, or each carrier on the route to said destination, and as to each carrier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading sat forth (1) in Uniform Feedbard Classification in effect on the date hereof. If this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff it his is a motor carrier shipment and the said terms and conditions of the said bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are transportation of this shipment, and the said terms and conditions are the said terms and conditions. (Mail or street address of consignee - For purposes of notification only, CONSIGNED TO COUNTY OF DESTINATION STATE OF ROUTE NO. VEHICLE OR CAR INITIAL **DELIVERING CARRIER** Subject to Section 7 of conditions of applicable fall of lading, if this shipment is, to be delivered to the consigner without recourse on the consignor. \*Weight (Sub. to Corr.) No. "Weight DESCRIPTION - 1980 VILLE (Sub. to Corr.) Rate DESCRIPTION Rate TRUCKS-NOI-HAND WAS ING the consignor shall sign the following statement: TRUCKS, S/U W/FIXED BODIES, **2**100 RACKS/FRAMEWORK, OTHER THAN 150 The carrier shall not make delivery of NESTED -- ITEM 188560 SUB 2 this shipment without payment of freight and all other lawful charges. TRUCKS-NOI-HAND W/PLATFORMS. CABINETS, NOI, METAL DEST CODE 70 OTHER THAN FURNITURE 1260 (Signature of Consignor) 25K 🗖 ITEM 39270 SUB 6 If charges are to be prepaid, write or stamp here "To be Prepaid." STANDS, TOOL OR WORK --70 85 ITEM 178716 SUB 1 506-416654 ROLLING SHELF W/LADDER 125 150 FIXTURES IN SAME PKG. ITEM 108780-A to apply in prepayment of the charges Z9002-1H DEST CODE the property described hereon CIRCLE DNE LOCKERS, STEEL, STORAGE 125 85 STEEL WHEELED - ITEM 39460 ITEM 80460 SUB 1 Agent or Cashier (The Signature here acknowledges only the amount prepaid.) Charges Advanced: C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee\_ Total, Charges is is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulation If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE — Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. צל The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding PUCEL ENTERPRISES, INC. Agent, Per Shipper, Per 1440 EAST 36 STREET CLEVELAND, OHIO 44114




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

SOLD TO:



SHIP TO:



ON TRUCK	SALESMAN NO.		ASE ORDER NO.	SHIP VIA	COL	PPD	DATÉ SHIPPED	TERMS	ľ	INVOICE DATE	PAG
8205 4222	3	L	N402483 (	JPS/PPD			10/03/89	1/10 NET 3	0	10/03/89	
DERED S	QTY, SHIPPED O	QTY. BACK RDERED	ITEM NO.		DESC	RIPTIO	N	UNIT PRICE	DISC.	EXTENDED PR	ICE
2	2		1705MK-KD	CYL. LOC	к - М	К	KEYED DIFFE	R			
- 1		<u>.</u>			<u> </u>			MISC. CHAP SALES FRE	RGES		
ORIGIN	JAL				TH	IAN	YK YOU	TO	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

37406

SOLD FO

099763

SH-P- FO

L								,	
DATE ANUARY	9.1989	OUR ORDER NO. 67887	CUSTOMER'S OR			TERMS 1% T OF INVO	EN DAYS -	DATE 30 DAYS	
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA	PRES	TON	TRUCK ING	ASAAAAAA		
QUANTITY	MODEL NO.	DESCRIPTIO	N N		DUAN. SHIPPED	UNIT PRICE	TOTAL	EXTENSION	
EA.	CS-2872-SI	GRIZZLY SLIDING DOG EXTRA S-72 SHELF EA GRAY	OR CABINET ACH CABINET	W/					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114 DATE: JANUARY 9,1989 CONSOLIDATION SVC REQUESTED PRESTON TRUCKING CO SHIPPER'S NO. CARRIER: e property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier) ing understood throughout this contract as meaning any person or corporation, in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time lensted in all or any of said property, thatisery service to be performed hereunders that be sublect to all the terms and conditions of the uniform Domestic Straight Bill of Lading act forth (1) in Uniform Freight classification in effect on the date hereof, if his is a cast or rail-water chipment, or (2) in the applicable motor carrier classification or farilf if this is a motor carrier shipment. Shipper hereby certifies that he is familiar terms and conditions of the said bits of Isaling, including those on the back hereof, set for himself and his said terms and conditions or the stransportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his (Mail or street address of consigner - For purposes of notification only. **CONSIGNED TO** COUNTY OF STATE OF DESTINATION ROUTE NO. 4 CK\$0N VEHICLE OR CAR INITIAL DELIVERING CAR Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee \*Weight \*Weight (Sub. to Corr.) DESCRIPTION DESCRIPTION or Rate **Packages Packages** Rate without recourse on the consignor, the consignor shall sign the following TRUCKS, S/U W/FIXED BODIES, TRUCKS-NOI-HAND W/STANDING RACKS/FRAMEWORK, OTHER THAN 100 150 ENDS ITEM 188560 SUB 3 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. CABINETS, NOI, METAL, TRUCKS-NOI-HAND W/PLATFORMS, Roce 70 OTHER THAN FURNITURE W/O STANDING ENDS, SIDES, STAKES ITEM 39270 SUB 6 OR STDS,-ITEM 188560-SUB 4 (Signature of Consignor) If charges are to be prepaid, write or stamp here "To be Prepaid." STANDS, TOOL OR WORK -STEEL BENCH PARTS -- KDF 70 ITEM 178716 SUB 1 ITEM 79920 SUB 2 ROLLING SHELF W/LADDER BENCHES-WORK-NOI-STEEL OR 125 STEEL & WOOD COMBINED-SU 712 150 FIXTURES IN SAME PKG. Received \$ 2SKDS to apply in prepayment of the charges on the property described hereon. ITEM 108780-A ITEM 79920 SUB 1 LOCKERS, STEEL, STORAGE CABINETS, TOOL W/DRAWERS, 125 85 ITEM 80460 SUB 1 STEEL, WHEELED - ITEM 39460 Agent or Cashier (The Signature here acknowledges only MARK FOR: XBQ81B76 Charges Advanced: C.O.D. SHIPMENT C.O.D. Amt.\_ Collection Fee., Total Charges\_ nent of Transportation This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the egolicable regulations of the Depart

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

0

Agent, Per

"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight."

NOTE —Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

Shipper, Per

**PUCEL ENTERPRISES, INC.** 

1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper, Yac



# PRODUCTS UCE

#### ENTERPRISES, INC


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING


1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.

39321

124546





DATE PRIL 2	1.1989	OUR ORDER NO. 69051	CUSTOMER'S ORDER N	10.		EN DAYS -	
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	YELLOW	FRT S	<b>Y</b> \$	<b></b>	X COLLEC
QUANTITY ORDERED	MODEL NO.	DESCRIF	TION	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
EA.	HDSC-3672-	4 GRIZZLY STORAGE GRAY	CAIBNET				
		1					

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

21KURUL RIFF OF FUDIAR-2HOKI LOKM-OLIBINAL-MOT MESOLISDIS RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

APRIL 21.1989

DATE:		•		•	•	_	_	_	•	_	•
		_	_	7	5	$\overline{}$	7	7			_

CARRIER: YELLOW FREIGHT SYS

3041 SHIPPER'S NO.

the property described above, in apparent your trider, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said cerrier (the word corrier being understood introghout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, it on its route, otherwise to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the uniform Domestic Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (1) in Uniform Straight Bill of Losing set forth (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment, shipper hereby certifies that he said terms and sendition are hereby agreed to by the shipper and accepted for himself and his assigns. (Mail or street address of consignee - For purposes of notification only CONSIGNED TO COUNTY OF DESTINATION STATE OF ROUTE NO. VEHICLE OR CAR INITIAL **DELIVERING CARRIER** Subject to Section 7 of conditions No. Package \*Weight (Sub. to Corr.) \*Weight (Sub. to Corr. DESCRIPTION applicable bill of lading, if this shipmen DESCRIPTION Package is to be delivered to the consigned without recourse on the consigno) TRUCKS-NOI-HAND W/STANDING . . . TRUCKS S/U W/FIXED BODIES the consignor shall sign the following 100 RACKS/FRAMEWORK OTHER THAN 150 statement: 8.5 NESTED - ITEM 188560 SUB 2 The carrier shall not make delivery of this shipment without payment of freight and all other lawful charge. TRUČKS-NOI-HAND W/PLATE ORGIS, CABINETS, NOI, METAL 70 110 OTHER THAN FURNITURE W/O STANDING ENDS, SIDLS, STAKES ITEM 39270 SUB 6 660 OR STDS,-ITEM 188560-SU6 4 SKD (Signature of Consignor) STEEL BENCH PARTS - MO-STANDS, TOOL OR WORK -70 042-529317-3 ITEM 178716 SUB 1 stamp here "To be Prepaid." CUE ROLLING SHELF W/LADDER DESTINATION TRALLS NO HOO 125 150 FIXTURES IN SAME PKG. Received \$ ITEM 108780-A to apply in prepayment of the charg-on the property described hereo-LOCKERS, STEEL, STORAGE 125 85 THE RESERVE OF THE PARTY OF THE ITEM 80460 SUB 1 Agent or Cashier (The Signature here acknowledges on Charges Advanced: HANDLE SHIPMENT WITH C.O.D. SHIPMENT JTMOST CARE FRAGILE!! COD Amt. Collection Fee\_ Total Charges\_ his is to certify that the above named meterials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation \*If the shipment moves between two ports by a carrier by water, the law requires that the bill of feding shall state whether it is "carrier's or shipper's year NOTE —Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC.

1440 EAST 36 STREET CLEVELAND, OHIO 44114 Permanent post-office address of shipper. Shipper, Per

linuella

Agent, Per


CONFIDENTIAL z 635




DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

SOLD TO:



SHIP TO:



COUNT N	L NO.	PURC	HASE ORDER NO.	SHIP VIA	COL	PPD	DATE SHIPPED	TERMS		INVOICE DATE	PAGI
8205 4222		09	SN402483	UPS/PPD				ा∕ाण घटा उ	0	10/03/89	FAGE
	QTY.	OTY. BACK PROERED	ITEMNO.		DESCF	IPTION		UNIT PRICE	DISC	EXTENDED PR	ICE
2	2		1705MK-KI				DIFFER				
ORIGIN	NAL			·	ТН	AN	K YOU	SALE AMO MISC. CHAR SALES FREI	GES TAX GHT		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and orders of the United States Department of Labor, issued under Section 14 thereof.

DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

SOLD TO:

SHIP TO:

COUNT	O SALESMA	PURC	HASE ORDER NO.		SHIP VIA	COL	PPD	DATE SHIPPED		TERMS		INVOICE DATE	PAG
6869	1		)6334	то	LETE/COLE			11/01/89	1/	) E T 14 OI	,	11/01/89	
OTY. PADERED	OTY. SHIPPED	OTY. BACK ORDERED	ITEM NO.			DESC	RIPTIO	N		UNIT PRICE	DISC %	EXTENDED PR	RICE
83 25	83 25		HDSC-364 HDSC-367 GRA	2-1	EXTRA HEAV HEAVY DUTY				NEB				
	<u> </u>									SALE AMO	RGES		
ORIG	IINAL					TI	HAİ	YK YOU		FRE	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

CARRI	ER:		_			SHIPPER'S I	<b>V</b> O	6074
br a	r to another carrier on the route to said destina any of said property, that every service to be pe ate bereof, if this is a rail or rail-water shipment, a	tion. It is mutually agree erformed hereunder sha	d, as to I be sub	each carrier of ject to all the t	Intents of packages unknown), marked, consigned, a property under the contract) agrees to carry to it all or any of said property over all or any portion of terms and conditions of the Uniform Domestic Strain or tariff if this is a motor carrier shipment. Shipper tariff which governs the transportation of this st	is usual place of del f said route to desti ght Bill of Lading set	rvery at a nation, ar forth (1)	said destination, if on its route, otherwise in no as to each party at any time interested in Uniform Freight Classification in effect
CONSIGI	NED TO					Mail or street addre	ss of co	nsignee For purposes of notification on
DESTINA	TION				STATE OF	COUNTY		
ROUTE								<del> </del>
DELIVER	ING CARRIER			VEHI	ICLE OR CAR INITIAL			NO.
No. ickages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	Subject to Section 7 of conditions of applicable bill of lading, if this
25 <b>SK</b> D	CABINETS,NOI,METAL,OTHER THAN FURNITURE ITEM 39270 SUB 6	<del></del>	110			con.j	riate	shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment
								of freight and all other tawful charges (Signature of Consignor)  If charges are to be prepaid, write or stamp here "To be Prepaid."
								Received \$to apply in prepayment of the charges on the property described bereon.
		-		***				Agent or Cashier  Per (The Signature here acknow- ledges only the amount prepaid.)  Charges Advanced
		The state of the s	Pineter P					C.O.D. SHIPMENT
								C.O.D. Amt,
NOTE— The agr	surplinent moves between two botts by s	a carrier by water, the shippers are require	d to sta	requires that	beled and are in proper condition for transportation ac the bill of lading shall state whether it is "o tly in writing the agreed or declared value of the not exceeding	carrier's or shippe of the property.	able regular's weigh	Total Chargesatons of the Department of Transportation ght."
	LAND, OHIO 44114		4	Kin	ncella Agent,	" / OU		¥ <del>****</del>

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading.

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

Permanent post-office address of shipper.

CONFIDENTIAL Z 638

DATE: \_\_11/01/89



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

SOLD TO:

SHIP TO:

			···						,				
DCOUNT N	IO. SALESM	AN PURC	HASE ORDER	NO.	SHIP VIA	COL	PPO	DATE SHIPPED		TERMS	,	INVOICE DATE	PAGE
8893 -4400			163	C	cx/correct			1/10/90	1/	10 NET 30		1/10/90	1
OTY. DROERED	OTY SHIPPED	OTY. BACK ORDERED	ITEM	NO.		DESC	RIPTION			UNIT PRICE	DISC %	EXTENDED PR	ICE .
	F		CS-287	2~9D RAY	CABINET WO	PK E	ENCH	:					,
-										SALE AMO	UNT		
										MISC. CHAR SALES FREI	TAX		
ORIGI	NAL					TT	IAN	IK YOU		то	TAL		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and af regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

Agent or Cashier  MARK FOR: LOGE-15422  DESCRIPTION  SUB. 10 OCOT.)  Packages  DESCRIPTION  SUB. 10 OCOT.)  Packages  DESCRIPTION  SUB. 10 OCOT.)  Packages  DESCRIPTION  SUB. 10 OCOT.)  Packages  DESCRIPTION  COT.)  Packages  OF applicable bill of lading stipment is to be delivered consigned without recond the consignor, the consign of the coloniance of the consigned of the consi		NED TO					(Mas or Street addre	ss of co	nsignee — For purposes of notification of
DELIVERING CARRIER  VEHICLE OR CAR INITIAL  NO.  No. ackages  DESCRIPTION  STEEL OR STEEL & WOOD COMBINED  ITEM 79920 SUB 1  DESCRIPTION  OR ACKAGES  DESCRIPTION  DESCRIPTION  STEEL OR STEEL & WOOD COMBINED  ITEM 79920 SUB 1  DESCRIPTION  OR ACKAGES  DESCRIPTION  OR ACKAGES  NO. Packages  NO. DESCRIPTION  OR ACKAGES  NO. Packages  NO. P		TION			S.	TATE OF	COUNT	Y ÖF	
No. ackages  DESCRIPTION  No. ackages  DESCRIPTION  SUBJECT TO SECRIPTION  No. or Rate  STEEL & WOOD COMBINED  TIEM 79920 SUB 1  DESCRIPTION  STEEL & WOOD COMBINED  TIEM 79920 SUB 1  DESCRIPTION  No. or Rate  The carrier shall not make of this shipment without per consignee without reco. Or shipment list to be delivere consignee without reco. Or significant without per consignee without reco. Or shipment list to be delivered to section 7 of co. or applicable bill oil bading to display and all other charges ging the following statem. The carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment without per carrier shall not make of this shipment in the carrier shall not make of this shipment is to be elivered to section 7 of co of applicable bill oil bading to display applicable bill oil badi		NO CAPPIED				<del></del>			
DESCRIPTION    Sub to Corr.   Rate   DESCRIPTION   Sub to Corr.   Rate   DESCRIPTION   Sub to Corr.   Rate   S		ING CARRIER	4147-1-1-1	lo. I	VEHICLE	OR CAR INITIAL			
STEEL & WOOD COME INED  356 150  STEEL & WOOD COME INED  356 150  STEEL & WOOD COME INED  356 150  Signature of Consignative without page of the preparative of this shipment without page of steeping and all other charges are to be preparative or stamp here "To be Preparative or stamp here "To be Preparative or stamp here "To be Preparative or stamp here "To be Preparative or stamp here "To be Preparative or stamp here	ackages		(Sub. to	or		DESCRIPTION	(Sub. to	or	Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the
Signature of Consignor	1 SKO	STEEL & WOOD COMBINED	356	150					consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful
## CC CCX    CIRCLE ONE   29002-1H   DEST CODE									Miniella
Agent or Cashier Per (The Signature here alledges only the amount processed and the control of t					Ап				If charges are to be prepaid, write or stamp here "To be Prepaid"  Received \$
Per (The Signature here a ledges only the amount processed of the Co.O.D. SHIPMENT CO.D. Amt		•	CC	Cl	CX				
MARK FOR: LOOE-15422  COD Amt		CIRCLE	ONE	29002-1	H DEST C	cani			Per
Total Charges		*							C.O.D. SHIPMENT COD. Amt Collection Fee Total Charges
This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Freese. If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carriers or inhipper's weight".  NOTE—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding.  PUCEL ENTERPRISES, INC.  Shipper, Per  Ageny, Per  Ageny, Per	NOTE— The agri	shipment moves between two ports by a can where the rate is dependent on value, shipp eed or declared value of the property is here	rier by water, to ers are require eby specifically	he law red to sta	equires that the b	ill of lading shall state whether it is writing the agreed or declared valu- be not exceeding	c "carriers or thippe e of the property.	able reguler's wei	lations of the Department of Imagnortation ght

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,

FROM: PUCEL ENTERPRISES, INC., F.O.B. CLEVELAND, OHIO 44114

CONWAY CENTRAL EXP

Permanent post-office address of shipper,

DATE: \_

SHIPPER'S NO.

1/10/90

6988



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

SOLD TO:

SHIP TO:

OUNT N	O. SALESMA	PURC	IASE ORDER NO.	SHIP VIA	COL	PPD	DATE SHIPPED		TERMS		INVOICE DATE	PAGI
3084	0 0		049	BICK DE	-		9/12/90	17	10 PFT 30		9/12/90	1
4827 DERED	QTY.	OTY. BACK SEDERED	ITEM NO.		DESC	RIPTIO	N		UNIT PRICE	DISC %	EXTENDED PF	RICE
4	14		SID	SPECIAL TO BO-2 W/1416-2 E DE, W/PRESSED V DRAWERS & INT:SPECIAL /BI	ORAWI VOOD	FR C	ENTERED ON & NAME PL	AT			•	••
			ļ <u></u> -						SALE AMO	TNUC	-444	<b>-</b>
									MISC. CHAI SALES FRE			
ORIC	SINAL				T	HA	NK YOU		тс	TAL		


We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.



DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

INVOICE NO.





ORDER NO.


DATE		OUR ORDER NO.	CUSTOMER'S ORDER NO	э.	TERMS	EN DAYS - D	DATE
9/	7/90	12525	622049		OF INVO	ICE - NET 3	O DATS
SALESMAN		F.O.B. OUR PLANT CLEVELAND, OHIO	VIA PICK-			PREPAID	COLLECT
QUANTITY ORDERED	MODEL NO.	DESCRIPTIO	N	SHIPPED	UNIT PRICE	TOTAL	EXTENSION
4	S-12525-9	SPECIAL TOOL STANDS 2430-2 W/1416 DRAWE SIDE, W/PRESSED WOO PAINT: SPECIAL BLU	ER CENTERED ON OD TOP	4 30"			
		Paul V She 9-11-90	will				-

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.


DESIGNING ENGINEERING DEVELOPMENT MANUFACTURING

1440 EAST 36th STREET . CLEVELAND, OHIO 44114 . PHONE (216) 881-4604

SOLD TO:



SHIP TO:



ACCOUNT NO. SALESMAN PURCHASE ORDER	D. SHIP VIA	COL PPD	DATE SHIPPED	TERMS	INVOICE DATE	PAG
93560 0 2375	CF/COLLECT		8/09/90	1/10 NET 30	8/09/90	
OTY: 7 O D OTY. OTY. BACK ORDERED SHIPPED ORDERED	0.	DESCRIPTIO	N	UNIT PRICE DISC %	EXTENDED PR	RICE
4 4 PC-48	PORTABLE	CABINET	WORK BENCI	Н		
			· · · · · · · · · · · · · · · · · · ·	SALE AMOUNT MISC. CHARGES SALES TAX FREIGHT		

We hereby certify that these goods were produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor, issued under Section 14 thereof.

#### STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading,

ROM: PUC	EL ENTERPRISES	S, INC., F.O.B.	<b>CLEVELAND</b>	OHIO	44114

CONSOLIDATED FREIGHT

CARRIER:

SHIPPER

•	0	2	2	1
R'S NO.	3	J	3	L

8/09/90

the property described above, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier inderstood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise et to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested or any of said property, that every service to be performed restable subject to all the terms and conditions of the fulform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water stipment, or (2) in the applicable motor carrier classification or tartif if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tartif which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

_	ED TO							
ΑT	ION			ST/	ATE OF	COUNT	OF	
	المساعي المساعل							
118	NG CARRIER			VEHICLE O	R CAR INITIAL			NO.
s	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	No. Packages	DESCRIPTION	*Weight (Sub. to Corr.)	Class or Rate	Subject to Section 7 of condition of applicable bitt of lading, if the shipment is to be delivered to the shipment is the shipment is the shipment is to be delivered to the shipment is to be delivered to the shipment is the shipment is the shipment is to be delivered to the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment is the shipment i
14	CABINET, TOO! W/DRAWERS, STEEL WHEELED UTEM 39460	1103	85					consignee without recourse of the consignor, the consignor sh- sign the following statement: The carrier shall not make delive of this shipment without payme
								of freight and all other lawf charges.
				•				(Signature of Cohsignor)  If charges are to be prepaid, writer or stamp here "To be Prepaid or stamp here".
	8 421-923 GEF FLF 29002-17	644 ◆ CC		9400 TE				If charges are to be prepaid, wri
	GF CF	◆ CC		ar cope				if charges are to be prepaid, wri or stamp here "To be Prepaid or stamp here "To be Prepaid or stamp here "To be Prepaid or stamp here "To be Prepaid or stamp here or stamp here or stamp here or stamp here or cashier here or signature here acknowledges only the amount prepaid
	GF CF	◆ CC		A CODE				If charges are to be prepaid, wri or stamp here "To be Prepaid Received \$
	GF CF	◆ CC		ST CODE				If charges are to be prepaid, wr or stamp here "To be Prepaid Received \$
	FLF 29002-17	◆ CC		ST CODE				If charges are to be prepaid, wri or stamp here "To be Prepaid Received \$

NOTE--Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

PUCEL ENTERPRISES, INC. 1440 EAST 36 STREET

CLEVELAND, OHIO 44114

Shipper, Per

Agent, Per\_

Permanent post-office address of shipper,